PROVINCIAL ADMINISTRATION OF KWAZULU-NATAL **DEPARTMENT OF PUBLIC WORKS**



QUOTATION DOCUMENT

SERVICE DESCRIPTION:

DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA

2GB AND ABOVE

Employer:

Zululand Sub-District: Vryheid: Public Works (Department of Public Works: Province of KwaZulu-Natal)

KZN Department of Public Works

Private Bag X9041 **PIETERMARIZBURG**

3200

Contact:

Project Leader: Mr. S.N. Maphumulo

Telephone number: 034 982 2362 068565

WIMS No.: Quotation Number: ZNQ 014/25V

CIDB Registration Number:

Central Suppliers Database No.:

Regional \ District Office:

Zululand Sub-District Office

285 Boeren Street

VRYHEID

3100

Tel No: 034 982 2362 Fax No: 034 980 9525 Contract Period 6 Calender

Months

PLEASE NOTE THAT THIS QUOTATION IS SUBJECT TO THE CONSTRUCTION INDUSTRY DEVELOPMENT BOARD ACT, (ACT NO. 38 OF 2000) AND ANY AMENDMENTS THERETO INCLUDING BOARD NOTICES, AND REGULATIONS PROMULGATED IN TERMS OF THE ABOVE MENTIONED ACT), AND THE STANDARD CONDITIONS OF QUOTATION AS CONTAINED IN ANNEXURE "C" OF THE STANDARD FOR UNIFORMITY IN CONSTRUCTION PROCUREMENT. IT IS ALSO SUBJECTED TO KWAZULU-NATAL: PROVINCIAL TREASURY SUPPLY CHAIN MANAGEMENT POLICY (DEC 2005) AND THE OCCUPATIONAL HEALTH AND SAFETY ACT, ACT 85 OF 1993 AND THE CONSTRUCTION REGULATIONS OF FEBRUARY 2014, AS AMENDED FROM TIME TO TIME.

DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA



TABLE OF CONTENTS

THE QUOTATION

PAR	TT1: QUOTATION PROCEDURES	Page\
T1.1	Bid Notice and Invitation to Quote (T1.1)	4
T1.2	Quotation Data (T1.2)	4
T1.3 T1.4	Annexure C - Standard Conditions of Quote (T1.3) Annexure to Notice and Invitation to Quote (T1.4)	10 1
11.4		'
PAR	TT T2: RETURNABLE DOCUMENTS	
T2.1	Submission of Compulsory Returnable Schedules (T2.1)	2
T2.2	Compulsory Enterprise Questionnaire (T2.2)	3
T2.3	Authority to sign Quote (T2.3)	1
T2.4	Financial Standing and other Resources of Business Declaration (T2.4)	1
T2.5	Equipment Schedules applicable (T2.5)	5
T2.6	Contractors Health & Safety Declaration (T2.6)	1
T2.7	Site Inspection Certificate (T2.7)	1
T2.8	Proof of UIF Registration (T2.8)	1
T2.9	Preference Points Claim Form (T2.9)	5
T2.10	Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing (1
T2.11	Proof of Paid Municipal Rates and Taxes (T2.11)	1
T2.12	Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the Commissioner (T2.12)	
	Commissioner (12.12)	1
T2.13	Contract Form - Purchase of Goods/Works-Part 1 (T2.13)	1
T2.14	Contract Form - Purchase of Goods/Works-Part 2 (T2.14)	1
T2.15	Bidder's Disclosure - SBD4 (T2.15)	3
T2.16	Client's Specific requirement for the Contractor's detailed OHS plan (T2.16)	
T2.17	Base Line Risk Assessment (T2.17)	2
T2.18	Capacity of Bidder (T2.18)	1
T2.19	Functionality Criteria (T2.19)	2
T2.20	Invitation to Bid - SBD 1 (T2.20)	2
TH	E CONTRACT	
PAR	T C1: AGREEMENT AND CONTRACT DATA	
C1.1.	Form of Offer and Acceptance (C1.1) Contract Data (C1.2)	3 5
01.2.	Contract Data (C1.2)	5

4.	PART	C2:	PRICING I	DATA

	C2.1	Pricing	Instructions	1
	C2.2	Pricing	Schedule	2
	C2.3	Prelimi	nary and General - EPWP (If applicable)	
	C2.4	Prelimi	nary and General - EPWP Beneficiary (If applicable)	
5.	PAF	RT C3:	SCOPE OF WORKS	
	C3.1	Scope	of Works	2
	C3.2	Specifi	cations for HIV\STI Awareness	3
	C3.3	HIV/ST	T Compliance Report	2
	C3.4	EPWP	Scope of Works (If Applicable)	5
6.	PAF	RT C4:	SITE INFORMATION	
	C4.1	Site Inf	ormation	1
	C4.2	EPWP	Employment Contract (Refer to Annexure 10)	
7.	DRA	AWING	<u>s</u>	
	C5.1	List of	Drawings	2
8.	ANI	NEXUR	<u>ES</u>	
	Anne	xure 1	KwaZulu Natal: DoH Standard Preambles to all Trades-January 2009(Rev3) on r #REF!	49
	####	‡	#REF!	
	#REF	•	#REF!	#REF
	####		#REF!	
		xure 6 xure 7	Occupational Health and Safety Specification Health and Safety Bill of Quantities	
	####		#REF!	
	####		#REF!	

IMPORTANT NOTICE TO BIDDERS

These forms are for internal and external use for the Department of Public Works, Province of KwaZulu-Natal.

Attendance Register - Infrastructure and Other projects

EPWP Data Collection tool for Phase 3 system

EPWP Employment Contract

0

Annexure 10

Annexure 11

Annexure 12

0

The Total (Including Value Added Tax) on the Pricing Schedule must be carried to the "Offer" part only of the Form of Offer and Acceptance - C1.1

"Enterprise" shall mean the legal Quoting Entity or Bidder who, on acceptance of the Offer, would become the contractor

PART T1: QUOTATION PROCEDURES T1.1 Quotation Notice and Invitation to Quote

THE KZN DEPARTMENT OF PUBLIC WORKS INVITES QUOTATIONS FOR THE PROVISION OF:

Project title: DEPARTMENT OF HEALTH : LUNEBURG CLINIC : CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA Quotation no: ZNQ 014/25V Contract period 6 Months Advertisement date: As per advert Closing date: 11:00 Validity period: 84 Calendar Days It is estimated that Bidders should have a CIDB contractors grading designation of 2 GB And Above or higher. No alternative Class of work, as referred to in Clause 25(3)(4)(6) of the CIDB Regulations, as amended, is anticipated for this project. It is estimated that Bidders should have a CIDB contractors grading of PMA and satisfy the criterion stated in the Cidebino Data. (Cipy, applicability if Clear has an Official Mentionary programme in place of easier performance in place of eas							
Advertisement date: Closing time: 11:00 Validity period: 84 Calendar Days It is estimated that Biddens should have a CIDB contractors grading designation of 2 GB And Above or higher. No alternative Class of work, as referred to in Clause 25(3)(a)(i) of the CIDB Regulations, as amended, is anticipated for this project. It is estimated that Potentially Emerging enterprises should have a CIDB contractor grading of (INA) and satisfy the criterion stated in the Quoted than 1 and the Contractor of Construction Contractor Grading Designation as indicated above. No Bidder with a PE status can be considered if "NiA" is indicated above because the Department does not have an Official Mentorship programme in place to assist a Potentially Emerging Enterprise. Only Bidders who are responsive to the following responsiveness criteria are eligible to submit Quotations: Bidders registered on the Central Suppliers Database (CSD) are eligible to submit quotations. Only Under Bidders who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation and estermined in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work, are eligible to submit Quotation value range will be dealt with in accordance with Clause 25(3)(a)(ii) and 25(7A) of the altest amended Regulations. Joint vertures are eligible to submit Quotations provided that: 1 every member of the joint venture is registered with the CIDB; 2 the lead partner has a contractor grading designation in the 2 GB And Above or higher, class of construction work. The combined contractor grading designation in the 2 GB And Above or higher, class of construction work. The combined contractor grading designation in the 2 GB And Above or higher, class of construction work. The combined contractor grading designation in the 2 GB And Above or higher, class of construction work. The combined contractor grading design	Project title:			H : LUNEBURG CLINIC : 0	CONSTRUCTION OF NEW MEDICAL		
Closing time: 11:00 Validity period: 84 Calendar Days	Quota	tion no:	ZNQ 014/25V	Contract period	6 Months		
It is estimated that Bidders should have a CiDB contractors grading designation of 2 GB And Above or higher. No alternative Class of work, as referent of the Clusus 25(3)(a)(ii) of the CiDB Regulations, as amended, is anticipated for this project. It is estimated that Potentially Emerging enterprises should have a CiDB contractor grading of (N/A) and satisfy the criterion stated in the Quotation Data. (Only applicable if Client has an Official Mentorship programme in place to assist potentially emerging enterprises) All Bidders should have a CiDB Class of Construction Contractor Grading Designation as indicated above. No Bidder with a PE status can be considered if "NA" is indicated above because the Department does not have an Official Mentorship Programme in place to assist a Potentially Emerging Enterprise. Only Bidders who are responsive to the following responsiveness criteria are eligible to submit Quotations: Bidders registered on the Central Suppliers Database (CSD) are eligible to submit quotations. Only those Bidders who are registered with the CiDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation of elemented in accordance with the sum Quoted for a Z GB And Above or higher, class of construction work, are eligible to submit quotations. Only those Bidders who are registered with the CiDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation represents the prior of the prior of the plant and accordance with Clause 25(0)(0)(0) and 25(0) of the latest amended Regulations. Only through a prior of the plant are a common prior of the plant of the prior of the plant and accordance with the CiDB; and the combined contractor grading designation in the 2 GB And Above or higher, class of construction work. Only terrutes are eligible to submit Quotation to the Quotation of the plant prior and contractor grading designation in the		tisement	As per advert	Closing date:	As per advert		
It is estimated that Potentially Emerging enterprises should have a CiDB contractor grading of (N/A) and satisfy the criterion stated in the Quotation Data. (2m): applicable if Client has an Official Mentorship programme in place to assist potentially emerging enterprises) All Bidders should have a CiDB Class of Construction Contractor Grading Designation as indicated above. No Bidder with a PE status can be considered if "NA" is indicated above because the Department does not have an Official Mentorship Programme in place to assist a Potentially Emerging Enterprises. Only Bidders who are responsive to the following responsiveness criteria are eligible to submit Quotations: Bidders registered on the Central Suppliers Database (CSD) are eligible to submit quotations. Only those Bidders who are registered with the CiDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum Quoted for a Z GB And Above or higher, class of construction work, are eligible to submit quotes 25(5(6)(6)) and 25(7A) of the sitest amended Regulations. Joint ventures are eligible to submit Quotations provided that: 1 every member of the joint venture is registered with the CiDB; 2 the lead partner has a contractor grading designation in the 2 GB And Above or higher, class of construction work. 3 the combined contractor grading designation calculated in accordance with the Construction work. Authority to sign Quote (T2.3) X inancial Standing and other Resources of Business Declaration (T2.4) X businession of Compulsory Returnable Schedules (T2.1) X its lengency of Paid Municipal Rates and Taxes (T2.11) X inaccomplaine Status (TCS) PiN to verify on line compliance supplier status via e-filing (T2.10) Complete Schedule of rates is to be submitted on the day of the Quotation closing date (C2.2	Closin	g time:	11:00	Validity period:	84 Calendar Days		
the Guotation Data. (Qnix applicable if Client has an Official Mentorship programme in place to assist potentially emerging enterprises.) All Bidders should have a CIDB Class of Construction Contractor Grading Designation as indicated above. No Bidder with a PE status can be considered if "NA" is indicated above because the Department does not have an Official Mentorship Programme in place to assist a Potentially Emerging Enterprise. Only Bidders who are responsive to the following responsiveness criteria are eligible to submit Quotations: Bidders registered on the Central Suppliers Database (CSD) are eligible to submit quotations. Only those Bidders who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work, are eligible to submit Quotace. Ocupation values in close proximity to the limit of a Quotation value range will be dealt with in accordance with Clause 25(3)(a)(ii) and 25(7A) of the latest amended Regulations. Joint ventrues are eligible to submit Quotations provided that: 1 every member of the pint venture is registered with the CIDB; 2 the lead partner has a contractor grading designation in the 2 GB And Above or higher, class of construction work. 3 the combined contractor grading designation calculated in accordance with the construction industry Development Board Regulations is equal to or higher than a contractor grading designation in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work. All Didders with the sum Quotation and contractor grading designation in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work. All Didders with the sum Quotation and contraction grading designation in accordance with the sum Quotation document must be properly received on or before the Quotation c							
status can be considered if "NA" is indicated above because the Department does not have an Official Mentorship Programme in place to assist a Potentially Emerging Enterprise. Only Bidders who are responsive to the following responsiveness criteria are eligible to submit Quotations: Conjugate Conjug		the Quotation D					
Only those Bidders who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation equal to or higher than a contractor grading designation equal to or higher than a contractor grading designation equal to or higher than a contractor grading designation equal to or higher than a contractor grading designation equal to or higher than a contractor grading designation equal to or higher than a contractor grading designation. Joint ventures are eligible to submit Quotations provided that: 1 every member of the joint venture is registered with the CIDB; 2 the lead partner has a contractor grading designation in the 2 GB And Above or higher, class of construction work. 3 the combined contractor grading designation calculated in accordance with the Construction Industry Development Board Regulations is equal to or higher than a contractor grading designation in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work. Quotation document must be properly received on or before the Quotation closing date and time specified on the invitation, fully completed and signed in ink (All as per Standard Conditions of Quotation). Authority to sign Quote (T2.3) Authority to sign Quote (T2.3)		status can be co	onsidered If "N/A" is indicated above				
Only those Bidders who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work, are eligible to submit quotes. Quotation values in close proximity to the limit of a Quotation value range will be dealt with in accordance with Clause 25(3)(a)(ii) and 25(7A) of the latest amended Regulations. Joint ventures are eligible to submit Quotations provided that: 1 every member of the joint venture is registered with the CIDB; 2 the lead partner has a contractor grading designation in the 2 GB And Above or higher, class of construction work. 3 the combined contractor grading designation calculated in accordance with the Construction Industry Development Board Regulations is equal to or higher than a contractor grading designation in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work. Quotation document must be properly received on or before the Quotation closing date and time specified on the invitation, fully completed and signed in ink (All as per Standard Conditions of Quotation). Authority to sign Quote (T2.3)	Only Bi	dders who are re	esponsive to the following respons	iveness criteria are eligible to s	submit Quotations:		
contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work, are eligible to submit quotes. Quotation values in close proximity to the limit of a Quotation value range will be dealt with in accordance with Clause 25(3)(a)(ii) and 25(7A) of the latest amended Regulations. Joint ventures are eligible to submit Quotations provided that: 1 every member of the joint venture is registered with the CIDB; 2 the lead partner has a contractor grading designation in the 2 GB And Above or higher, class of construction work. 3 the combined contractor grading designation calculated in accordance with the Construction Industry Development Board Regulations is equal to or higher than a contractor grading designation in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work. Quotation document must be properly received on or before the Quotation closing date and time specified on the invitation, fully completed and signed in ink (All as per Standard Conditions of Quotation). Authority to sign Quote (T2.3)	Bidders	registered on the	Central Suppliers Database (CSD) are	e eligible to submit quotations.			
1 every member of the joint venture is registered with the CIDB; 2 the lead partner has a contractor grading designation in the 2 GB And Above or higher, class of construction work. 3 the combined contractor grading designation is accordance with the Construction Industry Development Board Regulations is equal to or higher than a contractor grading designation in accordance with the sum Quoted for a 2 GB And Above or higher, class of construction work. X	X	contractor gradir determined in a eligible to submi	ng designation equal to or higher that ccordance with the sum Quoted for it quotes. Quotation values in close p	an a contractor grading designat a 2 GB And Above or higher, class roximity to the limit of a Quotation	ion ss of construction work, are		
completed and signed in ink (All as per Standard Conditions of Quotation). Authority to sign Quote (T2.3) Financial Standing and other Resources of Business Declaration (T2.4) Submission of Compulsory Returnable Schedules (T2.1) Site Inspection Certificate (T2.7) Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing (T2.10) Complete Schedule of rates is to be submitted on the day of the Quotation closing date (C2.2) Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the Proof of Paid Municipal Rates and Taxes (T2.11) Proof of UIF Registration (T2.8) Contractors Health & Safety Declaration (T2.6) Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS:		1 every meml 2 the lead pa 3 the combin Regulations	ber of the joint venture is registered wi artner has a contractor grading design ted contractor grading designation c is is equal to or higher than a contrac	ith the CIDB; nation in the 2 GB And Above or halculated in accordance with the	e Construction Industry Development Board		
Financial Standing and other Resources of Business Declaration (T2.4) Submission of Compulsory Returnable Schedules (T2.1) Site Inspection Certificate (T2.7) Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing (T2.10) Complete Schedule of rates is to be submitted on the day of the Quotation closing date (C2.2) Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the Proof of Paid Municipal Rates and Taxes (T2.11) Proof of UIF Registration (T2.8) Contractors Health & Safety Declaration (T2.6) Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS:	x				date and time specified on the invitation, fully		
X Submission of Compulsory Returnable Schedules (T2.1) X Site Inspection Certificate (T2.7) X Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing (T2.10) X Complete Schedule of rates is to be submitted on the day of the Quotation closing date (C2.2) X Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the X Proof of Paid Municipal Rates and Taxes (T2.11) X Proof of UIF Registration (T2.8) X Contractors Health & Safety Declaration (T2.6) X Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS: STREET ADDRESS:	X	Authority to sign	Quote (T2.3)				
X Site Inspection Certificate (T2.7) X Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing (T2.10) X Complete Schedule of rates is to be submitted on the day of the Quotation closing date (C2.2) X Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the X Proof of Paid Municipal Rates and Taxes (T2.11) X Proof of UIF Registration (T2.8) X Contractors Health & Safety Declaration (T2.6) X Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS: STREET ADDRESS:	X	Financial Standi	ng and other Resources of Business [Declaration (T2.4)			
Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing (T2.10) Complete Schedule of rates is to be submitted on the day of the Quotation closing date (C2.2) Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the Proof of Paid Municipal Rates and Taxes (T2.11) Proof of UIF Registration (T2.8) Contractors Health & Safety Declaration (T2.6) Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS:	X	Submission of Compulsory Returnable Schedules (T2.1)					
Complete Schedule of rates is to be submitted on the day of the Quotation closing date (C2.2) Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the Proof of Paid Municipal Rates and Taxes (T2.11) Proof of UIF Registration (T2.8) Contractors Health & Safety Declaration (T2.6) Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS:	X	Site Inspection Certificate (T2.7)					
Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the Proof of Paid Municipal Rates and Taxes (T2.11)	X	Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing (T2.10)					
Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the Proof of Paid Municipal Rates and Taxes (T2.11)	x						
▼ Proof of Paid Municipal Rates and Taxes (T2.11) ▼ Proof of UIF Registration (T2.8) ▼ Contractors Health & Safety Declaration (T2.6) ▼ Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS:	X						
Contractors Health & Safety Declaration (T2.6) Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS:	x				gg		
Compulsory Enterprise Questionnaire (T2.2) THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS:	X	Proof of UIF Registration (T2.8)					
THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED) NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS:	X	Contractors Health & Safety Declaration (T2.6)					
NAME OF BIDDER: POSTAL ADDRESS: STREET ADDRESS:	X	X Compulsory Enterprise Questionnaire (T2.2)					
POSTAL ADDRESS: STREET ADDRESS:	THE FO	LLOWING PART	TICULARS MUST BE FURNISHED (FA	AILURE TO DO SO MAY RESUL	T IN YOUR BID BEING DISQUALIFIED)		
STREET ADDRESS:	NAME OF	BIDDER:					
	POSTAL A	ADDRESS:					
TELEPHONE NUMBER CODE :NUMBER:	STREET	ADDRESS:					
CELL PHONE NUMBER:			CODE :NUMBER:				

FACSIMILE NUMBER	CODE :	NUMBER:			
E-MAIL ADDRESS:					
VAT REGISTRATION NU	MBER:				
TAX COMPLIANCE STAT FILING.	US (TCS) PIN TO VERIFY C	ON LINE COMPLIANCE SUPPLIER S	TATUS VIA SARS E - YES	or NO	
HAS A B-BBEE STATUS	LEVEL VERIFICATION CER	TIFICATE BEEN SUBMITTED?	YES	or NO	
IF YES, WHO WAS THE	CERTIFICATE ISSUED BY?				
			[Tick Applicable Bo	x]	
A Verification Ager	ncy Accredited by the South A	African Accreditation System (SANAS)	; OR		
ARE YOU THE ACCREDI / WORKS OFFERED? [If y		SOUTH AFRICA FOR THE GOODS	SERVICES YES	or NO	
This quote will be ev 2022	aluated according to the	e Preferential Procurement Po	licy Framework Act, 2000: I	Preferential	Procurement Regulations;
collect/store/use/de	ender, I hereby acknov stroy/delete/share or o	viedge consent that the KZN therwise process my Compa I as contemplated in terms of	ny and Director's/Shareho		
x	80/20 Preference point	scoring system			

Page 5 of 156

Price / Quality:		
Price:	80	
Preference by means of SPECIFIC GOALS	20	
Total must equal (100%):	100	

1. The Specific Goal/s Allocated Points in terms of this tender:

Preference points system:

Preferences are offered to Tenderder's who have attained points for the specific goals in accordance with the table below; Documentary Proof required to satisfy the points claimed are also indicated in the table below:

No	Specific Goal	Number of Points Allocated
1	Ownership by Black People Documentary Proof Required: 1) Sworn Affidavit; signed and dated by Commissioner of Oaths	5
2	Ownership by People who are Youth Documentary Proof Required: 1) Certified copy of Identity Document/s 2) SANAS Approved B-BBEE Certificate	0
3	Ownership by People who are Women Documentary Proof Required: 1) Sworn Affidavit; signed and dated by Commissioner of Oaths 2) Certified Copy of Identity Document/s	0
4	Promotion of enterprises located in a specific municipal area for work to be done or services to be rendered Documentary Proof Required: 1) Proof of Municipal Account depicting Physical Address of the business OR 2) Lease Agreement	15
Total o	Price and Points for Specific Goals must not exceed 100 points	100 Points

Notes:

- 1 The successful bidder will be required to fill in and sign a written Contract Form.
- 2 Bidders should ensure that bids are delivered timeously to the correct address. If the bid is late, it will not be accepted for consideration.
- 3 The documentary proof required to satisfy the points claimed for specific goals in terms of this tender, are duly indicated on the table (1) above.
- 4 The bid box is open during official working hours.
- 5 All Bids must be submitted on the official forms (Not to be re-typed)
- 6 THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE JBCC Series 2000 Edition 4 Minor Works (August 2007) Conditions of contract AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT

COLLECTION OF QUOTATION DOCUMENTS:

Quotation documents may be collected during working hours at the following address :

KZN Department of Public Works 294 Boeren Street, Vryheid at the time indicated on T1.1 Bid Notice and Invitation to Quote

Documents may be collected during working hours between 7h30 and 16h00.

BRIEFING MEETING

A Compulsory pre-Quotation briefing meeting with representatives will take place at: $\ensuremath{\mathbf{None}}$

on: None

QUERIES RELATED TO QUOTATION DOCUMENTS MAY BE ADDRESSED TO:

DOPW Project Leader:	Mr. S.N. Maphumulo	Telephone no:	034 982 2362
Cell no:	082 263 1335	Fax no:	034 980 9525
E-mail:	sibusiso.maphumulo@kznworks.gov.za		

QUERIES RELATED TO TECHNICAL ISSUES MAY BE ADDRESSED TO:

DOPW Project Leader:	Mr. S.N. Maphumulo	Telephone no:	034 982 2362
Cell no:	082 263 1335	Fax no:	034 980 9525
E-mail:	sibusiso.maphumulo@kznworks.gov.za		

QUERIES RELATED TO SAFETY, HEALTH AND ENVIRONMENTAL ISSUES MAY BE ADDRESSED TO:


Safety Officer:	Smanga Ntuli	Telephone no:	035 874 3223
Cell no:	082 939 2924	Fax no:	0
E-mail:	smanga.ntuli@kznworks.gov.za		

DEPOSIT / RETURN OF QUOTATION DOCUMENTS:

Telegraphic, telephonic, telex, facsimile, electronic, posted and / or late Quotations will **not** be accepted.

Requirements for sealing, addressing, delivery, opening and assessment of tenders are stated in the **Tender Data document**.

All Quotation documents must be submitted on the official forms - (not to be re-typed)



DEPOSITED IN THE Quotation BOX AT:
285 Boeren Street, Vryheid
Zululand Sub-District Office (Vryheid)
KZN Department of Public Works 294 Boeren Street, Vryheid at the time indicated on T1.1 Bid Notice and Invitation to Quote
3100

	T1.2 QUO	TATION DATA			
Project title:	DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA				
Project Code:	068565				
Quotation no:	ZNQ 014/25V	Closing date:	As per advert		
Closing time:	11:00	Validity period:	84 Calendar Days		
Clause number:					
Stand Gover Condi The S specifications Each Condi The J Clause The C Chain The regular The	rmment Gazette 42622 of 8 August 201 tions of Tender as bound into this docur standard Conditions of Tender make s ically to this quotation. The Quotation Di sistency between it and the Standard Co titem of data given below is cross-referer tions of Tender. oint Building Contracts Committee (JBC) as referred to will be prefixed with JBCC. onditions of quotation are also subject to s Management Policy Framework. Eference to the word "Tender" in the Sta ation:". mployer is the Head: Public Works (Dep uotation documents issued by the emplo : Quotation beta (T1.2) Annexure to Notice and Invitation to Quote : Returnable documents Compulsory Enterprise Questionnaire (Authority to sign Quote (T2.3) Financial Standing and other Resource Equipment Schedules applicable (T2.5) Contractors Health & Safety Declaratio Site Inspection Certificate (T2.7) Proof of UIF Registration (T2.8) Preference Points Claim Form (T2.9) Tax Complaince Status (TCS) PIN to v Proof of Paid Municipal Rates and Tax Proof of good standing with the Compe	onstruction Works Contract 19 as amended from time to the several references to the ata shall have precedence unditions of Tender. Indeed to the clause marked C's Minor Works - 4th Edition to the Treasury Regulations and Condition of Tender to the Treasury Regulations art the Treasury Regulations are comprise: 11) 22) 23) 24) 25) 26) 27) 27) 27) 28) 29) 20) 20) 21) 21) 22) 22) 23) 24) 25) 26) 27) 27) 27) 28) 29) 20) 20) 21) 21) 21) 22) 22) 23) 24) 25) 26) 27) 27) 28) 29) 20) 21) 21) 21) 22) 23) 24) 25) 26) 27) 27) 28) 29) 29) 20) 21) 21) 21) 21) 22) 22) 23) 24) 25) 26) 27) 27) 27) 28) 29) 20) 21) 21) 21) 21) 22) 23) 24) 25) 26) 27) 27) 27) 28) 29) 29) 20) 21) 21) 21) 21) 21) 21) 21	ets as per Board Notice 423 of 2019 in to time. (see www.cidb.org.za) Refer to Quotation Data for details that apply in the interpretation of any ambiguity or "C" in the above mentioned Standard on) agreements will apply and any 16A and the KwaZulu Natal Supply shall be construed to mean Province of KwaZulu-Natal) (T2.4) (T2.4) pplier status via e-filing (T2.10) terms of Section 84(1)(b) of the Bidder may not be awarded a contract if ner (T2.12)		

Quotation no: ZNQ 014/25V						
Quotation						
	Part C2: Pricing Data C2.1 Pricing Instructions					
	C2.2 Pricing Instructions C2.2 Pricing Schedule					
	C2.3 Preliminary and General - EPWP (If applicable)					
	C2.4 Preliminary and General - EPWP Beneficiary (If applicable)					
	Part C3: Scope					
	C3.1 Scope of					
			r HIV\STI Awareness			
	C3.3 HIV/STI Compliance Report					
	C3.4 EPWP Scope of Works (If Applicable)					
	Part C4: Site Information C4.1 Site Information					
	C4.1 Site IIIIO		ent Contract			
	Part C5: Drawi		Cit Contract			
	C5.1 List of D					
	C5.2 ANNEXU					
			Note Doll Oter dead Proceeding to all Trades Laurer 2000/Procedures			
			u Natal: DoH Standard Preambles to all Trades-January 2009(Rev3) on request			
		#REF!				
	#REF!	#REF!				
	#REF!	#REF!				
	#REF!	#REF!				
	Annexure 7	Health	and Safety Bill of Quantities			
		#REF!	•			
			Employment Contract			
			tional Health and Safety Specification			
	Annexure o	Occupa	titorial Fleatiff and Safety Specification			
C.1.4	The Employer's	agent is	X:			
	Name:		Mr. S.N. Maphumulo			
	COLLECTION	OF	Project Leader			
	Address:	<u>. </u>	Zululand Sub-District Office (Vryheid) , VRYHEID , 3100			
	Tel:		034 982 2362			
	Fax:		034 980 9525			
	E-mail:		sibusiso.maphumulo@kznworks.gov.za			
			shall read "Communication can be in any of the official languages recognised in			
			is English, Afrikaans or Zulu but writing is preferred in English as this is			
	generally acce	pted as	a business language"			
C.1.6	Bidder scoring t	he highe	est points			
C.2.1	Only those Bid	ders wh	o are registered with CIBD or who are capable of being so prior to the evaluation of			
0.2.1			And Above class of construction and are registered with the CIDB are eligible to submit			
	quotations. Bid	ders mu	st also be registered on the Central Suppliers Database.			
C.2.2	The employer w	ill not c	compensate the tenderer for any costs incurred in the preparation and submission of a			
C.2.2			the costs of any testing necessary to demonstrate that aspects of the offer complies			
	with requiremen		g also seeds of any testing necessary to demonstrate that deposits of the oner complete			
C.2.7	The arrangeme	nts for a	Compulsory Pre-Quotation Meeting are:			
- · - · ·	Location and 1	Time:	None			
	Location and		110.10			
	Date:		None			
	The Bidder is re	quired t	o sign the attendance register.			
	OR					
	No compulsory	pre-quo	ation briefing meeting.			

Quotation	no: ZNQ 014/25V
C.2.10.3	The Bidders must provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
C.2.11	The Bidder must not make any alterations or additions to the quotation documents, except to comply with instructions issued by the Employer, or necessary to correct errors made by the Bidder. All signatories to the Quotation offer shall initial all such alterations. Erasures and the use of the masking fluid are prohibited.
C.2.12	Alternative Offers may not be considered
C.2.13	To provide the whole of the Works as per the Scope including Electrical
C.2.13.5	The Employer's address for delivery of Quotation offers and identification details to be shown on each Quotation offer package are as per T1.1 Bid Notice and Invitation to Quote.
C.2.15	The closing time for submission of Quotation offers is as per T1.1 Bid Notice and Invitation to Quote.
	Telephonic, telegraphic, telex, facsimile or emailed quotation offers will not be accepted.
C.2.16	The quotation offer validity period is 84 calendar days.
C.2.16.2	The Bidder must, if requested by the employer, consider extending the validity period stated in the Quotation Data for an agreed additional period.
C.2.17	The Bidder must provide clarification of a quotation offer in response to a request to do so from the employer during the evaluation of Quotation offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the total of the prices or substance of the quotation offered, or permitted. The total of the prices stated by the Bidder shall be binding upon the Bidder.
C.2.23	The Bidder is required to submit with this quotation a Certificate of Contractor Registration issued by CIDB or a copy of the application for registration (Form F006) and Tax Compliance Status (TCS) PIN to verify on line compliance supplier status via SARS e-filing.
C.3.3	Quotation offers received after the closing time stated on the Quotation Data, must be returned unopened, (unless it is necessary to open a quotation submission to obtain a forwarding address).
C.3.4.2.	The employer must announce at the opening held immediately after the opening of quotation submissions, at a venue indicated in the Quotation Data, the name of each Bidder whose quotation offer is opened, the total of his prices and time for completion.
C.3.7	The employer must determine whether there has been any effort by a Bidder to influence the processing of quotation offers and instantly disqualify a Bidder (and his quotation offer) if it is established that he engaged in corrupt or fraudulent practices.
C.3.8	The employer must determine, on opening and before detailed valuation, whether each quotation offer properly received: a) complies with the requirements of the Conditions of Quotation.
	b) has been properly and fully completed and signed, and c) is responsive to the other requirements of the quotation documents.
	A responsive Quotation is one that conforms to all the terms, conditions and specifications of the quotation documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:
	a) detrimentally affect the scope, quality, or performance of the Works, services or supply identified in the Scope of Work or b) significantly change the Employers or the Bidders risks and responsibilities under the contract, or c) affect the competitive position of other Bidders presenting responsive Quotations, if it were to be rectified.
	Reject a non-responsive Quotation offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

Page 10 of 156

Quotation no: ZNQ 014/25V

C.3.13 Quotation offers will only be accepted if:

- (a) the Bidder has in his/her possession Tax Compliance Status (TCS) PIN to verify on line compliance supplier status via SARS e-filing.
- (b) the Bidder is registered with the Construction Industry Development Board in an appropriate class of works and the Bidder has submitted a CIDB certificate of registration.
- (c) the Bidder is not in arrears for more than 3 months with municipal rates and taxes and municipal services charges.
- (d) the Bidder has completed the Compulsory Enterprise Questionnaire and there are no conflicts of interest which may impact on the Bidder's ability to perform to the contract in the best interests of the employer or potentially compromise the quotation process.
- (e) the Bidder has not:
 - i) abused the Employer's Supply Chain Management System; or
 - ii) failed to perform on any previous contract and has been given a written notice to this effect.
- f) the Bidder or any of its Directors is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 (Act No. 12 of 2004) as a person prohibited from doing business with the Public sector.
- (g) The Bidder has signed and submitted the Authority to Sign.
- (h) The Bidder has signed and submitted the Equipment Schedules, if applicable.
- The Bidder has submitted Proof of UIF registration and good standing with the Compensation Commissioner.
- (j) The Bidder has submitted the Signed Form of Offer that is part of the Form of Offer and Acceptance.
- (k) Proof of Paid Municipal Rates and Taxes.

If a contractor fails to render the service within the stipulated period in the contract, the employer shall in terms of Clause 12 of the JBCC Minor Works Agreement, deduct a penalty from the value of the contract sum. The employer shall deduct an amount as indicated in the Minor Works Agreement Contract Data EC.

C.1.3 - Annexure C - Standard Conditions of Quotation

Note: Where this document refers to tenderer or tender it shall be read as bidder or bid.

C.1 General

C.1.1 Actions

- C.1.1.1 The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in C.2 and C.3, timeously and with integrity, and behave equitably, honestly and transparently and comply with all legal obligations and not engage in anticompetitive practices.
- C.1.1.2 The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Tenderer's shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process or as soon as they become aware of such conflict, and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.
 - Note: 1)

 A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of that person to act properly in his or her position even if no improper acts result.
 - Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any personal bias, inclination, obligation, allegiance or loyalty which would in any way affect any decisions taken.
- C.1.1.3 The employer shall not seek and the tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

C.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

C.1.3 Interpretation

- C.1.3.1 The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.
- C.1.3.2 These conditions of tender, the tender data and tender schedules which are required for tender evaluation purposes, shall form part of any contract arising from the invitation to tender.
- C.1.3.3 For the purposes of these conditions of tender, the following definitions apply:
 - a) conflict of interest means any situation in which:
 - someone in a position of trust has competing professional or personal interests which make it difficult to fulfil his or her duties impartially;
 - an individual or tenderer is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit; or
 - iii) incompatibility or contradictory interests exist between an employee and the tenderer who employs that employee.
 - comparative offer means the price after the factors of a non-firm price and all unconditional discounts it can be utilised to have been taken into consideration;
 - corrupt practice means the offering, giving, receiving or soliciting of anything of value to influence the
 action of the employer or his staff or agents in the tender process;
 - d) fraudulent practice means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels.

C.1.4 Communication and employer's agent

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be read, copied and recorded. Communication shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

C.1.5 Cancellation and Re-Invitation of Tenders

C.1.5.1 An employer may, prior to the award of the tender, cancel a tender if-

- a) due to changed circumstances, there is no longer a need for the engineering and construction we in the inviteation:
- b) funds are no longer available to cover the total envisaged expenditure; or
- c) no acceptable tenders are received.
- d) there is a material irregularity in the tender process.
- C.1.5.2 The decision to cancel a tender invitation must be published in the same manner in which the original t
 C.1.5.3 An Employer may only with the prior approval of the relevant treasury cancel a tender invitation for the signal.

C.1.6 Procurement procedures

C.1.6.1 General

Unless otherwise stated in the **tender data**, a contract will, subject to C.3.13, be concluded with the tenderer who in terms of C.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.

C.1.6.2 Competitive negotiation procedure

C.1.6.2.1

Where the **tender data** requires that the competitive negotiation procedure is to be followed, tenderers shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of C.3.4, the employer shall announce only the names of the tenderers who make a submission. The requirements of C.3.8 relating to the material deviations or qualifications which affect the competitive position of tenderers shall not apply.

C.1.6.2.2 C.1.6.2.3

All responsive tenderers, or at least a minimum of not less than three responsive tenderers that are highest ranked in terms of the evaluation criteria stated in the **tender** At the conclusion of each round of negotiations, tenderers shall be invited by the employer to revise their tender offer based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer.

C.1.6.2.4

The contract shall be awarded in accordance with the provisions of C.3.11 and C.3.13 after tenderers have been requested to submit their best and final offer.

C.1.6.3 Proposal procedure using the two stage-system

C.1.6.3.1 Option 1

Tenderers shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The employer shall evaluate each responsive submission in terms of the method of evaluation stated in the **tender data**, and in the second stage negotiate a contract with the tenderer scoring the highest number of evaluation points and award the contract in terms of these conditions of tender.

F.1.6.3.2 Option 2

C.1.6.3.2.1 Tenderers shall submit in the first stage only technical proposals. The employer shall invite all responsive tenderes to submit tender offers in the second stage, following the issuing of procurement documents.

C.1.6.3.2.2 The employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data, and award the contract in terms of these conditions of tender.

C.2 Tenderer's obligations

C.2.1 Eligibility

- C.2.1.1 Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.
- C.2.1.2 Notify the employer of any proposed material change in the capabilities or formation of the tendering entity (or

C.2.2 Cost of tendering

- C.2.2.1 Accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any
- C.2.2.2 The cost of the tender documents charged by the employer shall be limited to the actual cost incurred by the employer for printing the documents. Employers must attempt to make available the tender documents on its website so as not to incur any costs pertaining to the printing of the tender documents.

C.2.3 Check documents

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

C.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer

C.2.5 Reference documents

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of

C.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an

C.2.7 Clarification meeting

Attend, where required, a clarification meeting at which tenderers may familiarize themselves with aspects of the proposed

C.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the employer at least five (5) working days before

C.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the **contract data**. The tenderer is advised to seek qualified advice regarding

C.2.10 Pricing the tender offer

- C.2.10.1 Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes (except Value Added Tax (VAT)), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable 14 days before the closing time stated in the tender data.
- C.2.10.2 Show VAT payable by the employer separately as an addition to the tendered total of the prices.
- C.2.10.3 Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- C.2.10.4 State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

C.2.11 Alterations to documents

Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such

C.2.12 Alternative tender offers

- C.2.12.1 Unless otherwise stated in the tender data, submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted as well as a schedule that
- C.2.12.2 Accept that an alternative tender offer must be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.
- C.2.12.3 An alternative tender offer must only be considered if the main tender offer is the winning tender.

C.2.13 Submitting a tender offer

- C.2.13.1 Submit one tender offer only, either as single tendering entity or as a member in a joint venture to provide the whole of the works, services or supply identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.
- C.2.13.2 Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.
- C.2.13.3 Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- C.2.13.4 Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.
- C.2.13.5 Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- C.2.13.6 Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents
- C.2.13.7 Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.
- C.2.13.8 Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
- C.2.13.9 Accept that tender offers submitted by facsimile or e-mail will be rejected by the employer, unless stated otherwise in the tender data.

C.2.14 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

C.2.15 Closing time

- C.2.15.1 Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Accept that proof of posting shall not be accepted as proof of delivery.
- C.2.15.2 Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

C.2.16 Tender offer validity

- C.2.16.1 Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.
- C.2.16.2 If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period with or without any conditions attached to such extension.
- C.2.16.3 Accept that a tender submission that has been submitted to the employer may only be withdrawn or substitutes by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period lapses before the employer evaluating the tender offer(s), the contractor reserves

C.2.16.4 Where a tender submission is to be substituted, a tenderer must submit a substitute tender in accordance with the requirements of C.2.13 with the packages clearly marked as "SUBSTITUTE".

C.2.17 Clarification of tender offer after submission

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.

Note: Sub-clause C.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.

C.2.18 Provide other material

- C.2.18.1 Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employers request, the employer may regard the tender offer as non-responsive.
- C.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

C.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

C.2.20 Submit securities, bonds and policies

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the **contract data**.

C.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

C.2.22 Return of other tender documents

If so instructed by the employer, return all retained tender documents within 28 days after the expiry of the validity period stated in the **tender data**.

C.2.23 Certificates

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

C.3 The employer's undertakings

C.3.1 Respond to request from the tenderer

- C.3.1.1 Unless otherwise stated in the tender data, respond to a request for clarification received up to five (5) working days before the tender closing time stated in the tender data and notify all tenderers who collected tender documents.
- C.3.1.2 Consider any request to make a material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used to prequalify a tenderer to submit a tender
 - a) an individual firm, or a joint venture as a whole, or any individual member of the joint venture fails to
 - b) the new partners to a joint venture were not prequalified in the first instance, either as individual firms or as another joint venture; or
 - c) in the opinion of the Employer, acceptance of the material change would compromise the outcome of

C.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date that tender documents are available until three (3) days before the tender closing time stated in the **tender data**. If, as

C.3.3 Return late tender offers

Return tender offers received after the closing time stated in the tender data, unopened, (unless it is necessary to open a

C.3.4 Opening of tender submissions

- C.3.4.1 Unless the two-envelope system is to be followed, open valid tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.
- C.3.4.2 Announce at the meeting held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened and, where applicable, the total of his prices, number of points claimed for its BBBEE status level and time for completion for the main tender offer only.
- C.3.4.3 Make available the record outlined in C.3.4.2 to all interested persons upon request.

C.3.5 Two-envelope system

- C.3.5.1 Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of tenderer's' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.
- C.3.5.2 Evaluate the functionality of the technical proposals offered by tenderers, then advise tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who score in the functionality evaluation more than the minimum number of points for functionality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any points claimed on BBBEE status level. Return unopened financial proposals to tenderers whose technical proposals failed to achieve the minimum number of points for functionality.

C.3.6 Non-disclosure

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

C.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly

C.3.8 Test for responsiveness

- C.3.8.1 Determine, after opening and before detailed evaluation, whether each tender offer properly received:
 - a) complies with the requirements of these Conditions of Tender,
 - b) has been properly and fully completed and signed, and
 - c) is responsive to the other requirements of the tender documents.
- C.3.8.2 A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:
 - detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
 - b) significantly change the Employer's or the tenderer's risks and responsibilities under the contract, or
 - c) affect the competitive position of other tenderers presenting responsive tenders, if it were to be

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

C.3.9 Arithmetical errors, omissions and discrepancies

- C.3.9.1 Check Responsive tenders for discrepancies between amounts in words and amounts in figures. Where there is a discrepancy between the amounts in figures and the amount in words, the amount in words shall govern.
- C.3.9.2 Check the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with F.3.11 for:

- a) the gross misplacement of the decimal point in any unit rate;
- b) omissions made in completing the pricing schedule or bills of quantities; or
- c) arithmetic errors in:
 - i) line items totals resulting from the product of a unit rate and a quantity in bills of quantities or
 - ii) the summation of the prices.
- C.3.9.3 Notify the tenderer of all errors or omissions that are identified in the tender offer and either confirm the tender offer as tendered of accept the corrected total of prices
- C.3.9.4 Where the tenderer elects to confirm the tender offer as tendered, correct the errors as follows:
 - a) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
 - b) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.

C.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

C.3.11 Evaluation of tender offers

The Standard Conditions of Tender standardize the procurement processes, methods and procedures from the time that tenders are invited to the time that a contract is awarded. They are generic in nature and are made project specific through choices that are made in developing the Tender Data associated with a specific project.

The CIDB Stand requirements:	dard Conditions of Tender are based on a procurement system that satisfies the following system
Requirement	Qualitative interpretation of goal
Fair	The process of offer and acceptance is conducted impartially without bias, providing simultaneous and timely access to participating parties to the same information.
Equitable	Terms and conditions for performing the work do not unfairly prejudice the interests of the parties.
Transparent	The only grounds for not awarding a contract to a tenderer who satisfies all requirements are restrictions from doing business with the employer, lack of capability or capacity, legal impediments and conflicts of interest.
Competitive	The system provides for appropriate levels of competition to ensure cost effective and best value outcomes.
Cost effective	The processes, procedures and methods are standardized with sufficient flexibility to attain best value outcomes in respect of quality, timing and price, and least resources to effectively manage and control procurement processes.

C.3.11.1 General

The employer must appoint an evaluation panel of not less than three persons conversant with the proposed scope of works to evaluate each responsive tender offer using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the tender data.

C.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certifical which the conditions of contract identified in the **contract data**, require the employer to provide.

C.3.13 Acceptance of tender offer

Accept tender offer, if in the opinion of the employer, it does not present any risk and only if the tenderer:

 Is not under restrictions, or has principals who are under restrictions, preventing participating in procurement,

- can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the p
 technical qualifications, professional and technical competence, financial resources, equipment and
 facilities, managerial capability, reliability, experience and reputation, expertise and the personnel,
 contract,
- c) has the legal capacity to enter into the contract,
- d) is not; insolvent, in receivership, under Business Rescue as provided for in chapter 6 of the Companies bankrupt or being wound up, has his/her affairs administered by a court or a judicial officer, has sus business activities or is subject to legal proceedings in respect of any of the foregoing;
- e) complies with the legal requirements, if any, stated in the **tender data**, and
- f) is able, in the opinion of the employer, to perform the contract free of conflicts of interest.

C.3.14 Prepare contract documents

- C.3.14.1 If necessary, revise documents that shall form part of the contract and that were issued by the employe tender documents to take account of:
 - a) addenda issued during the tender period,
 - b) inclusion of some of the returnable documents, and
 - c) other revisions agreed between the employer and the successful tenderer.
- C.3.14.2 Complete the schedule of deviations attached to the form of offer and acceptance, if any.

C.3.15 Complete Adjudicator's Contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties formalities for appointing the selected adjudicator at the same time as the main contract is signed.

C.3.16 Registration of the Award

An Employer must, within twenty-one (21) working days from the date on which a contractor's offer to perform a concontract is accepted in writing by the employer, register and publish the award on the cidb Register of Projects.

C.3.17 Provide copies of the contracts

Provide to the successful tenderer the number of copies stated in the tender data of the signed copy of the contr possible after completion and signing of the form of offer and acceptance.

C.3.18 Provide written reasons for actions taken

Provide upon request written reasons to tenderers for any action that is taken in applying these conditions of tenc information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commertenderers or might prejudice fair competition between tenderers.

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

T1.4. Annexure to Notice and Invitation to Quote

REGISTRATION ON THE CENTRAL SUPPLIERS DATABASE

In terms of the Public Finance Management Act (PFMA), 1999 (Act No 1 of 1999) Section 38 (1) (a) (iii) and 51 (1) (iii) and 51 (1) (iii) and 51 (1) (iii) and 51 (4) of PFMA National Treasury developed a single platform, The Central Supplier Database (CSD) for the registration of prospective suppliers including the varification functionality of key supplier information.

Prospective suppliers will be able to self - register on the CSD website: www.csd.gov.za

Once the supplier information has been verified with external data sources by National Treasury a unique supplier number and security code will be allocated and communicated to the supplier. Suppliers will be required to keep their data updated regularly and should confirm at least once a year that their data is still current and updated.

Suppliers can provide their CSD supplier number and unique security code to organs of state to view their verified CSD information.

Bidders are required to fill in clearly, legibly, in bold print and black ink their CSD supplier number in the space hereunder:

Name of Supplier	
Central Supplier Database (CSD) Supplier	
Number:	

REGISTRATION ON THE CONSTRUCTION INDUSTRY DEVELOPMENT BOARD REGISTER OF CONTRACTORS

In terms of the Construction Industry Development Board Act (CIDB) (Act No. 38 OF 2000) all contractors must be registered on the register of contractors. For registration CIDB can be contacted as detailed below:

Private Bag X14 Brooklyn Square 75 Pretoria

Helpline: 0860-103-353

Website: http://www.cidb.org.za

In the case of a Tender by a Joint Venture, certified copies of proof of Good Standing with the Compensation Commissioner in respect of each party to the Joint Venture must be attached to this page

T2.1 LIST OF RETURNABLE DOCUMENTS					
Project title:	DEPARTMENT OF HEALTH : LUNEBUR OF NEW MEDICAL WASTE STORAGE A		STRUCTION		
Project Manager:	Mr. S.N. Maphumulo	Quotation no:	ZNQ 014/25V		

1. RETURNABLE SCHEDULES REQUIRED FOR QUOTATION EVALUATION PURPOSES

Returnable **Quotation document name** document Submission of Compulsory Returnable Schedules (T2.1) Yes Compulsory Enterprise Questionnaire (T2.2) Authority to sign Quote (T2.3) Yes Financial Standing and other Resources of Business Declaration (T2.4) Yes Equipment Schedules applicable (T2.5) Yes Preference Points Claim Form (T2.9) Yes Site Inspection Certificate (T2.7) Yes Contractors Health & Safety Declaration (T2.6) Yes Contract Form - Purchase of Goods/Works-Part 1 (T2.13) Yes Contract Form - Purchase of Goods/Works-Part 2 (T2.14) Yes Bidder's Disclosure - SBD4 (T2.15) Yes Capacity of Bidder (T2.18) Yes Invitation to Bid - SBD 1 (T2.20) Yes No N/A No N/A No N/A No N/A

2. RETURNABLE SCHEDULES REQUIRED FOR QUOTATION EVALUATION PURPOSES BUT TO BE SUPPLIED BY THE BIDDER

(Quotationer to Insert a tick (√) in the "Returnable document" column to check which documents he/she returned with the Quotation)				
Quotation document name	Returnable document			
CIDB Registration form or application for Registration form (F006) including Registration number	Yes			
Tax Complaince Status (TCS) PIN to verify on line compliance supplier status via e-filing (T2.10)	Yes			
B-BBEECertificate	No	N/A		
Complete Schedule of rates is to be submitted on the day of the Quotation closing date (C2.2)	Yes			
Proof of Payment of Bid Deposit	Yes			
Proof of Paid Municipal Rates and Taxes (T2.11)	Yes			
Proof of UIF Registration (T2.8)	Yes			
Proof of good standing with the Compensation Commissioner - In terms of Section 84(1)(b) of the Compensation for Occupation Injuries and Disease Act, 1993, a Bidder may not be awarded a contract if he/she is not registered and in good standing with the Commissioner (T2.12)	Yes			
Certified CIDB Contractors Grading Designation Certificate (T1.4) attach proof	Yes			
Certified Proof of Registration Number on the Central Suppliers Database (T1.4) attach proof	Yes			
Base Line Risk Assessment (T2.17)	Yes			

3. RETURNABLE SCHEDULES THAT WILL BE INCORPORATED INTO THE CONTRACT

(Quotationer to Insert a tick (√) in the "Returnable document" column to check w	hich docum	ents he/she returned with	the Quotation)
Quotation document name Number of Re		Returnable		
Quotation document name		pages issued	docum	ent
Form of Offer and Acceptance (C1.1)		3 Pages	Yes	
Contract Data (C1.2)		5 Pages	Yes	
Pricing Schedule (C2.2)		2 Pages	Yes	
		Pages	No	N/A

4. OTHER DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

(Quotationer to Insert a tick ($\sqrt{\ }$) in the "Returnable document" column to check which document	ments he/she returned with	the Quotation)
Quotation document name	Number of pages issued	Returna docum	
Client's Specific requirement for the Contractor's detailed OHS plan (T2.16)	Pages	No	N/A
Functionality Criteria (T2.19)	Pages	No	N/A
	Pages	No	N/A

5. DOCUMENTS REQUIRED FOR THE EVALUATION OF FUNCTIONALITY

Bid document name	Return	able,
Proof of working capital of at least 25% of project value	No	N/A
Letters of credit reference from suppliers and credit limits to be stipulated with supporting documents	No	N/A
Annual/Audited Financial Statement/Management Account/income and Expenditure Statements	No	N/A
Detailed schedule of resources at all levels	No	N/A
Schedule of years of experience on similar projects	No	N/A
Schedule of experience on projects of similar value and duration (Past 3 years) – letters of award to be attached and practical completion certificate for all work completed in the preceding 3 years	No	N/A
Demonstrated ability to work on an accelerated programme	No	N/A
Experience in projects that have operational challenges i.e. public interface	No	N/A
Tenderer's Project Management Structure and Organogram and Experience of Resources Proposed for the Project	No	N/A
Submission of a detailed organogram	No	N/A
All key project resources have more than (5) years' experience in the construction industry. All key project resources have experience in projects of a similar value and nature	No	N/A
Detailed CV. Traceable reference. Certificates of qualified professionals in their full employment to be attached.	No	N/A
Detailed CV of each team member (Category) and Traceable references to be detailed	No	N/A
All key project resources are dedicated full time for the duration of the project including proof of UIF contributions	No	N/A
Tenderer to demonstrate key/resource deployment over the various work package	No	N/A
Letter from a registered financial institution confirming intention to issue a provision of a guarantee	No	N/A
Site establishment indicating proposed layout for all prescribed facilities, hoarding, etc.	No	N/A
Resourcing strategy for the various work breakdown structures including resource deployment plan (PS)	No	N/A
Material storage, handling and distribution	No	N/A
Productivity, programming, resource investment, progress tracking, corrective action plans, etc.	No	N/A
Programme and progress reporting, including tracking of long lead procurement items	No	N/A
OHS Management, compliance and reporting	No	N/A
Site documentation control, filing and archiving	No	N/A
Queries and information required approach	Yes	
Procurement of outsourced resources e.g. sub-contractors	No	N/A
	No	N/A

Enterprise name

Department of Public Works: KZN Effective Date: 16 JANUARY 2023 Version:8

Please do a print preview before printing

	T2.2 Compulso	ry Enterprise Qu	estionnaire	
Project title:		HEALTH : LUNEBU L WASTE STORAGE		NSTRUCTION
Quotation no:	ZNQ 014/25V		Project Code:	068565
• .	lars must be furnished.	•		rprise
Section 1: Name of en	terprise:			
Section 2: VAT registr	ation number, if any:			
ection 3: CIDB regist	tration number, if any:			
Section 4: CSD Numb	er:			
ection 5: Particulars	of sole proprietors and part	ners in partnerships		
Name*	Identity	/ number*	Personal income to	ax number*
	ole proprietor or partners		e page ir more tnan (b partners
Company registration	number			
Close corporation nun	nber			
Tax reference number	r			
BD4 issued by Nationa	al Treasury must be comple	ted for each tender and be	attached as a tender re	quirement
he undersigned, who wa	arrants that he/she is duly auth	orised to do so on behalf of	the enterprise:	
authorizes the Employ rder;	er to verify the tenderers tax of	elearance status from the So	outh African Revenue Ser	vices that it is in
person, who wholly or	ne name of the enterprise or the partly exercises, or may exercises of the Pre	cise, control over the enterpr	rise appears on the Regis	
control over the enterp	er, member, director or other porise appears, has within the left not associated, linked or invo	ast five years been convicte	ed of fraud or corruption;	
of work that could caus	er relationship with any of the se or be interpreted as a confl ents of this questionnaire are	ict of interest; and		
belief both true and co		,,		•
igned			Date	
Name				
Position				

T2.3 AUTHORITY TO SIGN QUOTE

SECTION M

AUTHORITY TO SIGN A BID

The bidder must indicate the enterprise status by ticking the appropriate box hereunder.

(I)	(II)	(III)	(IV)	(V)	(VI)	١
CLOSE	COMPANIES	SOLE	PARTNERSHIP	CO-OPERATIVE	JOINT VENTURE /	l
CORPORATION		PROPRIETOR			CONSORTIUM	
					Incorporated	1
					Unincorporated	
					-	_

I/We, the undersigned, being the Member(s) of Cooperative/ Sole Owner (Sole Proprietor)/ Close Corporation/ Partners (Partnership)/ Company

(Representative) or Lead Partner (Jo	int Venture / Consortium), in the enterprise trading as	:	
hereby authorise Mr/Mrs/Ms			
whose signature is			
to sign all documents in connection w	with this bid and any contract resulting therefrom on be	ehalf of the enterprise.	
NAME	ADDRESS	SIGNATURE	DATE
		-	

(If the space provided is not enough, a separate list should be attached)

Note:

Members of the enterprise must complete this form in full according to the type of enterprise, authorising the signatory to sign all documents in connection with this bid and any contract resulting therefrom on behalf of the enterprise.

Note: In a case of a Sole proprietor, a director may appoint himself/herself if they will be the one signing all documents in connection with this bid and any contract resulting therefrom on behalf of the enterprise.

(b)

Department of Public Works: KZN Effective Date: 16 JANUARY 2023 Version:8

T2.4 FINANCIAL STANDING AND OTHER RESOURCES OF BUSINESS DECLARATION					
Proje	Project title: DEPARTMENT OF HEALTH : LUNEBURG CLINIC : CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA				
Bid no:		ZNQ 014/25V	Project Code:	068565	
ATTACH COMPANY PROFILE TO THIS PAGE IF ALL THE RELEVANT INFORMATION REQUESTED ON THIS FORM IS DEALT WITH IN SAID COMPANY PROFILE					
(a)	a) Based on the track record determined on the Minimum Average Annual Turnover coupled to the assessed Works Capabilities of Contracting Enterprises, the Construction Industry Development Board (CIDB) awards Grading Devianties, and accordingly registers; it on the event				

- Designations and accordingly registers it on the system.

 This confirms that a Contractor has, at the time of registration, in the absence of any supply side interventions, sufficient working capital to commence the Works for a single contract and render due performance
- However, it regularly occurs that a Contractor will at the same time submit Bids for a number of projects that are advertised during an overlapping period. Moreover, the Contractor may be busy with a Contract that is of the registered CIDB Grading Designation (value) or is even attending to a number of smaller valued Contracts.
- It therefore becomes the prerogative of a Bidder in such instances to prove to the Department that the Enterprise has the capacity in every respect to attend to more than one (1) contract at a time. (c)
- (d) A Bidder who wishes to be considered for this Bid Contract award, over and above other Bids that they have submitted, shall submit when requested by the DoPW the necessary proof that:
 - (i) he/she has access to additional finance (inclusive of a PERFORMANCE GUARANTEE BY A REGISTERED FINANCIAL INSTITUTION),
 - (ii) he/she has additional Human Recourses available to successfully complete this project
 - nis re

(iii) he/she has adequate Equipment, Plant and Machinery that all of the above can, undoubtedly, be sourced for this Bid. (Please submit to the DoPW the name and contact details of the supplier if the Bidder is going to hire Equipment, Plant or Machinery, when requested.)
he undersigned,
(name of person authorized to sign on behalf of the Bidder)
derstand that it is the responsibility of the Bidder to prove and provide when requested by the DoPW, evidence of the od Financial Standing of the Business to complete the Contract successfully.
rthermore, it is understood that failure to provide when requested by DoPW, at least the information as stated in ragraphs (d)(i)(ii) AND (iii) above will not enable the Evaluation Team to assess the CURRENT financial standing of the siness and the failure to provide said information when requested will, therefore, invalidate the Bid.
accept and understand that the Department of Public Works, as representative of the Provincial Administration of /aZulu-Natal in this Bid, may act against me and the Bidder, jointly and severally, should this declaration and/or any ormation provided be found to be false.
ly signed at on this the day of
Il Name of Signatory Name of Enterprise
pacity of Signatory Signature of authorised representative

T2.5 EQUIPMENT SCHEDULES			
Project title:	DEPARTMENT OF HEA OF NEW MEDICAL WAS	LTH : LUNEBURG CLINIC STE STORAGE AREA	: CONSTRUCTION
Quotation no:	ZNQ 014/25V	Project Code:	068565

The Bidder shall complete the following schedules giving details of the various items of materials or equipment that he includes in his offer.

TECHNICAL DATA: STANDBY PLANT

Manufacturer:		
Model number:		
Serial number:		
Voltage		
KVA		
Frequency		
RPM		
Cylinder/stroke		
Fuel capacity and consumption		
Sound pressure level		
Condenser air flow rate		
Attenuation type		
Battery Type		
AMF Change Over Panel Type		
Starter Motor Type and Voltage		
Standard Compliance		

EQUIPMENT SCHEDULES

TECHNICAL DATA: UNINTERRUPTABLE POWER SUPPLY UPS

Manufacturer	
Model	
Frequency	
Harmonic Distortion Reduction	
Operating Temperature	
Range of Protection – Lightning Strike	
KVA	
Maximum current, cooling mode	
Agent	
Telephone number of Agent	
Brochure enclosed	Yes/No

TECHNICAL DATA: PARCEL X-RAY UNITS

Manufacturer	
Model	
Dimension /Size	
Resolution	
Zoom ranges	
External Radiation Levels	
Standard Compliance	
Electrical nominal voltage	Volts
Monitor Type and size	
Agent	
Telephone no of Agent	
Brochure enclosed	Yes/No

EQUIPMENT SCHEDULES

TECHNICAL DATA: WALK THROUGH DETECTOR

Manufacturer
Model
Timer mode
No of sequential settings per time switch
No of N/O and N/C contacts per setting
Adjustable time lapse between settings
Operating voltage
Operating current
Agent
Telephone number
Brochure enclosed

TURNSTILE

Manufacturer	
Size	
Range	
Voltage	
Battery Back Up Time	
Finish	
Agent	
Telephone number	
Brochure enclosed	Yes/No

EQUIPMENT SCHEDULES

TECHNICAL DATA: PARAPLEGIC LIFT

Manufacturer	
Panel thickness	
Load	
Stops	
Car Size	
Door Opening	
Door Type	
Speed	
Type of Drive	
Speed Control	
Type of Car and Landing Buttons	
Type of Landing Door Frames	
Type of Door	
Internal Finishes	
Pit	
Head Room	
Battery Type	
Method of joining panels	
Floor construction	
Standard Compliance	
Agent	
Telephone number of Agent	
Brochure enclosed	Yes/No

EQUIPMENT SCHEDULES

TECHNICAL DATA: AIR-CONDITIONING AND VENTILATION INSTALLATION

Area:		
Manufacturer:		
Model number:	WCPU	
Model Humber.	Cooling Tower	
Serial number:	WCPU	
Seriai Humber.	Cooling Tower	
Voltage	-	V
Starting amps		А
Running amps		А
System supply gauge pressure		kPA
System return gauge pressure		kPA
Condenser water inlet temperature		°C
Condenser water outlet temperature		°C
Condenser water flow rate		Vs
Blower unit air inlet temperature		°C
Blower unit air outlet temperature		°C
Blower unit air flow rate		m³/s
Conditioned room air temperature after 1 hour, Design		°C
Conditioned room air temperature after 1 hour, Actual		°C

T2.6 CONTRACTOR'S SAFETY, HEALTH AND ENVIRONMENTAL DECLARATION				
Project title:	_	EALTH : LUNEBURG CLIN VASTE STORAGE AREA	NIC : CONSTRUCTION	
Quotation no:	ZNQ 014/25V	Project Code:	068565	

INTRODUCTION

In terms of Regulation 5(1)(h) of the Construction Regulations of February 2014 a Contractor may only be appointed to perform construction work if the Client is satisfied that the Contractor has the necessary competencies and resources to carry out the work safely in accordance with the Occupational Health and Safety Act, Act 85 of 1993 and the Construction Regulations of February 2014. In line with this requirement the Contractor is required to read through this document carefully, sign it and submit it with his/her Bid.

DECLARATION

- I, the undersigned hereby declare and confirm that I am fully conversant with the Occupational Health and Safety Act, Act 85 of 1993 and the Construction Regulations of February 2014 and the Construction Safety, Health and Environmental Specifications attached to this document.
- I hereby declare that my company and its employees has the necessary competency and resources to safely carry out
 the construction works under this contract in compliance with the Occupational Health and Safety Act, Act 85 of 1993,
 the Construction Regulations of February 2014 and the Construction Safety, Health and Environmental Specifications.
- 3. I hereby confirm that adequate provisions has been made in my Bid to cover the cost of all Safety, Health and Environmental duties and responsibilities imposed on me by the Occupational Health and Safety Act, Act 85 of 1993, the Construction Regulations of February 2014 and the Construction Safety, Health and Environmental Specifications.
- 4. I hereby undertake that if my Bid is accepted, to provide before commencement of the Works under the contract or as required by the Conditions of the Contract, a suitable and sufficiently documented Construction Safety, Health and Environmental Management Plan in accordance with Regulation 7(1)(a) of the Construction Regulations of February 2014, which shall be subject for approval by the Client.
- I confirm that I may not commence with any part of construction work under the contract until my Construction Safety Health and Environmental Management Plan has been approved in writing by the Client.
- 6. I hereby confirm that copies of the following documentation will be kept on site for viewing and inspection purposes for the duration of the construction work:
 - a) Client's Construction Safety, Health and Environmental Specification.
 - b) Approved Construction Safety, Health and Environmental Plan.
 - c) Occupational Health and Safety Act, Act 85 of 1993.
 - d) Construction Regulations of February 2014.
- 7. I agree that my failure to complete and execute this declaration to the satisfaction of the Client will mean that I am unable to comply with the requirements of the Occupational Health and Safety Act, Act 85 of 1993 and the Construction Regulations of February 2014, and accept that my tender will be rejected.

Duly signed at	on this the day of	20
Full Name of Signatory	Name of Enterprise	
Capacity of Signatory	Signature of authorised represen	tative of Quoter

T2.7 SITE INSPECTION MEETING CERTIFICATE				
Project title:	DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA			
Quotation no:	ZNQ 014/25\	1	Project Code:	068565
Closing date:	As per adve	rt		
This is to certify	that I			
representing				(Name of authorised Representative)
visited the site	on.			(Name of Enterprise) (Date)
I have made myself familiar with all local conditions likely to influence the work and the cost thereof. I further certify that I am satisfied with the description of the work and explanations given at the site inspection meeting and that I understand the work to be done, as specified and implied, in the execution of this contract. I declare that the representative, named above, is my authorised representative and not a third party agent and that my representative's attending of this site meeting, shall be deemed conclusive proof that my Enterprise are fully aware of what was said and discussed at this meeting.				
				_
Name of Bidder		Siç	nature	Date
	=			
Name of DOPW Representative Signature Date This form is only to be completed when applicable to the tender and if a Compulsory Site meeting has been called. Departmental Stamp:				

T2.8 CERTIFIED PROOF OF VALID UIF REGISTRATION

Project title:	DEPARTMENT OF HEALTH: CONSTRUCTION OF NEW ME		AGE AREA
Quotation no:	ZNQ 014/25V	Project Code:	068565

ATTACH A CERTIFIED COPY OF PROOF, THAT THE BIDDER IS IN GOOD STANDING WITH THE **UIF** TO THIS PAGE FOR ADJUDICATION PURPOSES

NOTE

In the case of a Quote by a Joint Venture, certified copies of proof of Good Standing with the **UIF** in respect of each party to the Joint Venture must be attached to this page

"The contractor must submit proof of UIF Contributions made to the fund to the Principal Agent on a monthly basis for the duration of the contract.

Should the contractor default on his monthly payments, the Employer will pay the outstanding payments due and the contractor will be liable for payments made by the Employer on behalf of the contractor, plus any additional cost associated with this process."

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

T2.9 PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022		
) · · · · · ·	DEPARTMENT OF HEALTH : LUNEBURG CLINIC : CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA	
Quotation Number:	ZNQ 014/25V	
Project Code:	068565	

SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
- (b) Specific Goals.

To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of incomegenerating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).
- FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES
- POINTS AWARDED FOR PRICE
- 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

Ps=80(1-(Pt-P min)/(P min) or Ps=90(1-(Pt-P min)/(P min)

Points scored for price of tender under consideration

Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

Ps=80(1+(Pt-P max)/(P max) or Ps=90(1+(Pt-P max)/Pmax)

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

ν	۷	h	e	re

Points scored for price of tender under consideration

Price of tender under consideration

Pmax = Price of highest acceptable tender

POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of-

(a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of Points allocated (90/10 system) (to be completed by the Organ of State)	Number of Points allocated (80/20 system) (to be completed by the Organ of State)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Ownership by Black People		5		
Ownership by People who are Youth		0		
Ownership by People who are Women		0		
Promotion of enterprises located in a specific municipal area for work to be done or services to be rendered		15		

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm
4.3.	Name of Company/illin

Company Registration Number:.....

TYPE OF COMPANY/ FIRM

Partnership/Joint Venture / Consortium

One-person business/sole propriety

Close corporation Public Company

Personal Liability Company

(Pty) Limited

Non-Profit Company

State Owned Company

ITICK APPLICABLE BOXI

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
- i) The information furnished is true and correct:
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the atisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and

(e) forward the matter for criminal prosecution, if deemed necessary.

SIGNATURE(S) OF TENDERER(S)				
SURNAME AND NAME:				
DATE:				
ADDRESS:				

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

T2.10 TAX COMPLIANCE STATUS (TCS) PIN - TO VARIFY ON LINE COMPLIANCE SUPPLIER STATUS VIA SARS e-FILING

Project title:	DEPARTMENT OF HEAI MEDICAL WASTE STOR	LTH : LUNEBURG CLINIC : CON RAGE AREA	STRUCTION OF NEW
Quotation no:	ZNQ 014/25V	Project Code:	068565

TAX CLEARANCE REQUIREMENTS

It is a condition of bid that the taxes of the successful bidder must be in order, or that satisfactory arrangements have been made with South African Revenue Service (SARS) to meet the bidder's tax obligations. It is a condition of this Offer of Commission that your practice remains in good standing with SARS (South African Revenue Services) in terms of its tax clearance, during the project, which is required to process your payment certificates.

In order to meet this requirement bidders are required to apply via e-filing at any SARS branch office nationally. The Tax Complance Status (TCS) requirements are also applicable to foreign bidders / individuals who wish to submit bids.

SARS will then furnish the bidder with a Tax Compliance Status (TCS) **PIN** that will be valid for a period of 1 (one) year from the date of approval.

In bids where Consortia / Joint Ventures / Sub-contractors are involved, each party must submit a separate Tax Compliance Status (TCS) PIN.

Application for Tax Compliance Status (TCS) PIN can be done via e-filing at any SARS branch office nationally or on the website www.sars.gov.za.

Tax Clearance Certificates may be printed via eFiling. In order to use this provision, taxpayers will need to register with SARS as eFilers through the website www.sars.gov.za.

IMPORTANT NOTICE

The South African Revinue Services (SARS) has phased out the issuing of paper Tax Clearance Certificates.

From 18 April 2016 SARS introduced an enhanced Tax Compliance (TCS) system.

The new system allows taxpayers to obtain a Tax Compliance Status (PIN), which can be utilised by authorised third parties to varify taxpayers compliance status online via SARS e-filing.

Bidders are required to fill in clearly, legibly, in bold print and black ink the SARS (TCS) **PIN** number and Tax Reference number in the space hereunder:

Tax Compliance Status (TCS) PIN Number	
Company / Bidding Entity Tax Reference Number	

Name of Bidder:	
Signature of Bidder:	
Date:	

T2.11 PROOF OF PAID MUNICIPAL RATES & TAXES			
Project title:	DEPARTMENT OF HEALTH: CONSTRUCTION OF NEW ME		-
Quotation no:	ZNQ 014/25V	Project Code:	068565

ATTACH PROOF OF PAID MUNICIPAL RATES & TAXES TO THIS PAGE FOR ADJUDICATION PURPOSES

NOTE

In the case of a Quotation by a Joint Venture, proof of paid municipal rates and taxes for each member of the Joint Venture should be attached to this form.

T2.12 CERTIFIED PROOF OF GOOD STANDING WITH THE COMPENSATION COMMISSIONER

Project title:	DEPARTMENT OF HEALTH CONSTRUCTION OF NEW M		AGE AREA
Quotation no:	ZNQ 014/25V	Project Code:	068565

ATTACH A CERTIFIED COPY OF PROOF, THAT THE TENDERER IS IN GOOD STANDING WITH THE COMPENSATION COMMISSIONER, TO THIS PAGE FOR ADJUDICATION PURPOSES

NOTE

In the case of a Quote by a Joint Venture, certified copies of proof of Good Standing with the Compensation Commissioner in respect of each party to the Joint Venture must be attached to this page

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

T2.13 CONTRACT FORM - PURCHASE OF GOODS/WORKS-Part 1

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

- I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to Head: Public Works (Department of Public Works: Province of KwaZulu-Natal) in accordance with the requirements and specifications stipulated in bid number ZNQ 014/25V at the price/s quoted.
- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid:
 - Tax Compliance Status (TCS) PIN;
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claims for the Specific Goal/s as outlined in the Invite to Quote in terms of the Preferential Procurement Regulations 2022;
 - Bidder's Disclosure SBD 4
 - Special Conditions of Contract;
 - (i) JBCC Minor Works Edition 4 August 2007; and
 - (i) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfilment of this contract.
- I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 6. I confirm that I am duly authorised to sign this contract.

	Witne	sses:
NAME (PRINT):	 	
CAPACITY:	 1.	
SIGNATURE:		
NAME OF FIRM:	 2.	
DATE:	Date:	

T2.14 CONTRACT FORM - PURCHASE OF GOODS/WORKS-Part 2

PART 2 (TO BE FILLED IN BY THE PURCHASER)

	1				in n	ny capacity as
2. 3.	goods/works An official ord 3. I undertake	indicated hereunded der indicating delive to make payment	ce ZNQ 014/25V date er and/or further spec ery instructions is forth t for the goods/works after receipt of an invo	ified in the annexur ncoming. delivered in accord	re(s). ance with the terms a	
	ITEM NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND	DELIVERY PERIOD	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (if applicable)
ŀ.	I confirm that	I am duly authoris	ed to sign this contrac	et.		
	SIGNED AT	[Place]		0	N[Date]	
	NAME (PRIN	IT):			Witnesses:	
	SIGNATURE	··			1	
					2 Date:	
			OFFICIAL STAMP:			

T2.15 BIDDER'S DISCLOSURE - SBD 4

NOTE TO THE COMPILER OF THIS DOCUMENT:
PLEASE PRINT THE PDF VERSION OF THE BIDDER'S
DISCLOSURE - SBD4 AND ATTACH TO THE BID
DOCUMENT. NO CHANGES / AMENDMENTS MUST
BE MADE TO THE SBD4 NATIONAL TREASURY FORM.

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?
 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of Sta institution

2.2 Do you, or any person connected with the bidder, have a relationship

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

with any person who is employed by the procuring institution? YES/NO

2.2.1	If so, furnish particulars:	
2.3	Does the bidder or any of its directors / trustees / sharehold members / partners or any person having a controlling interest enterprise have any interest in any other related enterprise whet not they are bidding for this contract?	in the
2.3.1	If so, furnish particulars:	
3	DECLARATION	
	I, the undersiting the accompanying bid, do hereby make the foll statements that I certify to be true and complete in every respect	in owing
3.1 3.2	I have read and I understand the contents of this disclosure; I understand that the accompanying bid will be disqualified disclosure is found not to be true and complete in every respect;	if this
3.3	The bidder has arrived at the accompanying bid independently from without consultation, communication, agreement or arrangement any competitor. However, communication between partners in a venture or consortium will not be construed as collusive bidding	n, and it with a joint
3.4	In addition, there have been no consultations, communical agreements or arrangements with any competitor regarding the quantity, specifications, prices, including methods, factors or for used to calculate prices, market allocation, the intention or decise submit or not to submit the bid, bidding with the intention not to we bid and conditions or delivery particulars of the products or service which this bid invitation relates.	itions, uality, mulas sion to vin the
3.4	The terms of the accompanying bid have not been, and will not disclosed by the bidder, directly or indirectly, to any competitor, puthe date and time of the official bid opening or of the awarding contract.	rior to
3.5	There have been no consultations, communications, agreeme arrangements made by the bidder with any official of the pro-	nts or curing

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

SBD4

institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

T2.16 - CLIENT'S SPECIFIC REQUIREMENT FOR THE CONTRACTOR'S DETAILED OHSE PLAN		
DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA		
ZNQ 014/25V		
068565		
The location of the site office should be in an area that will not require visitors to pass through or enter area where construction work is active and will not require the re-location of the office as the project progresses.		
1) When working in a occupied facility the contractors risk assessment and subsequent safe work method statement must take into consideration the negative effect the Contractors activities may have on the health and safety of the occupants of the facility and make provisions for the implementation of all reasonably practicable measures to ensure the health and safety of members of the public.		
1) If the weather condition poses a threat to the health & safety of employees be it extreme heat, cold, lighting or any adverse weather condition appropriate safety measures have to be taken.		
Should there be changes to the original scope of work, the Principal Agent must inform appointed Construction Health and Safety Agent to effect changes to the OHSE Specification.		
The successful Tenderer must submit a copy of the detailed OHSE Plan for approval and keep the original for onsite use during construction. The principal Contractor will not be allowed to start site establishment before his/her SHE Plan has been approved in writing.		
The Principal Contractor must incorporate any aspects of the Local Municipal bylaws which affect the, Safety and Environmental wellbeing of the employees and the public into his/her OHSE Plan and ensure compliance to such bylaws.		
To comply with CR(9) and to also address environmental issues		
Risk Assessment must be done if and when required.		
3) DSTI's must be performed on a daily basis be of an acceptable standard and need to be signed off prior to work starting and at the end of each shift.		
4) No work may be performed without an approved DSTI.		
See the attached baseline risk assessment to be considered by both the		
designer and the principal contractor. 1) To comply with CR (10),		
Edge protection and protection of floor openings need to be of such a manner as to properly protect employees from falling off elevated positions or falling into floor openings		
1) To comply with CR (11)		
To comply with CR (12) To comply with CR(13) and the following;		
2) If the risk exists of a person in an excavation being enclosed in an event of a collapse the following will apply; shoring sufficient to prevent enclosure, any excavated material must be placed at least 1metre from the edge and at the maximum angle of repose to the horizontal.		
No excavation may affect the stability of any adjoining structure or road unless steps have been taken as identified by an Engineer or a Technologist.		
Adequate provisions must be made to ensure that water is drained from excavations where water may enter such excavations as a result of seepage or rain		
All excavations made by the Principal or Sub Contractors must be barricaded by means of solid barricading and barricading tape may only be used to make such barricading more visible		
If more than one excavation is present on site all excavations must be numbered to ensure effective inspection and control		
1) To comply with CR (14) and the following;		
Demolition work may only start upon approval of the Demolition Plan by the Client or its duly appointed Agent		
In the event that a structure identified for demolition incorporates substances such as, lead or asbestos it must be performed within the requirements of the applicable legislative requirements		

Scaffolding	1) To comply with CR(16) and the following;
	Scaffolding Inspectors and Scaffolding Erectors must be different
	individuals.
	3) Scaffold Harness must be used on Scaffolding, normal Harnesses may not
	be used on scaffolding 4) Sufficient Scaffolding material e.g., tags, trapdoors etc. need to be on site
	as determined by the activities on site
	5) Scaffold bases may not be supported by materials such as bricks and
	chipboard. Suitable material needs to be used as per SANS 10085
	6) If more than one scaffold is present on site all scaffolds must be numbered
	to ensure effective inspection and control
Construction vehicles and	1) To comply with CR (23) and the following;
mobile plant	
Electrical installations and	1) To comply with CR (24)
machinery on construction	
sites	
Use and temporary	1) To comply with CR (25)
storage of flammable	
liquids on construction	
sites	
	1) To comply with CR (26)
Water environments	
Housekeeping and	1) To comply with CR (27) and the following;
general safeguarding on	
construction sites	Contractor to designate areas for placing refuse and rubble prior to being
construction sites	removed from site
	3) Contractor must implement a daily task site clean-up for all activities these
	should cover work areas, stairways, walkways etc. to free of any construction
	debris obstruction.
	Refuse to be separated for recycling purposes
	5) Hazardous materials such as asbestos may not be included in general
	rubble and need to be disposed of as per applicable legislative requirements
Stacking and storage on	1) To comply with CR (28)
construction sites	
	1) To comply with CR (29) and the following;
construction sites Fire precautions on construction sites	To comply with CR (29) and the following; No smoking may be permitted on site except in designated smoking areas
Fire precautions on	
Fire precautions on construction sites	No smoking may be permitted on site except in designated smoking areas
Fire precautions on construction sites Construction employees'	No smoking may be permitted on site except in designated smoking areas To comply with CR (30) and the following;
Fire precautions on construction sites	No smoking may be permitted on site except in designated smoking areas
Fire precautions on construction sites Construction employees'	No smoking may be permitted on site except in designated smoking areas To comply with CR (30) and the following; Gender signs to be placed at appropriate locations
Fire precautions on construction sites Construction employees'	No smoking may be permitted on site except in designated smoking areas To comply with CR (30) and the following;
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times
Fire precautions on construction sites Construction employees'	No smoking may be permitted on site except in designated smoking areas To comply with CR (30) and the following; Gender signs to be placed at appropriate locations
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor.
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity
Fire precautions on construction sites Construction employees'	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement must be outlined in the OHSE Plan.
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement must be outlined in the OHSE Plan. 3) The public or visitors may only be permitted on site if they go through an
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement must be outlined in the OHSE Plan. 3) The public or visitors may only be permitted on site if they go through an appropriate health and safety induction detailing hazards and risks they may
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement must be outlined in the OHSE Plan. 3) The public or visitors may only be permitted on site if they go through an appropriate health and safety induction detailing hazards and risks they may be exposed to and what measures are in place to control these hazards and
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement must be outlined in the OHSE Plan. 3) The public or visitors may only be permitted on site if they go through an appropriate health and safety induction detailing hazards and risks they may
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement must be outlined in the OHSE Plan. 3) The public or visitors may only be permitted on site if they go through an appropriate health and safety induction detailing hazards and risks they may be exposed to and what measures are in place to control these hazards and risks.
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement must be outlined in the OHSE Plan. 3) The public or visitors may only be permitted on site if they go through an appropriate health and safety induction detailing hazards and risks they may be exposed to and what measures are in place to control these hazards and risks 4) The entire project site must be secured against unauthorized access and provided with appropriate warning signage. Where roadways or walkways must be encroached or closed due to work, adequate barriers shall be
Fire precautions on construction sites Construction employees' facilities	2) No smoking may be permitted on site except in designated smoking areas 1) To comply with CR (30) and the following; 2) Gender signs to be placed at appropriate locations 3) All welfare facilities to be kept in a hygienic condition at all times 4) Employees to be trained in good hygiene practices 5) Toilets to be fitted with doors which can be locked from the inside 6) Toilets to be sufficiently ventilated 7) Contractors or contractors employees are not permitted to any other facilities except those provided by the contractor. 1) The Principal Contractor engaged in construction work must ensure that each person working on or visiting a site, and the general public in the vicinity of the construction site, shall be made aware of the dangers likely to arise from onsite activities and the precautions to be observed to avoid or minimise those dangers. 2) Appropriate signage shall be posted at conspicuous points within and around the perimeter of the site. The steps to comply with this requirement must be outlined in the OHSE Plan. 3) The public or visitors may only be permitted on site if they go through an appropriate health and safety induction detailing hazards and risks they may be exposed to and what measures are in place to control these hazards and risks 4) The entire project site must be secured against unauthorized access and provided with appropriate warning signage. Where roadways or walkways

5) Whenever it is necessary to maintain public use of work areas (such as sidewalks, ramps, entrances to buildings, corridors, or stairways), the public shall be protected with appropriate guardrails, barricades, temporary fences, overhead protection, or temporary partitions and hoarding. The public must also be adequately protected from any work created hazards, such as excavations. Appropriate warnings, signs, warning lights and instructional safety signs shall be conspicuously posted and placed where necessary.
The public must also be protected from falling debris and objects from the project site. Overhead protection shall be provided that will fully protect the public and be capable of withstanding the maximum forces that could be applied from potential falling objects. Special attention shall also be given to developing adequate means to protect against wind-blown debris and construction-related materials.
1) The Principal Contractor shall ensure that all site personnel and visitors undergo a risk-specific health & safety induction training session before starting work or being permitted to enter the site. A record of attendance shall be kept in the health & safety file. 2) The Principal Contractor shall ensure that, on site periodic toolbox talks take place at least once per week. These talks should deal with risks relevant to the construction work at hand. A record of attendance shall be kept in the health & safety file. The above should also cover all sub-contractors that are onsite.
All Contractors have to comply with this minimum requirement. Environmental issues to be included in toolbox talks where required.
The Principal Contractor and all Sub Contractors must keep and maintain Health and Safety records to demonstrate compliance with this Specification, The OHS Act 85/1993; and with the Construction Regulations of 2014. The Principal Contractor shall ensure that all records of incidents/accidents, training, inspections; audits, etc. are kept in a health & safety file held in the site office, which must be present on site at all times. The Principal Contractor must ensure that every Sub Contractor opens its own health & safety file, maintains the file and makes it available on request.
The Client or its duly appointed Agent shall conduct monthly health & safety audits. The Principal Contractor is obligated to conduct similar audits on all Sub Contractors appointed by them at least once a month. Detailed audit reports must be presented and discussed at all levels of project management meetings and a copy of such audit will be provided to the Client or its duly appointed Agent within 7 working days of such audit. Copies of the Client's audit reports shall be kept in the Principal Contractors Health & Safety File.
The Principal Contractor shall submit a detailed Emergency Plan for approval by the Client prior to commencement on site. The plan shall detail the response procedure including the following key elements:
a. List of key competent personnel;
b. Details of emergency services;
c. Actions or steps to be taken in the event of the specific types of emergencies;
d. Information on hazardous material/situations.
The appointed First Aider(s) to be in possession of a valid first aid training
certificate Level 2. Valid certificates are to be kept in the Site Safety File. All Sub Contractors with more than 5 employees shall supply their own first aid box, except if otherwise agreed upon between Principal and Sub- Contractor in writing.
1) Injuries are to be categorised into Near miss, first aid, LTI, fatal etc. Fatal accidents to be reported in addition to applicable legislative requirements to the Client or its duly appointed Agent with immediate effect. The Principal Contractor must stipulate in its construction phase OHSE Plan how it will handle each of these categories. When reporting injuries to the Client, these categories shall be used. The Principal Contractor shall investigate all injuries, with a report being forwarded to the Client immediately. All Sub- Contractors have to report on the abovementioned categories of injuries to the Principal Contractor at least monthly. All categories of incidents/accidents must be in the Statistics Section of the Monthly Audit Reports, submitted to the Client or it's duly appointed Agent.

Hazards and Potential	The Principal Contractor shall immediately notify other Sub Contractors as	
Situations	well as the Client of any hazardous or potentially hazardous situations that may arise during performance of construction activities.	
	2) Should a hazardous situation require work stoppages, the work must be	
	stopped and corrective steps taken such as the issue of Written Safe Work Procedures and the issue of Personal Protective Equipment.	
Personal Protective Equipment (PPE) and	The Principal Contractor must ensure that all workers are issued with the required PPE as required by the risks associated with the activities they	
Clothing	perform.The minimum PPE to be worn on site will be Safety Shoes/Boots,	
	Hard Hats, Overalls. No Visitors may enter the site without Safety Shoes/Boots and Hard hats. The Principal Contractor and all Sub Contractors	
	shall make provision and keep adequate quantities of SABS approved PPE on	
	site at all times. All employees issued with PPE to be trained in correct use,	
	records of training and issue to be kept in the Site SHE File .Procedure to be in place to deal with:	
	a Lost or stolen PPE;	
	b Worn out or damaged PPE replacement.	
	c Employees not utilising PPE as required	
	The above procedure applies to Principal Contractors and their appointed	
	Sub- Contractors, as they are all employers in their own right.	
Permits	The Principal Contractor shall prepare and issue the required written permits relating to but not limited to the following:	
	a Hot Work	
	b Roof Work; and	
	c Electrical work (both temporary and permanent)	
	d Confined Space Entry	
	The Principal Contractor must ensure that where permits are required that	
	they are properly implemented and adhered to.	
Speed Restrictions and Protections	Unless otherwise stipulated, the maximum speed limit on sites must be limited to 10 km/h.	
	Vehicle movement routes on site must be clearly indicated where applicable.	
	Signage to ensure the safe movement of vehicles on site, as well as to ensure the health and safety of all employees and visitors on site, must be	
	displayed in strategic locations.	
Hazardous Chemical	To comply with Hazardous Chemical Substances Regulations as published	
Substances (HCS)	in Government Notice No. R. 1179 dated 25 August 1995.	
	In addition to the abovementioned, Material Safety Data Sheets must be kept on site for all materials, which may contain hazardous chemical	
	substances	
Asbestos	To comply with Asbestos Regulations as published in Government Notice No. R. 155 dated 10 February 2002.	
	Removal to be done by an accredited asbestos contractor	
	3) Proof of accreditation to be kept on site.	
	4) Proof of safe systems of work	
	5) Disposal certificate.	
	Onder no circumstances may asbestos be handed over to the community irrespective of shape or condition.	
Fire Extinguishers and	The Principal Contractor and Sub-Contractors must allow for and provide	
Fire Fighting Equipment	adequate provision of regularly serviced temporary fire fighting equipment located at strategic points on site, specific for the classes of fire likely to occur.	
	The appropriate notices and signs must be allowed for and be erected as required	
	Contractors may not utilize fire protection equipment belonging to the Client without prior consent	
	The Principal Contractor must allow for and ensure that all ladders are	
Ladders and Ladder Work	inspected at least monthly, are in a good safe working order, are the correct height for the task, extend at least 1m above the landing, are fastened and secured and are placed at a safe angle.	

	Records of inspections must be kept in a register on site
	3) All ladders found to be unsafe must be removed from site immediately and
	not be permitted back onto site until it has been certified as being safe by the Safety Officer or Construction Supervisor.
	To comply with Driven Machinery Regulations as published in Government
General Machinery	Notice No. R. 1010 dated 18 July 2003
Portable Electrical Tools	The Principal Contractor shall ensure that all electrical tools, electrical
and Hand Tools	distribution boards, extension leads, and plugs are kept in a safe working order.
	2) The Principal Contractor shall ensure that all portable electrical Equipment,
	is clearly numbered, inspected by a Competent appointed person and records of such inspections to be kept on record in an appropriate register on the
	site SHE file
	The Principal Contractor shall allow for and ensure the following in relation to hand Tools:
	a That a "Competent Person" undertakes routine inspections and records are
	kept on site.
	b That only authorized trained persons use the tools.
	c That safe working procedures apply. d That PPE is provided and used.
	All unsafe hand tools and portable electrical equipment found on site need
	to be removed from site with immediate effect, tagged as unsafe for use and
	only be permitted back on site after being certified as safe for use by the
	Safety Officer or the construction Supervisor.
High Voltage Electrical	1) All Employees must be made aware of the presence and location of High
Equipment Installations	Voltage Equipment such as underground cables and overhead lines, and ensure that the necessary precautionary steps are taken where work has to
and Equipment	be executed in the vicinity of such equipment.
	Precautionary measures such as Isolation and Lock-Out of electrical
	systems or the use of electrically isolated tools must be used.
	1) All Contractors must allow for and ensure that adequate lighting is provided
Adequate Lighting	to allow for work to be carried out safely.
Transportation of Workers	1) In addition to CR 23 the following will apply. The Principal Contractor and
Transportation of Workers	Sub-Contractors shall not:
	a. Transport persons together with goods or tools unless there is an
	appropriate area or section of the vehicle in which to store such goods. b. Transport persons on the back of trucks except if a proper canopy (properly
	covering the sides and top) has been provided with suitable seating areas.
	1, 1
	c. Permit workers to stand or sit on the edge of the transporting vehicle.
	d. Transport workers in LDVs unless they are closed/covered and have the
	correct number of seats for the passengers e. No driver may transport more than six people on the back of a 1 Ton LDV
	and more than four passengers on the back of a ½ Ton LDV.
	2) The driver of any LDV may not permit more than two passengers to occupy
	the cab of any LDV.
	3) Drivers of such vehicles must have a valid driver's license for the code of vehicle being driven by them.
	No servicing of vehicles will be permitted on a Construction Site. No
	Vehicles or machinery leaking oil will be permitted on site due to the risk posed
	to the environment.
	E) Any oil or discal spilled an aits must be alcohold up as per accepted
	5) Any oil or diesel spilled on site must be cleaned up as per accepted environmental practice
	In the event that Earth Moving Machinery is present on site the following must
	be adhered to:
	a Drivers of vehicles must be instructed to avoid parking behind earth moving machinery in order to ensure that their vehicles are visible to the operators of
	earth moving machinery.
	b Right of way must be afforded to earth moving machinery at all times.
	c Vehicles must only be permitted to park, where possible, in designated areas
	Occupational exposure is a major problem and all Contractors must ensure
Occupational Hygiene	that proper health and hygiene measures are put in place to prevent
Occupational Hygiene	exposure to these hazards.
	All Contractors must prevent inhalation, ingestion and absorption of any
	harmful chemical or biological agents
	3) Water to be utilized for drinking purposes may only be drawn from taps
	designated for drinking water purposes. Fire hydrants and fire hose reels may
	not be utilized for drinking water purposes.
Environmental	1) The Principal Contractor and Sub-Contractors must comply with the
Management	requirements of NEMA Act.
	The Principal Contractor must develop a waste management plan, implement and maintained it onsite
	3 Cement mixing to be done at a predetermined location on site which must
	include a solid, slab, and bunded edges to prevent runoff
	4) Contaminated run off water from the site must be treated such as to
	ensure that it does not pose a risk to the environment
	5) Any material which may have a harmful effect when disposed of by normal
	means must be disposed of in an appropriate manner to eliminate its harmful effect on the environment after disposal.
I	Johnson on the environment and disposal.

6) The Principal Contractor must allow for and ensure that adequate procedures are implemented and maintained to ensure that waste generated is placed in suitable receptacles and removed from the site promptly. 7) Plans to deal with spillages must be in place and maintained. 8) No waste materials (liquid or solid) may be disposed of in drains. 9) No burning of waste material may take place on site as such material being burned may result in pollution of the air or give off toxic vapours which could be harmful to the health of employees or any other person present on site. No alcohol and other drugs will be allowed on site without the express permission of the Principal Contractor Alcohol and other Drugs 2) No person may be under the influence of alcohol or any other drugs while on the construction site. 3) Any person on the construction site who is on prescription drugs must inform his/her Employer accordingly and the Employer shall in turn report this to the Principal Contractor immediately. 4) Any person on the construction site who is suffering from any illness/condition that may have a negative effect on his/her safety performance must report this to his/her Employer, who in turn must report this to the Principal Contractor forthwith. 5) Any person on the construction site who is suspected of being under the influence of alcohol or other drugs must be removed from site immediately and be instructed to report back the next day for a preliminary inquiry. A full disciplinary procedure must be followed by the Contractor concerned and a copy of the disciplinary action must be forwarded to the Principal Contractor for his records.

Department of Public Works: KZN

Effective Date: 16 JANUARY 2023

T2.17 - BASELINE RISK ASSESSMENT					
Project title: DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA					
Quote no: ZNQ 014/25V Project Code: 068565					
PLEASE NOTE THAT THIS IS A BASELINE RISK ASSESSMENT AND NOT A DETAILED RISK ASSESSMENT OF ALL ANTICIPATED ACTIVITIES ON SITE					

PLEASE NOTE THAT THIS IS A BASELINE RISK ASSESSMENT AND NOT A DETAILED RISK ASSESSMENT OF ALL ANTICIPATED ACTIVITIES ON SITE								
Activity	Risk to Safety	Risk to Health	Risk to Environmental	Risk to Public Safety	Control Measures			

T2.18 CAPACITY OF BIDDER						
Project title:	DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA					
Bid no:	ZNQ 014/25V	Project Code:	068565			

- 1. **WORK CAPACITY:** (The Bidder is requested to furnish the following capacity particulars and to attach additional pages if more space is required. Failure to furnish the particulars may result in the Bid being disregarded.)
 - 1.1. Artisans and Employees: (Artisans and Employees to be ,or are ,employed for this project)

Categories of Employee - Key Personnel (part of Business Enterprise)	Professional Registration No.	Date of Employment	Number
Site Agent			
Project Manager			
Foreman			
Quality Control & Safety Officer-Construction Supervisor			
Artisans			
Unskilled employees			
Others			

1.2. Provide full particulars of the following Assets: (Assets owned and to be hired - Indicate owned assets)

Machinery	Plant	Equipment	Vehicles

1.3. Workshops:

Address of Main Workshop:	Address of Regional Workshop (If Applicable):

1.4. Other offers submitted at time of this tender for which results are pending: (Any other client's tender must also be included)

Bid No.	Project Name	Client Name &	Value Tendered in	Date bid submitted	Contact Detail
DIU NO.	Project Name	Contact No.	R's	Date bid Submitted	Contact Detail
				1	

2. PARTICULARS OF THE BIDDERS CURRENT AND PREVIOUSLY COMPLETED COMMITMENTS:

2.1. Current private sector projects: (List the 5 projects closest to the contractor grading designation of this project)

	Z.I. Odirent private	Sector projects. (List the o projects closest to the contractor grading des	3	
	Project Name		Date of commencement	
1	Place (town)		Contract Amount (R)	
	Reference / Contact person		Contract period	
	Contact Tel. No.		Scheduled date of completion	
	Project Name		Date of commencement	
2	Place (town)		Contract Amount (R)	
	Reference / Contact person		Contract period	
	Contact Tel. No.		Scheduled date of completion	
	Project Name		Date of commencement	
3	Place (town)		Contract Amount (R)	
3	Reference / Contact person		Contract period	
	Contact Tel. No.		Scheduled date of completion	
	Project Name		Date of commencement	
4	Place (town)		Contract Amount (R)	
4	Reference / Contact person		Contract period	
	Contact Tel. No.		Scheduled date of completion	
	Project Name		Date of commencement	
5	Place (town)		Contract Amount (R)	
	Reference / Contact person		Contract period	
	Contact Tel. No.		Scheduled date of completion	

2.2. Current Government sector projects: (List the 5 projects closest to the contractor grading designation of this project)

	Project Name	Date of commencement	
1	Place (town)	Contract Amount (R)	
'	Reference / Contact person	Contract period	
	Contact Tel. No.	Scheduled date of completion	
	Project Name	Date of commencement	
2	Place (town)	Contract Amount (R)	
	Reference / Contact person	Contract period	
	Contact Tel. No.	Scheduled date of completion	
	Project Name	Date of commencement	
3	Place (town)	Contract Amount (R)	
	Reference / Contact person	Contract period	
	Contact Tel. No.	Scheduled date of completion	
	Project Name	Date of commencement	
4	Place (town)	Contract Amount (R)	
"	Reference / Contact person	Contract period	
	Contact Tel. No.	Scheduled date of completion	
	Project Name	Date of commencement	
5	Place (town)	Contract Amount (R)	
] 3	Reference / Contact person	Contract period	
	Contact Tel. No.	Scheduled date of completion	

Previously completed projects: (List the 5 projects closest to the contractor grading designation of this project) 2.3.

	Project Name					
1	Place (town)				ntract Amount (R)	
'	Reference / Contact person				Contract period	
	Contact Tel. No.				Date completed	
	Project Name			Date	of commencement	
2	Place (town)			Co	ntract Amount (R)	
_	Reference / Contact person				Contract period	
	Contact Tel. No.				Date completed	
	Project Name				of commencement	
3	Place (town)				ntract Amount (R)	
Ŭ	Reference / Contact person				Contract period	
	Contact Tel. No.				Date completed	
	Project Name				of commencement	
4	Place (town)			Contract Amount (R)		
·	Reference / Contact person			Contract period		
	Contact Tel. No.			Date completed		
	Project Name			Date of commencement		
5	Place (town)			Contract Amount (R)		
	Reference / Contact person			Contract period		
	Contact Tel. No.				Date completed	•
	Manager of District		0:			D-4-

Name of Bidder	Signature of authorised representative	Date

	T2.19 - Functionality Criteria : Not Applicable							
TENDER	EVALUATION CRITERIA AND SCORING P	RICE AND	SPECIFIC GOALS					
Evaluation Criteria	Deliverables / Goal		Points					
Price	A maximum of 80 or 90 Points is allocated for Price.	80	Points					
Specific Goal 1	Ownership by Black People	5	Points					
Specific Goal 2	Ownership by People who are Youth	0	Points					
Specific Goal 3	Ownership by People who are Women	0	Points					
Specific Goal 4	Promotion of enterprises located in a specific municipal area for work to be done or services to be rendered	15	Points					
Specific Goal 5	0	0	Points					
Specific Goal 6	0	0	Points					
Specific Goal 7	0	0	Points					
Specific Goal 8	0	0	Points					

PART A

INVITATION TO BID - SBD 1

				INVITATION	OBID	- 300 1							
YOU ARE HEREBY I	NVITED	TO BID FOR REQUIREMENTS	OF THE KV	VA-ZULU NATAL DEP	PARTMENT	OF WORK	S						
BID NUMBER:	ZNQ 014	4/25V CLOSING	DATE:	As per adv	ert					CLOSIN	G TIME:	11:00	
DESCRIPTION	DEPART	MENT OF HEALTH: LUNEBURG C	LINIC : CON	NSTRUCTION OF NEW I	MEDICAL W	ASTE STOR	AGE AREA						
THE SUCCESSFUL B	IDDER \	WILL BE REQUIRED TO FILL IN	AND SIG	N A WRITTEN CONT	RACT								
BID RESPONSE DOCUM	MENTS M	MAY BE DEPOSITED IN THE BID BO	OX SITUATE	ED AT <i>(STREET ADDRE</i>	ESS)								
285 Boeren Street Vryl	heid												
SUPPLIER INFORMA	ATION												
NAME OF BIDDER													
POSTAL ADDRESS													
STREET ADDRESS													
TELEPHONE NUMBER		CODE						NUMBER					
CELLPHONE NUMBER												_	
FACSIMILE NUMBER		CODE						NUMBER					
E-MAIL ADDRESS													
VAT REGISTRATION N	UMBER												
		TCS PIN:			CSD No:								
		Yes			Ye				Yes	Yes			
B-BBEE STATUS LEVEL VERIFICATION CERTIF (Tick YES or NO)						B-BBEE STATUS LEVEL SWORN AFFIDAVIT (Tick or NO)				Tick YES	;		
		No									No		
If YES, State the name verification agency acc by SANAS	redited												
ARE YOU THE ACCRED REPRESENTATIVE IN S	SOUTH	Yes		NO			BASED SU		YES		1	NO	
AFRICA FOR THE GOO /SERVICES /WORKS	DS	ГТЕ	YES ENC	LOSE PROOF]			FOR THE		FS ANSW	ER PART E	R-3 RFI OW	'n	
OFFERED?		[2.	TES ENG					(2.1	LO ANON	EIX I AIX I E	J.S BLLOW	•,	
SIGNATURE OF BID	DER						DATE						
CAPACITY UNDER W THIS BID IS SIGNED (Attach proof of aut to sign this bid; e.g. resolution of director	D hority						ı						
TOTAL NUMBER OF ITEMS OFFERED							TOTAL BI	D PRICE (ALL INCLU	SIVE)			
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:											
DEPARTMENT/ PUB ENTITY	BLIC	Public Works			CONTACT PERSON Mr S. N. Maphumu			aphumulo	humulo				
CONTACT PERSON		Ms. T.D. Myeni			TELEPHONE NUMBER 082 263 1335								
TELEPHONE NUMBER		034 982 2362			FACSIMILE NUMBER								
FACSIMILE NUMBER					E-MAIL AD	DRESS		sibusiso.m	aphumulo@	<u>)kznworks.ç</u>	gov.za		
E-MAIL ADDRESS		Tholakele.myeni@kznworks.gov.z											

PART B

TERMS AND CONDITIONS FOR BIDDING - SBD 1

BID SUBMISSION

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR ONLINE
- 1.3. BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.
- 1.4. WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION) DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION. B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.
- 1.5. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS						
3.1.	IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	YES		NO			
3.2.	DOES THE BIDDER HAVE A BRANCH IN THE RSA?	YES		NO			
3.3.	DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	YES		NO			
3.4.	DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA?	YES		NO			

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS / TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

C1.1: FORM OF OFFER AND ACCEPTANCE

Quotation no: ZNQ 014/25V

OFFER

The Employer, identified in the acceptance signature block, has solicited offers to enter into a contract for the procurement of:

DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA

The Tenderer, identified in the Offer signature block, has examined the documents listed in the Quotation Data and Addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of

By the representative of the Tenderer, deemed to be duly authorized, signing this part of this Form of Offer and Acceptance, the tenderer offers to perform all of the obligations and liabilities of the Contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the Conditions of Contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

Amount (in words):	
Amount in figures:	R

This Offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document to the Tenderer before the end of the period of validity stated in the Tender Data, whereupon the Tenderer becomes the party named as the Contractor in the Conditions of Contract identified in the Contract Data.

Signature (s)			
Name (s)			
Capacity			
For the tenderer			
	(Name and address of tenderer)		
Name and signature of witness		Date	

ACCEPTANCE

By signing this part of this Form of Offer and Acceptance, the Employer identified below, accepts the Tenderer's The terms of the contract, are contained in:

Agreement and Contract Data, (which includes this agreement) Part C1

Part C2 Pricing data

Part C3

Scope of work.

Part C4 Site information and drawings and documents or parts thereof, which may be

incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the returnable schedules as well as any changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this form of offer and acceptance. No amendments to or deviations from said documents are valid unless contained in this schedule

The tenderer shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the tenderer (now contractor) within five (5) working days of the date of such receipt notifies the employer in writing of any reason why he/she cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

Signature (s)					
Name (s)					
Capacity					
For the employer					
	(Name and address of employer)				
Name and signature of witness					

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

Schedule of Deviations

Notes

- 1. The extent of deviations from the tender documents issued by the employer before the tender closing date is limited to those permitted in terms of the conditions of tender.
- 2. A tenderer's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of agreements reached during the process of offer and acceptance, the outcome of such agreement shall be recorded here.
- 3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the tender documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here.
- 4. Any change or addition to the tender documents arising from the above agreements and recorded here, shall also be incorporated into the final draft of the Contract.

1.	1. Subject:						
Det	Details:						
_							
2.							
Det	Details:						
3.							
Det	Details:						
4.							
Det	Details:						

By the duly authorised representatives signing this agreement, the employer and the tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the tender data and addenda thereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

C1.2 :CONTRACT DATA:

JBCC 2000 MINOR WORKS AGREEMENT (4th Edition)

DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA

Quotation no: ZNQ 014/25V

The Conditions of contract are clauses 1 to 20 of the JBCC series 2000 Minor Works Agreement (4th Edition, August 2007) prepared by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained through most regional offices of the Association of South African Quantity Surveyors (011-3154140), Master Builders Association (031-2667070), South African Association of Consulting Engineers (011-4632022), South African Institute of Architects (031-2017590), Association of Construction Project Managers, Building Industries Federation South Africa, South African Property Owners Association or Specialist Engineering Contractors Committee.

CONTRACT VARIABLES

THE CONTRACT DATA

The Contract Data contains all variables referred to in this document and is divided into Employer to Contractor (EC) Data and Contractor to Employer (CE) Data categories. The Employer to Contractor (EC) Data category must be completed in full by the Employers or his Agent and included in the Quotation documents. The Contractor to Employer (CE) Data must be left blank by the Employer or his Agent for the Contractor to fill in. Both the EC and CE Data categories form part of this agreement.

Spaces requiring information must be filled in, shown as "not applicable" or deleted but not left blank. Where choices are offered, the inapplicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross referenced to the applicable clause of the schedule. Key cross reference clauses are italicised in [] brackets.

		HE EMPLOYER (MI	NOR WORKS AGREEMENT COM	NTRACT DATA EC) (JBCC Series 2000 Edition 4.0		
	Code 2108-EC July 2007)					
1	CONTRACT DATA - EMPLOYER					
1.0	CONTRACTING AND OTHER PARTIES					
1.1	Employer:					
[1.1]	Zululand Sub-District: Vryheid : Public Works (Department of Public Works: Province of KwaZulu-Natal)					
	Postal address:					
	Private Bag X9420					
	VRYHEID					
	3100 Tel: 034-9809525	Fax:	034-98022362			
		T GA.	034-30022302			
1.2]	Physical address:					
	285 Boeren Street					
	VRYHEID 3100					
	3100					
1.2	Principal Agent:					
[6.1]	Mr. S.N. Maphumulo					
	Postal address:					
	Zululand Sub-District Office (Vryheid)					
	VRYHEID					
	3100					
	Tel: 034 982 2362	Fax:	034 980 9525			
1.3 [6.1.9]	Agent (1) 0					
	Agent's service:					
	Postal address:					
	0					
	0					
	Tel: 0	Fax:	0			
1.4	Agent (2)					
[6.1.9]	0					
	Agent's service:					
	0					
	Postal address:					
	0					
	ō					
		_				
1.6	Tel: 0 Interest of principal agent or other agents in the p	Fax:	0			
1.0	interest of principal agent of other agents in the p	n ojcot				
	Details where "yes" N/A					

1.7 The **principal agent** [1.2] is responsible for the preparation of the **contract data** schedule and must be contacted should the **contractor** be uncertain of the information provided or to be provided. Failure to complete the **contract data** schedule in full may result in the tender/quote being disqualified.

Quotation no:	ZNQ: 014/25V						
2.0	CONTRACT AND SITE INFORMATION						
2.1	The law applicable to this agreement:		SOUTH AF	RICA	(Country or State)		
2.2 [1.1]	Works identification: Refer to document C3	- Scope of Work.			1		
2.3 [1.1]	Site description: Refer to document C4 - Sit	e Information.					
2.4 [5.1.3]	Possession of the site is to be given on:	To be	e determined	(Date)			
2.5 [7.1.2]	Period for the commencement of the works after	the contractor takes po	ssession of the site:	10	(working days)		
2.6 [7.1.1]	Waiver of contractor's lien or right of continuing	possession is required:	ossession is required: Yes (Yes				
2.7	Existing premises will be occupied. Where "yes" the contract documents.	the specific requirements	e specific requirements are described or detailed in Yes (Yes				
	The Bidder is advised that the in to the bare minimum.	stitution is fully function	nal and Occupied and disru	otions to services are	to be kept		
2.8 [5.1.5-6]	Provision of temporary services is required. Whe contract documents.	ere "yes" the specific requ	irements are described below	or detailed in the	YES (Yes/No)		
2.11.1	Water Option A		Contractor - his cost				
	Option B NOT A	APPLICABLE	Employer - free of charg	e			
	Option C		Employer - metered (co	tractor cost)	(A, or C)		
2.11.2	Electricity Option A		Contractor - his cost				
		APPLICABLE	Employer - free of charg	е	Δ.		
	Option C		Employer - metered (co	ntractor cost)	(A, or C)		
2.11.3	Telecom Option A		Contractor - his cost				
	Option B NOT A	APPLICABLE	Employer - free of charg	е	Α		
	Option C		Employer - metered (co	ntractor cost)	(A, or C)		
2.11.4	Ablutions Option A		Contractor - his cost				
	Option B NOT A	APPLICABLE	Employer - free of charg	е	A		
3.0	INSURANCES AND SECURITIES						
3.1 [3.4.1]	Public liability insurance to be effected by:		С	ONTRACTOR	[Employer/Contractor]		
			For the sum of:	N/A	[Amount]		
		With	a deductible of:	N/A	[Amount]		
3.2 [3.4.2]	Contract works insurance to be effected by:		С	ONTRACTOR	[Employer/Contractor]		
			For the sum of: Cont	act Sum plus 10%	[Amount]		
		With	a deductible of:	N/A	[Amount]		
3.3 [3.4.3]	Support insurance to be effected by the employe	er:	For the sum of:	N/A	[Amount]		
		With	a deductible of:	N/A	[Amount]		
3.4 [2.5]	The employer shall provide a Payment Guarant	tee:	NO	[Yes/No]	_		
			For the sum of:	N.A.	[Amount]		
[2.6]	The contractor shall waive his lien where a pay l		ded: N.A.	[Yes/No]			
4.0 4.1	PRACTICAL COMPLETION DATES AND PENA	ALTIES					
[7.1.2]	For the works as a whole:						
	The date for practical completion:	To be determined			[Date]		
	Penalty per calendar day:	0.04% of the Contract S	Sum per calendar day				
	Contract Period	6	Calender Months				

5.0	DOCUMENTS AND GENERAL								
5.1 [4.5]	Construction d	ocume	ent copies to be supplied to the contractor free of charge:	3	[No of]				
5.2	The contracto	r shall	provide the priced document:						
[4.1]	Complete Sche	edule o	of rates is to be submitted on the day of the Quotation closing date	"A"	[Addendum No.]				
5.3 [1.8]	Changes made	e to JE	BCC standard documents:	Yes	[Yes/No]	"B"	[Addendum No.]		
			tions and alterations to the JBCC Minor Works Agreement: The followi	ng clauses is	N/A to this contra	ict:	•		
		Omit Clause 2.1 and 2.2; 2.4 to 2.7							
			ise 3.4 and 3.5; ises 5.1.1 and 5.1.2 and 5.1.5 and 5.1.6						
			Ises 5.1.1 and 5.1.2 and 5.1.5 and 5.1.6				-		
			ise 12.3.2;				1		
			ises 13.6.1 and 13.6.3 and 13.8 and 13.13 to 13.16				†		
	Om	it Clau	ises 14.9				†		
	Om	it Clau	ises 15.1.1 and 15.1.5 and 15.3.7 and 15.3.8				1		
			ses 16.1.1 and 16.4.7 and 16.4.8]		
			ses 17.2.6 and 17.2.7]		
	In clause 13.9.1 replace "8% of such value to a limit of 4%" with "10% of such value to a limit of 10%"								
			13.9.2 replace "2% of the contract sum" with "5% of the contract sum"		o of data of icaria "				
	In clause 13.11 replace "within 7 calendar days of date of issue" with "within 21 calendar days of date of issue" In clause 4.1 replace "10 working days" with "submit the priced schedule of Quantities with the Returnable Schedules."						-		
			graph 5.3 of C3.2 Specification For HIV/Aids Awareness - penalty of 0.04				†		
			y				1		
5.4 [5.2.1]	Work to be und	dertak	en by direct contractors :	No	[Yes/No]	N/A	[Addendum No.]		
5.5 [5.1.7]	Interim payme	nt cer	tificate to be issued by:	,	Varied	[Date of N	/lonth]		
5.5	Schedule of Pr	rice co	st Amounts (if applicable). The amounts in this schedule <u>are</u> to be inclu	ded in the qu	otation amount:				
[1.1]			Description		Amount		1		
[6.2.9]	 	1	N/A		N/A		†		
[N/A						
		3	N/A		N/A		-		
	To the state of th								
5.0	Schedule of Er	mploye	er allowances (if Applicable). This amounts in this schedule is for inform	ation purpose	es only and are <u>not</u>	to be included	d in the quotation		
5.6	amount.								
[1.1]			Description		Amount				
[6.2.10]		1	N/A		N/A		†		
		2	N/A		N/A		†		
		3	N/A	N/A			†		
							1		
5.7	Schedule of wo		direct subcontractors. Note: This schedule is for information purposes nated values:	only and are	not to be included	in the quotati	on amount.		
[8.1.1]			Description		Amount		1		
[5.2.1]		1	N/A		N/A				
[5.2.1]							1		
		2	N/A	N/A			1		
		3	N/A		N/A]		
5.8	Direct contract	or's to	tal insurance cover: Not Applicable						
[3.2.3] 5.9	Ouatation aubi	minaia	ns shall close at the time and on the date as stated in the T1.1 - Bid No	tice and Inv	itation to Quata				
[1.1]				tice and my	itation to Quote				
6.0			THE PRINCIPAL AGENT cipal agent named in 1.2 above, declare that the information provided a	shove is comm	alete and accurate a	t the time of			
	calling for tenders. Where necessary, should any of the above information need to be varied, Tenderer's will be informed thereof in writing forthwith.								
	Principal Agent Date								
	Part 2: CONTRACT DATA COMPLETED BY THE CONTRACTOR (MINOR WORKS AGREEMENT CONTRACT DATA CE) (JBCC Series 2000 E								
	4.0 Code 2108								
1.0	CONTRACTION		CONTRACTOR						
	CONTRACTIN	J PAI	M I						
	Note: All information for this section requires to be filled in by the contractor. The Project Leader/Employers Agent shall not pre-select or fill in any of the alternatives available to the contractor.								

Quotations:
R 1 - R1 000 000
Effective Date: 16 JANUARY 2023
Version:8

1.1 [1.1]	Contractor / Tenderer: Postal address:					
	Tel:		Code:			
	Fax:					
	Tax / VAT Registration No:					
[1.2]	Physical address:					
2.0	SECURITIES					
2,1	The security provision selected is:	ı				
2.1.1 [2.2]	Variable Construction Guarantee:		NO	[Yes/No]		
2.1.2 [2.3, 13.9]	Retention:		YES	[Yes/No]		
2.1.3 [2.7]	Advanced Payment is required. Where	e "Yes":	1	NO	[Amount]	
11	Note: Advance Payment Guarantee equal in valu	ue to above amount [2.1.3] is required from (contractor.			
3.0	PAYMENT AND ADJUSTMENT OF PRELIMINA	RIES				
0.4	Down and of Burlinging of a					
3.1 <i>[14.3]</i>	Payment of Preliminaries The payment of preliminaries related to minor wo	rks shall be according to Option A only:				
3.1.1	Option A					
		n amount prorated to the value of the work	duly executed	in the same ratio as	s the	
	preliminaries bears to the contract su The amount for pre					
	Any contingencies					
242	All inclusive of tax					
3.1.2	Option B (Not Applicable)					
3.2	Adjustment of Preliminaries					
	The amount or items of preliminaries shall be adjupreliminaries. Such an adjustment shall be based further adjustment of preliminaries.					
	Adjustment of preliminaries in terms of Option A s works. The adjustment of preliminaries shall be to				ctor in the execution of the	
	For the adjustment of the preliminaries both the c	ontract sum and the contract value shall exc	clude:			
	The amount of preliminaries Any contingency sum All inclusive of tax					
3.2.1	Option A The amount of preliminaries shall be a	adjusted in the following categories:				
	An amount which s An amount which s	shall not be varied shall be varied in proportion to the contract	value as com	nared with the cont	ract sum	
	An amount which s	shall be varied in proportion to the construc s to the construction period for which the construction	tion period as	s compared to the i	nitial construction period	
	The contractor shall, within fifteen (15) working days of taking possession of the site , give the principal agent a breakdown, subdivided onto the above categories, of the amount for preliminaries in tabulated form, all to the satisfaction of the principal agent . Should the contractor fail to provide such information within the period stipulated then the amount for the preliminaries shall be deemed to be subdivided into the following proportions:					
	, , ,	which amount shall not be varied ent) which amount shall be varied in proporti	ion to the cont	tract value as comp	pared with	
	75% (seventy-five)	per cent) which amount shall be varied in pr	roportion to the	construction per	iod as	
	compared with the For a lump sum document, should the contractor half per cent) of the contract sum excluding any c		then such an a	mount shall be dee	med to be 7.5% (seven and a	
3.3	Payment certificate cash flow					
	The contractor shall provide all reasonable assist where required by the employer . The projections The cooperation of the contractor in terms of this	shall be based on the programme and sha	all be updated	as and when the pr	ogramme requires updating.	

[6.1.4]	Meetings at which contract minutes are	recorded shall be held:	MONTHLY	[State Period]					
3.5 [13.3]	Valuations date for payments shall be on:		Varied	Of the month					
4.0	EMPLOYER CHANGES TO JBCC STAN	DARD DOCUMENTS							
4.1 [1.6]	1. See paragraph 5.3 above for c 2. 3.	's Contract Data are accepted : this clause is to be attached should the spa	ct.						
5.0	THE QUOTE								
5.0 5.1	THE QUOTE								
[1.1]	The accepted contract sum inclusive of V Amount in words:	Value Added Tax is:							
6.0	SIGNATURES OF THE CONTRACTING	DARTIES							
[20.0]	We the Employer and Contractor accept the above conditions and the offer in terms of 5.0 and hereby enter into a contract for the execution and completion of the works. This agreement is the entire contract between the parties regarding the matters addressed herein. No representation, term, condition, or warranties not contained in this agreement shall be binding on the parties. No agreement or addendum varying, adding to, deleting or terminating this agreement including this clause shall be effective unless reduced to writing and signed by the parties. Thus done and signed at								
	Thus done and signed at	on	of	200					
	Name of signatory	Capacity of signatory	for and behalf of the Employ e warrants authorisation hereto	for and behalf of the Employer who by signature hereof warrants authorisation hereto					
	as Witness (1)		as Witness (2)						
	Name:		Name:						
	Address:		Address:						
	Thus done and signed at	on	of	200					
	Name of signatory	Capacity of signatory	for and behalf of the Contrac warrants authorisation hereto						
	as Witness (1)		as Witness (2)						
	Name:		Name:						
	Address:		Address:						
				<u> </u>					

	PART C2: PRICING DATA							
Project title:	DEPARTMENT OF HEALTH WASTE STORAGE AREA	: LUNEBURG CLIN	NIC : CONSTRUCTION OF NEW MEDICAL					
Quotation no:	ZNQ 014/25V	Project Code:	068565					

C2.1 Pricing Instructions

The Bidder's prices must be provided in accordance with the scope of work i.e. the prices, rates and quantities to be included in the Pricing Schedule for the work described under several items. An item against which no price is entered will be considered to be covered by prices in the Pricing Schedule. Where any item is not relevant to this specific contract, such item is marked N/A (signifying "not applicable")

The method of measurement herein will be the only method of measurement recognized in connection with this contract.

All equipment or materials used in this contract is to be that which is specified or other approved (other approved means where approval is given by the Head: Works prior to the close of the quotation).

The Pricing Schedule is to indicate VALUE ADDED TAX payable by the Employer separately in addition to the total Quoted prices. The Quotation Offer must indicate prices inclusive of VALUE ADDED TAX.

The Bidders obligation in pricing the Quotation offer and the Employer's undertakings in checking and corrections of arithmetical errors are indicated in the Annexure A - Standard Conditions of Quotation.

The Conditions of Contract referred to in this document must be understood and read by the Contractor and will be taken to apply at all times to the work which this Contract refers. The contractor must allow whatever price or costs he may consider necessary to provide for the carrying out and due observance of the aforesaid Conditions of Contract.

R 1- R 1 000 000

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

....

Version: 8

PART C2.2: PRICING SCHEDULE							
PROJ	PROJECT TITLE: LUNEBURG CLINIC : CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA						
Quot	uotation no: ZNQ(L) 014/25V				068565	5	
	Rate shall mean inc	lusive of material, labour, equipment cost and wh	_		1		
Nº		DESCRIPTION	UNIT	QTY	RATE	PRICE	
	PRELIMINARY AND GEN	ERAL					
	 All rates for items cor computed excluding the 	ntained in this Schedule of Rates must be applicable Sales Tax.					
	2). The Department of Poin the Bill of Quantities.	ublic Works reserves the right to Negotiate rates					
	3). All rates quoted shall be inclusive of transport, labour,profit and equipment cost where appropriate for installation. All works to be left in a perfect working condition.						
	4). Rubble resulting from breaking down, demolishing, etc,,,is to be removed from site by Contractor on an ongoing basis to avoid accumulation of mounds of such rubble.						
		that the institution is fully functional and s to services are to be kept to the bare					
	6). Bidder are to allow for costs in providing a Construction phase Safety, Health and Environmental Plan. Bidders are further reminded that it is their responsibility to amend their safety plan if the assessed risk of the work changes in the slightest manner.						

R 1- R 1 000 000 Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE	Version
	SECTION NO.1					
	PRICING OF PRELIMINARIES AND GENERAL					
	Preliminaries and general					
1	Occupational Health and Safety Act no. 58 of 1993. Tenders are allowed to to allow for cost of in providing a Generic Construction Safety, Health and Environmental Plan	ltem				
2	Allow for labour personal protective equipment (PPE's), safe site barricading and other safety requiremnts measures on site	ltem				
3	Allow for complying with Project EPWP Specification	Item				
	HIRING OF TEMPORARY PORTABLE TOILETS AND STOREROOM FOR A PERIOD OF 6 MONTHS					
4	Supply and maintenance VIP of two (2) portable toilets on site for the duration of the contract. Toilets to be cleaned and sanitized once a week using all approved chemicals and supply toilet paper rolls for every services	Item				
	WATER FOR THE WORKS					
5	The contractor shall provide all water connection that is necessary for the completion of the works at his/her expense	Item				
	ELECTRICAL AND LIGHTING					
6	The contractor shall provide any artificial lighting which may be necessary or required for proper execution of any portion of the works, and provide electric power for any purpose required in connection with the works, including for all electric light and power required by all.	Item				
7	The contractor shall give all notices and pay all fees in connection with temporary electrical connections and pay for all current work consumed	Item				
8	Supervision and accomodation	Item				
9	Telecom	Item				

R 1- R 1 000 000

Version: 8 UNIT | QTY |RATE DESCRIPTION PRICE Nο **SECTION NO.2 BILL NO.1: ALTERATIONS (PROVISIONAL)** The Tenderer is referred to the "KwaZulu Natal: Department of Health Standard Preambles to all Trades - January 2009 (Rev 3)" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed to have been included in all relevant rates SUPPLEMENTARY PREAMBLES Reference shall be made to other trades and preambles for preambles and full descriptions of items not fully described in this trade which shall apply equally to the work in this trade, unless otherwise described. The contractor's attention is specifically drawn to the correct removal and disposal of all the different materials, in particular materials that can affect the health and welfare of people, in a manner that will not negatively affect the environment. **EARTHWORKS (PROVISIONAL)** Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section Nature of ground The nature of the ground is assumed to be loose sandy material, therefore earth, but possibly interspersed with soft rock or hard rock Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site

R 1-R 1 000 000

Version: 8 UNIT | QTY RATE DESCRIPTION **PRICE** Nº SITE CLEARANCE ETC REMOVAL OF TREES, ETC. Grub up and remove: Cut down, grub up roots and remove tree stump, with girth of trunk exceeding 500mm and not exceeding 1000mm, including all necessary No 2 filling and ramming. Stripping average 100mm thick layer of top soil and stockpiling on site m^2 250 **EXCAVATION, FILLING, ETC** Excavation in earth not exceeding 2m deep 12 Trenches m^3 36 13 Reduced levels m³ 6 Back excavation of vertical sides of excavations in earth for working space including backfilling compacted to 98% Mod. AASHTO density Exceeding 500mm and not exceeding 1500mm deep for placing and 14 m^2 4 removing formwork to walls 300mm away from excavated face (plinth) Extra over trench and hole excavation in earth for excavation in Soft rock 15 m³ 4 16 Hard rock m³ 2 Extra over all excavations for carting away Surplus material from excavations and/or stock piles on site to a 17 dumping site to be located by the contractor m³ 18

R 1-R 1 000 000

Version: 8 DESCRIPTION UNIT QTY PRICE Nº RATE Risk of collapse of excavations Sides of trench and hole excavations exceeding 1,5m deep m^2 103 Keeping excavations free of water Keeping excavations free of all water other than subterranean water 1 Item FILLING, ETC Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 95% Mod AASHTO density. Backfilling to trenches, holes, etc. m³ 20 Coarse river sand filling supplied by the contractor m³ 21 Under floors etc 3 Hardcore filling 22 m³ 16 Under floors etc m^3 6 **Compaction of surfaces** Compaction of ground surface under floors, etc. including grading, levelling and scarifying for a depth of 150mm, breaking down oversize m² 60 material, adding suitable material where necessary and compacting to 98% Mod. AASHTO density Prescribed density tests on filling "Modified AASHTO Density" test 25 No 1 **SOIL POISONING** Soil insecticide To bottoms and sides of trenches etc m² 26 60 Under floors, etc. including forming and poisoning shallow furrows 27 60 against foundation walls, etc. filling in furrows and ramming

Quotations:

R 1- R 1 000 000 Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE	Version
	CONCRETE, FORMWORK AND REINFORCEMENT					
	SUPPLEMENTARY PREAMBLES					
	Cost of tests The costs of making, storing and testing of concrete test cubes as required under clause 7 "Tests" of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the architect. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the architect. (Test cubes are measured separately)					
	<u>Formwork</u>					
	Description of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before re-use					
28	Formworks to soffits of solid etc shall be deemed to be slabs not exceeding 250mm thick unless otherwise described	m²	60			
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES					
	30MPa/19mm concrete					
29	Strip footings	m³	9			
30	Surface bed	m³	6			
	REINFORCED CONCRETE CAST ON/IN FORMWORK					
	30MPa/19mm concrete					
31	Plinth	m³	2			

Department of Public Works : KZN

R 1- R 1 000 000 Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE	ion :
	TEST BLOCKS					
32	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	5			
	CONCRETE SUNDRIES					
	Finishing top surfaces of concrete smooth with a wood float					
33	Wood Float to Surface beds, slabs, etc	m²	29			
	FORMWORK					
	SMOOTH FORMWORK (DEGREE OF ACCURACY I)					
	Smooth formwork to sides					
34	Edges, risers, ends and reveals exceeding 300mm high or wide	m²	4			
	REINFORCEMENT (PROVISIONAL)					
35	Type 193 fabric reinforcement in concrete surface beds, slabs, etc	m²	29			
	Mild tensile steel reinforcement to structural concrete work					
36	Bars not exceeding 10mm diameter	t	0,5			

R 1- R 1 000 000

Version: 8 UNIT QTY PRICE Nº DESCRIPTION RATE MASONRY Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section **SUPPLEMENTARY PREAMBLES BRICKWORK** Sizes in description Where sizes in descriptions are given in bricks units, "one brick" shall represent the length and "half brick" the width of a brick **Hollow walls** Description of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole **User note** The following preamble generally applies for works in hot and humid coastal areas **Bagged and sealed walls** Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats bitumen emulsion waterproofing coating **Face bricks** Bricks shall be ordered timeously to obtain uniformity in size and colour **Pointing** Description of recessed pointing to fair face brick and face brick shall be deemed to include square recessed, hollow recessed, weathered pointing, etc

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	FOUNDATIONS (PROVISIONAL)				
	BRICKWORK				
	Brickwork in foundations				
37	Brickwork of NFX bricks (14 Mpa nominal compressive strength in class 1 mortar)	m²	55		
	SUPERSTRUCTURE				
	BRICKWORK				
	Brickwork of NFP bricks in class II mortar				
	Corobrik Roan Satin or other approved FBX facebricks with square recessed and ruled joints or other approved:				
38	Half brick walls in beamfilling	m²	62		
39	One brick wall	m²	320		
40	One brick walls of two half brick skins with inner skin bagged and sealed	m²	80		
41	One brick walls of two half brick skins with inner skin bagged and sealed (boundary wall)	m²	44		
	BRICKWORK SUNDRIES				
	2,5mm Brickwork reinforcement				
42	150mm Wide reinforcement built in horizontally in foundations (Provisional)	m	960		
43	150mm Wide reinforcement built in horizontally	m	290		
43	150mm Wide reinforcement built in horizontally	m	290		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	Joint forming material in movement joints				
44	12mm Bitumen impregnated fibre board built in vertically between brickwall and concrete surfaces	m	33		
	Turning pieces to lintels, etc.				
15	220mm Wide turning piece to lintels etc	m	6		
	Galvanised hoop iron cramps, ties, etc				
46	30 x 1,6mm Roof tie 1,5m long with one end fixed to timber and other end built into brickwork	No	23		
	Air bricks				
47	Set of two 229 x 152mm terra-cotta vermin proof air bricks	No	14		
	FACEBRICK WORK				
	Face bricks to match existing and pointed with tinted recessed horizontal and vertical joints to match existing				
48	Extra over brickwork for face brickwork in foundations laid on both sides of walls (Provisional)	m²	11		
49	Extra over brickwork for face brickwork	m²	29		
50	Extra over brickwork for face brickwork on both ends boundary wall	m²	87		
51	Extra over brickwork for brick-on-header course	m²	23		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	PAVING WORKS				
	Keeping excavations free of water				
52	Keeping excavations free of water other than subterranean water	Item	1		
	Filling supplied by the contractor under paved areas				
53	Over site of 150mm thick G8 materials in accordance with SABS 1200 DM compacted to 93% AASHTO density (Sub-grade)	m³	7		
54	Over site of 150mm thick G6 materials in accordance with SABS 1200 DM compacted to 93% AASHTO density (Sub-grade)	m³	7		
55	Over site of 150mm thick G2 materials in accordance with SABS 1200 DM compacted to 93% AASHTO density (Sub-grade)	m³	7		
	Compaction of surfaces				
56	Compaction of ground surface under pavings etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 91% Mod AASHTO density	m²	52		
	Weedkiller (active ingredients metalaclor 102,8 g/l, terbitilasien 248,6 g/l and atrasien 248,6 g/l) mixed in the proportion of 100ml weedkiller to 100 l water and applied at a rate of 10 l/m ²				
57	Under pavings (Certificate to be provided)	m²	52		
58	80mm Paving to parking area atc to falls	m²	52		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	PRECAST CONCRETE PAVING BLOCKS				
	Paving is to be laid in accordance with SABS 1200MJ, SABS 1058 and the Concrete Masonry Association's Specification				
	Standard "Grey" or similar approved interlocking roadstone paving on and including 25mm thick layer of river sand with joints filled in with sand, compacted with a vibration roller				
59	60mm Paving to walkway etc to falls	m²	52		
	WATERPROOFING				
	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
	SUPPLEMENTARY PREAMBLES				
	Waterproofing Waterproofing of roots, basements, etc shall be laid under a ten year guarantee. Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn-ups and turn-downs				
	DAMP-PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastics Brikgrip DPC" embossed damp proof course				
60	In walls	m²	4		
	One layer of 375 micron "Consol Plastics" or other equally approved waterproof sheeting sealed at laps				
61	Under surface bed	m²	26		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	JOINT SEALANTS ETC				
	"Sika" or other equally approved two-part grey polysulphide sealing compound including backing cord, bond breaker, primer, etc.				
62	12 x 12mm In vertical expansion joints including raking out expansion joint filler as necessary	m	33		
	ROOF COVERINGS				
	The Tenderer is referred to the relevant clauses in the latest edition of the Model Preambles for Trades and to the Supplementary Preambles				
	PROFILED METAL SHEETING AND ACCESSORIES				
	0.55mm "ZINCAL COLORPLUS" or other acceptable equivalent aluminium roof sheeting corrugated sheet steel for battens upto 1,7m c/c spacing				
63	Roof covering with pitch not exceeding 25 degrees	m²	49		
	<u>Sundries</u>				
64	Narrow flute eaves closures	m	21		
	ROOF INSULATION				
	Sisalation FR430' heavy industrial grade reinforced aluminium foil and polyethylene insulation with fire retardant properties				
65	Reinforced aluminium foil insulation and waterproofing lapped 140mm at all intersections as underlay to aluminium sheet metal roofing and supported on and including 1,6mm diameter galvanised wire supports spaced at 300mm centres and would around and srewed to steel or timber purlins including cutting and waste (measured nett)	m²	49		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

2	DESCRIPTION	UNIT	QTY	RATE	PRICE
	CARPENTRY AND JOINERY				
	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
	SUPPLEMENTARY PREAMBLES				
	Particle board				
	Particle board shall comply with the following specifications:				
	a) SABS 1300 Particle board: exterior and flooring type				
	b) SABS 1301 Particle board: interior type				
	<u>Joinery</u>				
	Descriptions of frames shall be deemed to include frames, transomes, mullions, rails, etc				
	Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes				
	<u>Fixing</u>				
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete				

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	PLATE NAILED TIMBER ROOF TRUSSES CONSTRUCTION ROOF ETC				
	Sawn treated softwood grade V4				
66	Roof construction to mono pitched roof 9480mm long x 2740mm wide x 1600mm high (17 degrees pitch) with 600mm overhang on both sides including trusses, runners, bracings etc (wall plates, elsewhere measured).	Item	1		
67	Extra over for 600mm long wrought and shaped rafter foot	No	22		
68	38 x 114mm Wall plates	m	32		
69	38 x 228mm Gangboards	m	11		
70	38 x 76mm Purlins	m	88		
71	Extra over for 300mm long wrought end to purlins	m	22		
	EAVES, VERGES, ETC				
	Everite FC77 pressed fibre-cement				
72	15 x 225mm Fascias and barge boards including galvanised steel H-profile jointing strips	m	9		
73	80 x 275mm barge boards including galvanised steel H-profile jointing strips	m	22		
	SUNDRIES				
74	Two coats creosote "ABE Provonite" paint on exposed roof timbers and wall plates	m²	13		
75	"Teco" two way hurricane clips	No	42		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	CEILINGS, PARTITIONS AND ACCESS FLOORING				
	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>				
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete				
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as "bolted" the bolts have been measured elsewhere				
	CEILINGS ETC				
	"Aerolite" insulation				
76	50mm Insulation closely fitted and laid on top of brandering between roof timbers etc	m²	22		
	NAILED UP CEILINGS				
	6mm "Nutec" Fibre cement				
77	Nailed up Ceilings including 32 x 32mm sawn softwood brandering at 400mm centres	m²	22		
78	Extra over ceiling for 900 x 600mm trap door of 32 x 44mm wrought softwood rebated framing with one cross brander, covered with ceiling board and fitted flush in opening, including necessary trimmers around	No	1		
	"Rhino" gypsum plasterboard cornices				
79	75mm Coved cornices	m	24		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

DESCRIPTION	UNIT	QTY	RATE	PRICE
METALWORK				
Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
SUPPLEMENTARY PREAMBLES				
The Contractor must visit the site and acquaint himself fully with conditions and scope of alterations. Descriptions herein are brief and are to serve as a means of identifying work only. The full extent of work is to be assessed by the contractor on site.				
Removal and reinstatement of existing work to be executed by the Contractor. Old materials from alterations, except where described to be re-used or handed over, as well as rubbish, etc. must be regularly carted from site and not be allowed to accumulate on or around the site.				
All primers, emulsion paints and enamels are to comply with the relevant SABS specifications.				
Paints etc. shall be suitable for the application on the surfaces to which they are being applied.				
The paint and surface finishes specified herein are for normal applications as intended by the manufacturer. Should a finish be required for a surface other than that for which it would normally be used, then the specifier should contact the manufacturer for approval.				
The final state of preparatory work to existing decorated surfaces shall in all cases produce in the finished decorated surfaces a condition similar to new work.				
<u>Fixing</u>				
Floor coverings, wall linings, etc shall, where applicable, be fixed with adhesive as recommended by the manufacturers of the flooring, linings, etc				

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	GALVANISED STEEL GATES, SCREENS, ETC				
	Hot dipped galvanised steel gates				
80	Double gate size 1760 x 1800mm high with 19mm dia. tubular steel infills @ 100mm centres welded to frames and 40 x 6mm horizontal support with and including frame 38 x 60 x 3mm tubular gate surround concealed fixed wall with raw bolts.	No	1		
	PRESSED STEEL LOUVERED DOORS AND FRAMES				
	The following in galvanised mild steel louvred doors				
81	Steel louvred double door Type DVA including door frame, louvred doors, padlatch and hinges and fixed to brickwork. Size 1830 x 2135mm high	No	3		
	PLASTERING				
	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
	SUPPLEMENTARY PREAMBLES				
	The Contractor must visit the site and acquaint himself fully with conditions and scope of alterations. Descriptions herein are brief and are to serve as a means of identifying work only. The full extent of work is to be assessed by the contractor on site.				
	Removal and reinstatement of existing work to be executed by the Contractor. Old materials from alterations, except where described to be re-used or handed over, as well as rubbish, etc. must be regularly carted from site and not be allowed to accumulate on or around the site.				
	All primers, emulsion paints and enamels are to comply with the relevant SABS specifications.				
	Paints etc. shall be suitable for the application on the surfaces to which they are being applied.				

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	The paint and surface finishes specified herein are for normal applications as intended by the manufacturer. Should a finish be required for a surface other than that for which it would normally be used, then the specifier should contact the manufacturer for approval.				
	The final state of preparatory work to existing decorated surfaces shall in all cases produce in the finished decorated surfaces a condition similar to new work.				
	INTERNAL PLASTER				
	Cement plaster on brickwork				
82	15mm thick On walls	m²	75		
	GRANOLITHIC				
	Untinted granolithic, on concrete				
83	Average 25mm thick on floors with upper surface to falls and current	m²	22		
84	80mm High coved skirtings	m	24		
	PLUMBING AND DRAINAGE				
	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
	SUPPLEMENTARY PREAMBLES				
	Septic Tanks				
	Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions				

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

DE	SCRIPTION	UNIT	QTY	RATE	PRICE
Ex	posed Concrete Surfaces				
	posed surfaces of concrete stormwater channels, cover slabs,				
	spection eve marker slabs, gulley tops, cleaning eye tops, catchpits,				
lins	spection chambers, etc shall be finished smooth with plaster				
Ex	cavations				
No	claim for rock excavation will be entertained unless the contractor				
	s timeously notified the Quantity Surveyor thereof prior to backfilling				
	ntermediate material" and "Hard rock" shall be as defined in arthworks"				
E	artnworks				
<u>La</u>	ying, Backfilling, Bedding, Etc of Pipes				
	pes shall be laid and bedded and trenches shall be carefully backfilled				
lin :	accordance with manufacturer's instructions				
	here no manufacturer's instructions exist pipes shall be laid in				
aco	cordance with clauses 5.1 and 5.2 of each of the following:				
	DS 1200				
JA	BS 1200				
	Medium pressure pipelines				
	viculum pressure pipelines				
l D	:Sewers				
	Stammuntan dusinara alausa 2 F. F. S. F. Z. and Z. af SADS 4200 DD				
	Stormwater drainage clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB: rthworks (Pipe trenches)				
	in the trendicty				
	bes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3				
an	d 7 of SABS 1200 LB: Bedding (Pipes)				

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

lo	DESCRIPTION	UNIT	QTY	RATE	PRICE
	Unless otherwise described bedding of rigid pipes shall be class B bedding				
	Guardhouse Kitchenette Facilities				
	Flush Pans				
	Flush pans shall have straight or side outlets and "P" or "S" traps as necessary				
	Stainless Steel Basins, Sinks, Wash Troughs, Urinals, Etc				
	Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable				
	Waste Unions				
	Descriptions of waste unions shall be deemed to include rubber of vulcanite plugs and chains fixed to fittings				
	Steel Sectional Water Tanks				
	"Densyl" Petrolatum Anti-Corrosion Tape As Manufactured by Denso SA (Pty) Ltd				
	Pipes to be taped shall be coated with the appropriate primer and the tape shall be applied with minimum 15mm lap per spiral unless otherwise described				
	Couplings and fittings to pipes shall be taped in strict accordance with the manufacturer's instructions including all mastic, tape, "layflat" sheeting, securing of same, etc				
	Prices for wrapping of pipes shall include for all work as described to couplings in the length				

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

DESCRIPTION	UNIT	QTY	RATE	PRICE
SOIL DRAIN INSPECTION CHAMBERS, MANHOLES, ETC. French Drain:				
Excavate in earth for and build French drain size $480 \times 600 \times 800$ mm, fill in with 20mm crushed stone to within 0,2m of top, enclose stone with geofabric u 24 and fill in with earth filling.	No	1		
RAINWATER DISPOSAL				
0.7mm Baked enamel on aluminium gutter system in continuous lengths				
100 x 125mm Ogee eaves gutters	m	11		
Extra over eaves gutter for stopped end	No	2		
Extra over eaves gutter for angle	No	2		
Extra over eaves gutter for outlet for 100 x 75mm down pipe	No	2		
100 x 75mm Down pipes	m	6		
Extra over rainwater pipe for offset bend	No	2		
Extra over rainwater pipe for shoe	No	2		
SOIL DRAINAGE				
uPVC pipes in class C bedding:				
110mm Pipes vertically or ramped to cleaning eyes etc. (no excavation)	m	6		
110mm Pipes laid in and including trenches not exceeding 1m deep	m	18		
	SOIL DRAIN INSPECTION CHAMBERS, MANHOLES, ETC. French Drain: Excavate in earth for and build French drain size 480 x 600 x 800mm, fill in with 20mm crushed stone to within 0,2m of top, enclose stone with geofabric u 24 and fill in with earth filling. RAINWATER DISPOSAL 0.7mm Baked enamel on aluminium gutter system in continuous lengths 100 x 125mm Ogee eaves gutters Extra over eaves gutter for stopped end Extra over eaves gutter for outlet for 100 x 75mm down pipe 100 x 75mm Down pipes Extra over rainwater pipe for offset bend Extra over rainwater pipe for shoe SOIL DRAINAGE uPVC pipes in class C bedding: 110mm Pipes vertically or ramped to cleaning eyes etc. (no excavation)	SOIL DRAIN INSPECTION CHAMBERS, MANHOLES, ETC. French Drain: Excavate in earth for and build French drain size 480 x 600 x 800mm, fill in with 20mm crushed stone to within 0,2m of top, enclose stone with geofabric u 24 and fill in with earth filling. RAINWATER DISPOSAL 0.7mm Baked enamel on aluminium gutter system in continuous lengths. 100 x 125mm Ogee eaves gutters Extra over eaves gutter for stopped end No Extra over eaves gutter for angle No 100 x 75mm Down pipes m Extra over rainwater pipe for offset bend No SOIL DRAINAGE uPVC pipes in class C bedding: 110mm Pipes vertically or ramped to cleaning eyes etc. (no excavation)	SOIL DRAIN INSPECTION CHAMBERS, MANHOLES, ETC. French Drain: Excavate in earth for and build French drain size 480 x 600 x 800mm, fill in with 20mm crushed stone to within 0,2m of top, enclose stone with geofabric u 24 and fill in with earth filling. RAINWATER DISPOSAL 0.7mm Baked enamel on aluminium gutter system in continuous lengths 100 x 125mm Ogee eaves gutters Extra over eaves gutter for stopped end No 2 Extra over eaves gutter for angle Extra over eaves gutter for outlet for 100 x 75mm down pipe No 2 Extra over rainwater pipe for offset bend No 2 Extra over rainwater pipe for shoe No 2 SOIL DRAINAGE uPVC pipes in class C bedding: 110mm Pipes vertically or ramped to cleaning eyes etc. (no excavation) m 6	SOIL DRAIN INSPECTION CHAMBERS, MANHOLES, ETC. French Drain: Excavate in earth for and build French drain size 480 x 600 x 800mm , fill in with 20mm crushed stone to within 0,2m of top, enclose stone with geofabric u 24 and fill in with earth filling. RAINWATER DISPOSAL 0.7mm Baked enamel on aluminium gutter system in continuous lengths. 100 x 125mm Ogee eaves gutters m 11 Extra over eaves gutter for stopped end No 2 Extra over eaves gutter for angle No 2 Extra over eaves gutter for outlet for 100 x 75mm down pipe No 2 Extra over eaves gutter for offset bend No 2 Extra over rainwater pipe for offset bend No 2 Extra over rainwater pipe for shoe No 2 SOIL DRAINAGE uPVC pipes in class C bedding: 110mm Pipes vertically or ramped to cleaning eyes etc. (no excavation) m 6

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	Extra over uPVC pipes for fittings:				
95	110mm Bend	No	10		
96	110mm Access Junction	No	4		
97	110mm Rodding eye cap	No	1		
	<u>Sundries</u>				
98	Excavate for and construct gulley comprising of 110mm uPVC gulley trap with 190mm diameter uPVC hopperhead with pvc grating, all set in mass concrete and not exceeding 500mm deep. The top of the gulley to be raised 75mm above surrounding ground level and internally dished down to hopper head with smoothened render and external of raised sides to be finished neatly.	No	1		
99	Testing soil drainage pipe system	No	1		
	SANITARY FITTINGS				
	"Franke" stainless steel or other approved				
100	WB001 Grade 18/10 stainless steel wash hand basin with gallows brackets, rubber trap and chrome plated waste union	No	1		
	TRAPS ETC				
	Floor traps				
102	"Herbish" or other equally approved HB 200 V (H) NW100 stainless steel floor drain connected uPVC pipes all in accordance to manufacturer's details	No	2		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	TAPS, VALVES, ETC				
	"Cobra Watertech" or equally approved				
102	Cobra" or other similar approved basin 211-20 pillar tap	No	1		
103	"Cobra" or other similar approved 15mm brass hose bib tap	No	1		
	SANITARY PLUMBING				
	uPVC soil and vent pipes				
104	50mm pipes	m	2		
105	110mm pipes	m	20		
106	50mm pipes chased into concrete surface beds	m	5		
	Extra over uPVC soil and vent pipes for fittings				
107	50mm BSP adaptor	No	1		
108	50mm Bend	No	2		
109	50mm Access bend	No	1		
110	110mm Access bend	No	2		
111	110mm Bend	No	2		
112	Testing waste pipe system	No	1		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	WATER SUPPLIES				
	Class 0 copper pipes with brass compression couplings				
113	15mm Pipes	m	5		
114	15mm Pipes chased into brickwork including brown paper lagging	m	5		
	Extra over Class 0 copper pipes for capillary fittings				
115	15mm Fittings	No	5		
	Extra over Class 0 copper pipes for brass compression fittings				
116	15mm Fittings	No	7		
	Flexible service pipes				
117	15mm Service pipe 350mm girth	No	1		
	<u>Testing</u>				
118	Testing water pipe system	No	1		
	PRECAST CONCRETE STORM WATER CHANNELS				
119	Concrete channels including earthworks, concrete, reinforcement, formwork, waterproofing etc as per the engineer's design	m	10		
	WASHING LINE				
120	"Lift-o-Matric" or other approved 4-arm rotary dryer line including soil spear chased in concrete base	No	1		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	PAINTWORK				
	Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section				
	SUPPLEMENTARY PREAMBLES				
	Proprietary items or materials				
	Proprietaryitems or materials where specified are to be of the brand specified - or other approved - by the Head - Works				
	SABS Specifications				
	Alkali resistant plaster primer : SABS 1416				
	Matt or eggshell decorative paint for interior works : SABS 515				
	High gloss enamel paint : SABS 630 Grade I				
	Oil gloss enamel paint : SABS 631				
	Primers for wood for external work : SABS 678 Type I				
	Primers for wood for internal work : SABS 678 Type III				
	Zink chromate primers for steel : SABS 679 Type I				
	Undercoats for paints (except emulsion paint) : SABS 681 Type I				
	Aluminium paint : SABS 682 Grade II				
	Roof paints : SABS 683 Type B (Oil based)				

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	Structural steel pain : SABS 684 Type B				
	Wash primer (metal etch) : SABS 723				
	Varnish for interior use: SABS 887 Type I				
	Emulsion paints : SABS 1227 (Textured: Internal / External)				
	PAINTWORK ETC TO NEW WORK				
	ON FLOATED PLASTER				
	One coat primer and two coats interior quality PVA emulsion paint				
121	On internal walls	m²	75		
	ON PLASTERBOARD SURFACES				
	One coat alkali resistance primer, one coat universal undercoat and two finishing coats of PVA emalsion paint on				
122	On ceilings	m²	22		
	ON NEW NUTEC SURFACES				
	One coat alkali resistance primer, one coat universal undercoat and two finishing coats of PVA emalsion paint on				
123	Fascia and barge boards	m²	16		
	LETTERS, NAMEPLATES, ETC				
124	ABS Plastic hazardous waste chemical waste safety sign(MI26), General waste non harzadous sign, No entry authorized personel only sign, Fire extinguisher sign etc.	No	4		

Department of Public Works: KZN

Effective Date: 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	ELECTRICAL WORKS				
	The descriptions given in the various items below are not necessarily full and complete reference must be made to the "Standard Preambles To All Trades", "Supplementary Preambles" and "Supplementary Specifications" to this contract for the full requrements of each scheduled item EXCAVATIONS, ETC.				
	Excavate in earth not exceeding 1m deep below natural, elevated or reduced ground level and set excavated material aside for re-use and filling and compacting of trenches on completion:				
125	Cable or sleeve trenches not exceeding 1m deep.	m³	6		
126	Extra over excavations in earth for cable or sleeve trenches for excavations in hard rock.	m³	6		
127	Selected sifted sand as bedding under and filling around cables.	m³	6		
	LUMINARIES AND EQUIPMENT Supply and install luminaries or equipment complete with lamps, connections, outlet boxes, etc., mounted in position all as per drawing or engineers instruction.				
128	Corrosion Proof Prisimatic Diffuser 1 x 36W 1200mm long	No	2		
129	Beka Series 31	No	1		
	PVC CONDUITS Supply and installation of conduit as specified in General Specification Lengths shall be taken as measured horizontal and vertical runs between terminations. Rates quoted shall allow for wastege off-cuts, couplings, bends, extension boxes, covers fixing and chasing etc., in accordance with the specification.				
130	20mm diameter chased in brickwork, fixed on surface, caste in concrete	m	60		
131	32mm diameter chased in brickwork, fixed on surface, caste in concrete	m	15		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	CONDUIT BOXES AND FITTINGS				
	Terminate and connect one pair of conduit ends including supply and installation of box on surface or in brickwork. Square 100mm x 100mm, 100mm x 50mm, 60mm round (excluding cover plates), including cutting holes for conduit.				
132	100 x 50mm (2"x 4") galvanised box recessed or surface	No	2		
133	100 x 100mm (4"x 4") galvanised box recessed or surface	No	1		
134	60mm dia round boxed recessed or surface	No	3		
	CONDUIT ENDS				
	Terminate and connect 1 pair of conduit ends including lock nuts, bushes, etc into board tray, wiring channel, ect. Including cutting holes for conduit entries but excluding conduit boxes.				
135	20mm diameter conduit ends	No	15		
136	32mm diameter conduit ends	No	2		
	ENGRAVINGS OF COVER PLATES				
137	Allow for the engraving of socket outlet, light switch and isolatior cover plates	No	3		
138	Allow for the labelling of distribution boards	No	1		
139	Allow for the labelling of all cables	No	2		
I					l l

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	<u>LIGHT SWITCHES</u>				
	Supply and install all switches, complete with cover plates, and all necessary accessories. (4 x 2 boxes measured elsewhere)				
140	16A O lever one way switch	No	1		
141	16A Two lever one way switch	No	1		
	SWITCHED SOCKET OUTLETS				
	Supply and install all switch socket outlets, complete with PVC cover plates and all necessary accessories. (Boxes and conduit connection measured elsewhere) Socket Oullets to be 'Crabtree Classic Range'				
142	16A Single thre-pin socket outlet flush	No	1		
	DISTRIBUTION BOARDS				
143	Allow an amount for distribution boards as required			SUM	
	CONDUCTORS				
	Supply and installation of PVC insulated copper conductors drawn into conduit or wiring channel in groups of 2,3,4 etc with the required colour coding, but excluding any wiring connections				
144	2.5mm sq	m	180		
145	4mm sq	m	30		
146	6mm sq	m	45		

Department of Public Works : KZN

Effective Date : 16 JANUARY 2023

Nº	DESCRIPTION	UNIT	QTY	RATE	PRICE
	EARTH WIRE				
	Supply and drawing into conduit all wiring channel of PVC insulated earth conductors, excluding any connections.				
147	2.5mm sq	m	90		
	INSTALLATION				
	Testing and commissioning:				
148	Allow for testing, balancing and commissioning the complete electrical installation and issuing of all necessary certificates (i.e)	Item			
149	Allow for twelve months free maintenance and guarantee	Item			
150	Allow for preparation of "as built drawing" TR2 and TR2 Certificate	Item			
	EARTHING SYSTEM				
151	Bonds to electrical distribution board	No	1		
152	Allow for testing commissioning and issuing of Certificate	Item			
SUB TOTAL					
	VAT (15%)				
	GRAND TOTAL (Transfer to Form of Offer :C1.1)				

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

PART C3.1: SCOPE OF WORKS				
Project title:	roject title: DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA			
Quotation no:	ZNQ 014/25V	Project Code:	068565	

C3.1 - SCOPE OF WORKS

1. DESCRIPTION OF THE WORKS

DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA

2. EXTENT OF THE WORKS

*SITE CLEARANCE FOR EXCAVATION OF FOUNDATION TO FINAL LEVEL AS SPECIFIED ON DRAWING NO.7027H/01/R1

- •COMPACTION FILL TO BE SOIL POISONED
- CONCRETE FOUNDATION, CONCRETE SURFACE BED ON USB GREEN DPM
- •PRE-FABRICATED ROOF TRUSSES AND SISACATION UNDERLAYED ON STRAINING WIRE
- 0.58mm COLOR BOND METAL ROOF COVERING
 •6mm NUTEC CEMENT CEILING BOARD WITH H-PROFILE JOINERS FIXED TO 38x50 BRANDERINGS
 FIBRE CEMENT FASCIA AND BARGE BOARDS
- •EXTUDED CHROMODEK GUTTERS AND PVC DOWN PIPES

3. LOCATION OF THE WORKS

DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA

4. CERTIFICATION BY RECOGNIZED BODIES

5. SERVICES TO BE PROVIDED

Hook up to, and distribute, water, electricity and telecommunication services
Clean up and make good when the service or facility is no longer required, leave the Employers facilities in the condition they were before the contractor first made use of them, fair wear and tear accepted, and continuously clear and dispose of waste and surplus material to maintain the site in a tidy state.

6. UNAUTHORISED PERSONS

People who are under influence of drugs & alcohol and people with dangerous weapons People with no safety clothing or correct PPE

7. ELECTRONIC PAYMENTS

Once a contract is awarded the contractor must complete a WIMS Registration form and a financial detail certificate available from the Department. This form must be submitted together with a cancelled cheque or a certified bank statement and a certified copy of the ID of the person who signed the financial detail certificate.

Department of Public Works: KZN Effective Date: 16 JANUARY 2023 Version:8 Quotations: R 1 - R1 000 000

8. DAILY RECORDS

EPWP Statistics with site register

9. PAYMENT CERTIFICATES

Company invoice, EPWP Statistics and Proof of materials purchased

10. PERMITS

N/A

11. PROOF OF COMPLIANCE WITH THE LAW

Any Law of the South African Republic

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

C3.2 SPECIFICATION FOR HIV/AIDS AWARENESS

1 Scope

This generic specification contains requirements applicable to the reduction of the risk of transfer of the HIV virus between and among construction workers and the local community through the following four strategies:

- a) raising awareness about HIV/AIDS;
- b) providing construction workers with access to condoms;
- c) HIV counseling, testing and referral services; and
- d) Sexually Transmitted Infection diagnosis and treatment.

2 Normative references:

The following standard contains provisions that, through reference in this text, constitute provisions of this standard:

SANS 4074 ISO 4074, Condom Rubbers

3 Definitions and Abbreviations

3.1 Definitions

Construction Worker: all persons in the employ of the contractor or in the employ of any of the subcontractors contracted by the contractor.

Local Community: the communities local to the site which are most likely to have contact with the construction worker and, in particular, sex workers in those communities.

Service provider: the natural or juristic person recognised by the South African Department of Health as specialist in conducting Aids Awareness Programmes.

3,2 Abbreviations

- STI: Sexually transmitted infection
- HIV: Human Immunodeficiency Virus
- AIDS: Acquired Immune Deficiency Syndrome

4 Objectives

The objectives are to:

- a) reduce the risk of transfer of the HIV virus between and among construction workers and the local community;
- raise awareness amongst construction workers and the local community of the risk of infection with the HIV virus;
- c) promote early diagnosis; and
- d) assist affected individuals to access care and counseling.

5 Requirements

5,1 General requirement

The contractor shall, in order to satisfy the objectives stated in 4:

- a) make condoms complying with the requirements of SABS ISO 4074 available to all construction workers at readily accessible points on the site, suitably protected from the elements, for the duration of the contract:
- either place and maintain HIV/AIDS awareness posters of size of not less than A1 in areas which
 are highly trafficked by construction workers, or provide construction workers with a pamphlet, in
 languages largely understood by construction workers, which
- c) encourage voluntary HIV/STI testing;
- d) provide information concerning counseling, support and care of those that are infected services; and
- e) comply with the requirements of 5.2.

The provisions of 5.1 c) and d) do not apply to this contract.

5,2 HIV awareness programme

- 5.2.1 The contractor shall:
 - a) engage a qualified service provider as described in the scope of works to conduct an HIV Awareness Programme which is structured to achieve the outcomes stated in 5.2.3 for contract workers as soon as a construction workers camp is established and populated or, where no such camp is established, within two weeks of the commencement of a significant portion of the works and at subsequent intervals, if any, provided for in the scope of works; and
 - arrange for, provide a suitable venue, and instruct all construction workers to attend the HIV Awareness Programme and notify the Employer's Representative of the date, time and venue whenever a session with construction workers is conducted.

Note: The National Department of Public Works maintains a list of qualified service providers.

- 5.2.2 The contractor shall do nothing to dissuade construction workers from attending such an HIV Awareness Programme and shall take all reasonable steps to ensure that a minimum of 90% of construction workers engaged in the works attend such a programme, when it is conducted.
- **5.2.3** The outcomes of the HIV Awareness Programme shall as a minimum, result in contract workers exposed to such a programme being able to:
 - a) communicate the existence of problems of HIV and be able to outline the consequences of transmission of HIV to or from the local community;
 - recall and communicate the mode of HIV transmission and preventative measures including the proper use of the condom.

The HIV/ Aids awareness programme described in 5.2 is to be repeated at four month intervals throughout the duration of the contract. (Four times in total, including the initial one at the start of the contract)

5,3 Reporting

- 5.3.1 The contractor shall prepare and attach to his claims for payment a brief report which outlines how the actions taken by the contractor in the period for which payment is claimed satisfy the requirements and a schedule which lists the names, identity numbers, trade / occupation and name of employer of all construction workers exposed to the programme (see HIV/STI Compliance Report).
- **5.3.2** The employer's representative shall certify the report and schedule described in 5.3.1 whenever a claim for payment is issued to the employer.

Note: In the event that the contractor fails to satisfy the requirements of this specification, the Employer (Head: Works) may apply any of the sanctions provided for in the contract. Sanctions may include the application of a financial penalty of .04% of the Contract Sum.

The HIV /Aids awareness programme described in 5.2 shall in addition be conducted for the benefit of the local community on two occasions in the community centre nearest to the building site. The contractor shall be responsible for inviting identifiable community-based institutions and organisations, churches, and schools to participate in the programme.

	C3.3 HIV/STI COMPLIANCE REPORT
	Pro-forma reporting format in terms of the SPECIFICATION FOR HIV/AIDS AWARENESS
	oject Code: oject Code: ayment Claim number: Period covered by payment claim:
1.	Distribution of condoms (briefly describe where and how condoms are distributed).
2.	Posters / pamphlets (briefly describe where posters were placed / how pamphlets were distributed).
3.	Voluntary testing (briefly describe the actions taken / information provided to promote testing). NOT APPLICABLE
4.	Counseling, support and care (summarise information provided). NOT APPLICABLE
5.	HIV awareness programme (briefly describe action).

S. Schedule of construction workers exposed to the HIV awareness programme.				
Name	Identity number	Trade / occupation	Name of <u>employer</u>	

I hereby declare the above to be a true reflection of actions taken to ensure compliance with the specification.

For Contractor:	Employer's representative:
Name:	Name:
Signature:	 Signature:
Date:	Date:

C3.4 SCOPE OF WORKS IN RESPECT OF WORK RELATING TO THE EXTENDEND PUBLIC WORKS PROGRAMME (EPWP)			
Project title:		HEALTH : LUNEBURG (F NEW MEDICAL WAST	
Project Code:	068565	EPWP NO:	N/A

Introductory notes:

- 1. The works, or parts of the works will be constructed using labour-intensive methods only in terms of this specification. The use of plant to provide such works, other than plant specifically provided for in the scope of work, is a variation to the contract. The items marked with the letters LI are not necessarily an exhaustive list of all the activities which must be done by hand, and this clause does not over-ride any of the requirements in the generic labour intensive specification in the Scope of Works.
- Payment for items which are designated to be constructed labour-intensively (either in this schedule or in the Scope of Works) will not be made unless they are constructed using labour-intensive methods. Any unauthorised use of plant to carry out work which was to be done labour-intensively will not be condoned and any works so constructed will not be certified for payment.

DESCRIPTION OF THE WORKS

Employer's objectives

The employer's objectives are to deliver public infrastructure using labour-intensive methods in accordance with EPWP Guidelines.

Labour-intensive works

Labour-intensive works comprise the activities described in the Labour-Intensive Specification. Labour-intensive works shall be constructed/maintained using local workers who are temporarily employed in terms of the scope of work.

LABOUR-INTENSIVE COMPETENCIES OF SUPERVISORY AND MANAGEMENT STAFF

Contractors shall only engage supervisory and management staff in labour-intensive works that have completed the skills programme including Foremen' Supervisors at NQF level 4 "National Certificate: Supervision of Civil Engineering Construction Processes" and Site Agend/ Manager at NQF level 5 "Manage Labour-Intensive Construction Processes" or equivalent QCTO qualifications (See Appendix C). at NQF outlined in Table 1. (See GUIDELINES FOR THE IMPLEMENTATION OF LABOUR-INTENSIVE INFRASTRUCTURE PROJECTS UNDER THE EXPANDED PUBLIC WORKS PROGRAMME (EPWP)-THIRD EDITION 2015)

Emerging contractors shall have personally completed, or be registered on a skills programme for the NQF level 2 unit standard. All other site supervisory staff in the employ of emerging contractors must have completed, or be registered on a skills programme for the NQF level 2 unit standards or NQF level 4 unit standards. Table 1: Skills programme for supervisory and management staff.

Table 1: Skills programme for supervisory and management staff

Table 1. Skills programme for supervisory and management stan			y and management stan
Personnel	NQF level	Unit standard titles	Skills programme description
Team leader / supervisor	2	Apply Labour-Intensive Construction Systems and Techniques to Work Activities	This unit standard must be completed, and
		Use Labour-Intensive Construction Methods to Construct and Maintain Roads and Storm water Drainage	
		Use Labour-Intensive Construction Methods to Construct and Maintain Water and Sanitation Services	any one of these 3 unit standards
		Use Labour-Intensive Construction Methods to Construct, Repair and Maintain structures	

Personnel	NQF level	Unit standard titles	Skills programme description
Foreman/supervisor	4	Implement Labour-Intensive Construction Systems and Techniques	This unit standard must be completed, and
		Use Labour-Intensive Construction Methods to Construct and Maintain Roads and Storm water Drainage	
		Use Labour-Intensive Construction Methods to Construct and Maintain Water an Sanitation Services	any one of these 3 unit standards
		Use Labour-Intensive Construction Methods to Construct, Repair and Maintain structures	
Site Agent /Manager (i.e. the contractor's most senior representative that is resident on the site)	5	Manage Labour-Intensive Construction Processes	Skills Programme against this single unit standard

EMPLOYMENT OF UNSKILLED AND SEMI-SKILLED WORKERS IN LABOUR-INTENSIVE WORKS

- 1.1 Requirements for the sourcing and engagement of labour.
- 1.1.1 Unskilled and semi-skilled labour required for the execution of all labour-intensive works shall be engaged strictly in accordance with prevailing legislation and SANS 1914-5, Participation of Targeted Labour.
- 1.1.2 The rate of pay set for the EPWP per task or per day will be an acceptable rate determined by the Department of Labour.
- 1.1.3 Tasks established by the contractor must be such that:
 - a) the average worker completes 5 tasks per week in 40 hours or less; and
 - b) the weakest worker completes 5 tasks per week in 55 hours or less.
- 1.1.4 The contractor must revise the time taken to complete a task whenever it is established that the time taken to complete a weekly task is not within the requirements of 1.1.3.
- 1.1.5 The Contractor shall, through all available community structures, inform the local community of the labour-intensive
 - a) where the head of the household has less than a primary school education;
 - b) that have less than one full time person earning an income;
 - c) where subsistence-agriculture is the source of income;
 - d) that who are not in receipt of any social security pension income.
- 1.1.6 The Contractor shall endeavour to ensure that the expenditure on the employment of unskilled and semi-skilled workers is in the following proportions:
 - a) 55 % women;
 - b) 55% youth who are between the ages of 18 and 35; and
 - c) 2% on persons with disabilities.
- 1.2 Specific provisions pertaining to SANS 1914-5
 - 1.2.1 Definitions

Targeted labour: Unemployed persons who are employed as local labour on the project.

- 1.2.2 Contract participation goals
 - 1.2.2.1 There is no specified contract participation goal for the contract. The contract participation goal shall be measured in the performance of the contract to enable the employment provided to targeted labour to be quantified.
 - 1.2.2.2 The wages and allowances used to calculate the contract participation goal shall, with respect to both time-rated and task rated workers, comprise all wages paid and any training allowance paid in respect of agreed training programmes.
- 1.2.3 Terms and conditions for the engagement of targeted labour

Further to the provisions of clause 3.3.2 of SANS 1914-5, written contracts shall be entered into with targeted labour.

- 1.2.4 Terms and conditions for the engagement of targeted labour
 - Further to the provisions of clause 3.3.2 of SANS 1914-5, written contracts shall be entered into with targeted labour.
- 1.2.5 Variations to SANS 1914-5
 - 1.2.5.1 The definition for net amount shall be amended as follows:

Financial value of the contract upon completion, exclusive of any value added tax or sales tax which the law requires the employer to pay the contractor.

1.2.5.2 The schedule referred to in 5.2 shall in addition reflect the status of targeted labour as women, youth and persons with disabilities and the number of days of formal training provided to targeted labour.

1.3 Training of targeted labour

- 1.3.1 The contractor shall provide all the necessary on-the-job training to targeted labour to enable such labour to master the basic work techniques required to undertake the work in accordance with the requirements of the contract in a manner that does not compromise worker health and safety.
- 1.3.2 The cost of the formal training of targeted labour, will be funded by the local office of the Department of Labour. This training will take place as close to the project site as practically possible. The contractor must access this training by informing the relevant regional office of the Department of Labour in writing, within 14 days of being awarded the contract, of the likely number of persons that will undergo training and when such training is required. The Employer and the Department of Public Works (Fax: 012 3258625/ EPWP Unit, Private Bag X65, Pretoria 0001) must be furnished with a copy of this request.
- 1.3.3 The contractor shall do nothing to dissuade targeted labour from participating in training programmes and shall take all reasonable steps to ensure that each beneficiary is provided with two days of formal training for every 22 days worked.
- 1.3.4 An allowance equal to 100% of the task rate or daily rate shall be paid by the contractor to workers who attend formal training, in terms of the above.
- 1.3.5 Proof of compliance with the above requirements must be provided by the Contractor to the Employer prior to submission of the final payment certificate.

GENERIC LABOUR-INTENSIVE SPECIFICATION

1 Scope

This specification establishes general requirements for activities which are to be executed by hand involving the following:

- a) trenches having a depth of less than 1.5 metres
- b) storm water drainage
- c) low-volume roads and sidewalks

2 Precedence

Where this specification is in conflict with any other standard or specification referred to in the Scope of Works to this Contract, the requirements of this specification shall prevail.

3 Hand excavateable material

Hand excavateable material is material:

a) Granular materials:

- i) whose consistency when profiled may in terms of table 1 be classified as very loose, loose, medium dense, or dense; or
- ii) where the material is a gravel having a maximum particle size of 10mm and contains no cobbles or isolated boulders, no more than 15 blows of a dynamic cone penetrometer is required to penetrate 100mm;

b) Cohesive materials:

i) whose consistency when profiled may in terms of table 1 be classified as very soft, soft, firm, stiff and stiff / very stiff; or

 ii) where the material is a gravel having a maximum particle size of 10mm and contains no cobbles or isolated boulders, no more than 8 blows of a dynamic cone penetrometer is required to penetrate 100mm;

Note:

- 1) A boulder, a cobble and gravel is material with a particle size greater than 200mm, between 60 and 200mm.
- 2) A dynamic cone penetrometer is an instrument used to measure the in-situ shear resistance of a soil comprising a drop weight of approximately 10 kg which falls through a height of 400mm and drives a cone having a maximum diameter of 20mm (cone angle of. 60 degrees with respect to the horizontal) into the material being used.

Table 2: Consistency of materials when profiled			
GRANULAR MATERIALS		COHESIVE MATER	IALS
CONSISTENCY	DESCRIPTION	CONSISTENCY	DESCRIPTION
Very loose	Crumbles very easily when scraped with a geological pick.	Very soft	Geological pick head can easily be pushed in as far as the shaft of the handle.
Loose	Small resistance to penetration by sharp end of a geological pick.	Soft	Easily dented by thumb; sharp end of a geological pick can be pushed in 30-40 mm; can be moulded by fingers with some pressure.
Medium dense	Considerable resistance to penetration by sharp end of a geological pick.	Firm	Indented by thumb with effort; sharp end of geological pick can be pushed in upto 10 mm; very difficult to mould with
Dense	Very high resistance to penetration by the sharp end of a geological pick; requires many blows for excavation.	stiff	Can be indented by thumb-nail; slight indentation produced by pushing geological pick point into soil; cannot be moulded by fingers.
Very dense	High resistance to repeated blows of a geological pick.	Very stiff	Indented by thumb-nail' with difficulty; slight indentation produced by blow of a geological pick point.

4 Trench excavation

All hand excavateable material in trenches having a depth of less than 1,5 metres shall be excavated by hand.

5 Compaction of backfilling to trenches (areas not subject to traffic)

Backfilling to trenches shall be placed in layers of thickness (before compaction) not exceeding 100mm. Each layer shall be compacted using hand stampers

- a) to 90% Proctor density;
- such that in excess of 5 blows of a dynamic cone penetrometer (DCP) is required to penetrate 100 mm of the backfill, provided that backfill does not comprise more than 10% gravel of size less than 10mm and contains no isolated boulders, or
- such that the density of the compacted trench backfill is not less than that of the surrounding undisturbed soil
 when tested comparatively with a DCP.

6 Excavation

All hand excavateable material including topsoil classified as hand excavateable shall be excavated by hand. Harder material may be loosened by mechanical means prior to excavation by hand.

The excavation of any material which presents the possibility of danger or injury to workers shall not be excavated by hand.

7 Clearing and grubbing

Grass and small bushes shall be cleared by hand.

Shaping

All shaping shall be undertaken by hand.

9

Loading All loading shall be done by hand, regardless of the method of haulage.

10 Haul

Excavation material shall be hauled to its point of placement by means of wheelbarrows where the haul distance is not greater than 150 m.

Offloading 11

All material, however transported, is to be off-loaded by hand, unless tipper-trucks are utilised for haulage.

12

SpreadingAll material shall be spread by hand.

13 Compaction

 $\dot{\mathbf{S}}$ mall areas may be compacted by hand provided that the specified compaction is achieved.

14 Grassing

All grassing shall be undertaking by sprigging, sodding, or seeding by hand.

15

Stone pitching and rubble concrete masonry

All stone required for stone pitching and rubble concrete masonry, whether grouted or dry, must be collected, loaded, off loaded and placed by hand.

Sand and stone shall be hauled to its point of placement by means of wheelbarrows where the haul distance is not greater than 150m.

Grout shall be mixed and placed by hand.

Manufactured Elements

Elements manufactured or designed by the Contractor, such as manhole rings and cover slabs, precast concrete planks and pipes, masonry units and edge beams shall not individually, have a mass of more than 320kg. In addition, the items shall be large enough so that four workers can conveniently and simultaneously acquire a proper handhold on them.

PART C4.1: SITE INFORMATION

Project title:	DEPARTMENT OF HEALTH: NEW MEDICAL WASTE STO		IC : CONSTRUCTION OF
Quotation no:	ZNQ 014/25V	Project Code:	068565

C4.1 - Site Information

Bidders are advised to visit the site before pricing in order to satisfy themselves as to the nature and full extent of the work to be done and the conditions generally affecting the execution of the contract. Claims on the grounds of lack of knowledge in such respects or otherwise will not be entertained.

GENERAL


- SITE CLEARANCE FOR EXCAVATION OF FOUNDATION TO FINAL LEVEL AS SPECIFIED OID RAWING NO.7027H/01/R1
 - •COMPACTION FILL TO BE SOIL POISONED
 - CONCRETE FOUNDATION, CONCRETE SURFACE BED ON USB GREEN DPM
 - -PRE-FABRICATED ROOF TRUSSES AND SISALATION UNDERLAYED ON STRAINING WIRE $0.58 \mathrm{mm}$ COLOR BOND METAL ROOF COVERING
- (b) PAULPIETERSBURG AREA (EDUMBE MUNICIPALITY) GPS COORDINATED -27.329942 ; 30.630952

Quotations:
R 1 - R1 000 000
Effective Date: 16 JANUARY 2023
Version:8

C4.2 - Geotechnical Investigation Report

N/A





GENERAL NOTES:

ROOF-

0,58mm secret fix colorbond metal roof covering to match clinic.

Pre-fabricated roof trusses at maximum of 1,2m c/c complete with bracing, 38 x 115 wall plate at eaves. Sisalation underlay on straining wire.

FASCIA'S AND BARGE BOARDS-12mm x 225mmMedium density Fibre Cement Fascia and Barge boards with H profile aluminium joiners. Fixing with hot dipped galvanised drive screws and

washers. 38 x 115mm timber sprockets built in and secured to rafter on gable walls for securing barge boards. No barge or fascia boards to be painted.

CONCRETE FOUNDATIONS / SURFACE BED-

25mm untinted grano with 80mm grano skirting on 100mm concrete surface bed on 250uM USB green DPM.
Compacted fill to be poisoned in accordance with SABS 1165 and compacted in 300mm

Floor graded to 250mm dia Grade 304 stainless steel floor drain as indicated. 600 x 200 concrete strip foundations under all 220 walls and 400 x 200 under all 110 walls.

CEILING-

6mm Nutec cement ceiling boards with H profile joiners fixed to 33 x 50 brandering at 400c/c. Ceiling fixed in position with 32 x 2mm galvanised serrated ceiling nails. 75mm thino cove comice. 900x 600 trap door.
Ceiling to be to be primed and painted.

BRICKWORK-

Face brick external with plaster and painted internal, Wall n' All type paint finish. External face of inner skin to be coated with bitumastic paint. 3 courses of brickforce below slab level and

3 courses of brickforce below stab level and every fifth course from slab to underside of roof covering.

Brick on edge coping to screen wall and over all openings.

GUTTERS AND DOWNPIPE-

Extruded chromdek guttering with 80mm dia PVC downpipes and shoes discharging into court yard.

KWAZULU NATAL DEPARTMENT OF HEALTH

Institution

Project

MEDICAL WASTE, DOMESTIC WASTE AND GARDEN STORE

Drawn By:-

G.B.Pike (PrSArchT) P.Bag x 9051 Pietermaritzburg 3200 Tel 083 4571199

Scale 1:100 Date : December 2012

Signature

Drawing No.

7027H / 01/R1

This drawing and design is copyright and must not be reproduced in part or in whole without prior written consent. Contractors must verify all dimensions on site before commencing work or preparing shop drawings.

	PART C5.1 : DRAWIN	NGS/ANNEXURES	
DEPARTMENT O	F HEALTH : LUNEBURG CLIN SE AREA	IC : CONSTRUCTION OF	NEW MEDICAL
Quotation no.:	ZNQ 014/25V	Project Code:	068565

C5.1 List of Drawings and Relevant Annexures

(Where drawings/annexures are issued, document compilers must insert the following paragraph and list the applicable drawings / annexures below.)

The following drawings / annexures shall be issued during the Quotation period to form part of the Quotation documentation. Where applicable, drawings / annexures could be re-issued to the Contractor at commencement of the construction phase.

DRAWING NO DESCRIPTION

Drawing No. 7027H/01/R1 2	Standard Plan Drawing Site Map
2	Site Map

ANNEXURES

Occupational Health and Safety Specification
KwaZulu Natal: DoH Standard Preambles to all Trades-January 2009(Rev3) on request
Health and Safety Bill of Quantities
EPWP Employment Contract
Occupational Health and Safety Specification
EPWP Data Collection tool for Phase 3 system

Annexure 6

Occupational Health and Safety Specification

(OHSE SPEC)



Project Name:

DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA

Proi	act	Cod	Δ.
1 10	COL	OUU	┖.

068565

Agent Name:

Mr. S.N. Maphumulo

Region:

North Coast

District:

Zululand

Ward no .:

1. Introduction

The KwaZulu Natal Department of Public Works is deemed as the "Client" in terms of the definitions of Construction Regulations of 2014 as published in Government Gazette No. 37305 .The Construction Regulations of 2014 under CR(5)(1) stipulates that that the client must prepare a suitable, sufficiently documented and coherent site specific Occupational Health and Safety Specification for the intended construction work based on the baseline risk assessment.

The purpose of this Occupational Health and Safety Specification document (which hereinafter will be referred to as OHSE Spec) is to provide designers and the successful tenderer with essential OHS information to ensure effective safety management during the design and construction phase of the project.

This OHSE Spec forms an integral part of the contract between the Client and the Principal $\ensuremath{\mathsf{I}}$ Contractor, so as to ensure compliance with the Occupational Health and Safety Act, Act 85 of 1993 and its applicable regulations and must serve as the basis for the Principal Contractor to develop his/her Project Safety, Health and Environmental Management Plan. As with any other plan for it to be implemented and managed effectively it requires the allocation of sufficient funds to achieve the objectives set out in the plan. In line with this requirement Construction Regulation 5(1)(g) requires the Client to ensure that the Principal Contractor has made adequate provisions for the cost of Health and Safety Measures in their tenders.

It must be noted that this OHSE Spec as much as it is detailed it is not exhaustive and the onus is on the Principal Contractors to ensure that they comply with Section 8 of the OHS Act, Act 85 of 1993 which states that "Every Employer shall provide and maintain, as far as is reasonably practicable, a working environment that is safe and without risk to the health of his employees." this means that Principal Contractors as they are employers in their own right must at all times ensure continuous assessments are done for continued provision and maintenance of a healthy and safe working environment.

2. Definitions

For the purpose of the OHSE Spec, the abbreviations or definitions given hereunder shall apply and the reference to on gender will also apply to the other gender.

"CR" refers to the Construction Regulations 2014

"Agent (Pr.CHSA)" means a competent person who acts as a representative for a Client in terms of regulation (5)5.

"Client" means Department of Public Works

"Competent person" means a person who-

- (a) Has in respect of the work or task to be performed the required knowledge, training and experience and, where applicable, qualifications, specific for that work or task: Provided that where appropriate qualifications and training are registered in terms of the provisions of the National Qualifications Framework Act, 2000 (Act No.67 of 2000), those qualifications and that training must be regarded as the required qualifications and training; and
- (b) Is familiar with the OHS Act, Act 85 of 1993 and with the applicable regulations made under the Act:

"Construction Manager (Site Agent)" means a competent person responsible for the management of the physical construction processes and the coordination, administration and management of resources on a construction site;

"Construction Site" means a work place where construction work is being performed;

"Construction Supervisor" means a competent person responsible for supervising construction activities on a construction site;

"Construction Vehicle" means a vehicle used as a means of conveyance for transporting persons or material, or persons and material, on and off the construction site for the purposes of performing construction work;

"Construction work" means any work in connection with -

- The construction, erection, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure; or
- (b) the construction, erection, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system; or the moving of earth, clearing of land, the making of excavation, piling, or any similar civil engineering structure or type of work;

"Construction Work Permit" means a document issued in terms of regulation 3 of the Construction Regulations 2014;

"Contractor" means an employer who performs construction work;

"Demolition Work" means a method to dismantle, wreck, break, pull down or knock down of a structure or part thereof by way of manual labour, machinery, or the use of explosives;

"Fall Protection Plan" means a documented plan, which includes and provides for-

- (a) All risks relating to working from a fall risk position, considering the nature of work
- (b) The procedures and methods to be applied in order to eliminate the risk of falling; and
- (c) A rescue plan and procedures;

"Health and Safety File" means a file, or other record containing the information in writing required by these Regulations;

"Health and Safety Plan" means a site, activity or project specific documented plan in accordance with the client's health and safety specification;

"Health and Safety Specification" means a site, activity or project specific document prepared by the client pertaining to all health and safety requirements related to construction work;

"Medical Certificate of Fitness" means a certificate contemplated in regulation 7(8) of Construction Regulations 2014;

"Principal Contractor" means an employer appointed by the client to perform construction work;

"Safety Officer" – a person deemed competent by SACPCMP under the relevant category of registration.

"Professional Engineer or Professional Certificated Engineer" means a person holding registration as either a Professional Engineer or Professional Certificated Engineer in terms of the Engineering Profession Act, 2000 (Act No. 46 of 2000);

3. Scope of Application

This OHSE Specification document stipulates the minimum Occupational Health, Safety, and Environmental requirements that the tenderer need to address in his/her OHSE Plan. This Specification also addresses legal compliance, hazard identification, risk assessment, risk control, and the promotion of a Health and Safety culture amongst those working on the project.

This Specification also makes provision for the protection of persons other than employees. This OHSE Spec is exclusively applicable to the following project pending any change of scope which may necessitate changes to the OHSE Specification;

DEPARTMENT OF HEALTH: LUNEBURG CLINIC: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA

This OHSE Specification further seeks to achieve the following;

- (a) To provide Principal Contractors with the Structure of the Detailed OHSE Plans they will have to prepare and submit for this project.
- (b) Provide the overarching framework within which the Principal Contractor is required to demonstrate compliance with certain requirements for occupational health and safety established by the Occupational Health and Safety Act, Act 85 of 1993, all applicable regulations and Client Specific Requirements. See 72.16 of returnable schedules
- (c) To bring to the attention of the Bidding Principal Contractors that they need to make an undertaking that the costs for executing the project includes the costs of complying with the OHS Act, Act 85 of 1993, all applicable regulations including Client Specific requirements. Such undertaking is made by appending signatures on the OHS Declaration for Tenders. See T2.5 of returnable schedules
- (d) Ensure that the Principal Agent as the Professional Service Provider appointed by the Department to manage the project on its behalf in terms of the Conditions of Contract applicable to this project ensures that the contents of this document and the attached Baseline Risk Assessment are taken into consideration during design by all professions appointed and that the OHSE Specification is incorporated into the tender documents. See T2. 17 of returnable schedules

4. Contractual Issues

Acceptance by the Principal Contractor of the contract with KZN DOPW shall constitute acknowledgement that the Principal Contractor has familiarised him/herself with the contents of the OHSE Spec and that he/she will comply with all its obligations in respect thereof.

Due to fact that this document is based on legislative requirements, the Client requires that all Contractors comply with the requirements of this document and all other relevant legislative requirements not covered by this document.

The Client or its duly appointed Construction H&S Agent reserves the right to stop any Principal Contractor or Sub-Contractors from working whenever Safety, Health or Environmental requirements are being violated as required by regulation 5(1)(q). Any resultant costs of such work stoppages will be for the relevant Contractor's account.

The requirements as specified by the Client in this document must not be deemed to be exhaustive and the Client reserves the right to make changes as and when the Client deems fit to address issue of OHSE Compliance.

The Client will not entertain any claim of any nature whatsoever which arises as a result of costs incurred or delays being experienced due to the Contractor not complying with the requirements of this document and/or any other applicable legislative requirements imposed on the Contractor.

5. Administrative Requirements

(a) Application for a Construction Work Permit Number (Exempted until 7 August 2015) Should the submitted tender meet the following criteria then the tenderers must ensure that they attach a certified copy of the SACPCMP Certificate for a Registered Construction Manager together with their OHSE Plans. The criterion is as follows;

- (i) Construction work will exceed 10 days
- (ii) Will involve more than 50 person days of construction work; or
- (iii) The works contract is for a CIDB grading level 2 GB And Above

The application for the Construction Work Permit Number as contemplated above shall be the responsibility of the client depending on the submission of all relevant documentation from the successful tenderer.

After the Provincial Director of Labour has issued a Construction Work Permit, the Client's or its duly appointed Construction H&S Agent will issue a letter advising the Project Leader and the Principal Agent to arrange the site handover meeting as all legislative requirements would have been complied with including as a copy of the construction permit to work.

(b) Notification of Construction Work

If the submitted tender does not meet any of the criteria as stipulated under paragraph 5(a) then the successful tenderer must at least within 07 working days before commencing with construction work notify the Provincial Director in writing using Annexure "2" of the Occupational Health and Safety Act, 1993 (Regulation 4 of the Construction Regulations, 2014 - free online at www.gpwonline.co.za), if the intended construction works will include:

- a) excavation works
- b) working at heights where there is risk of falling
- c) demolition of structures; or
- d) the use of explosives to perform construction work

A copy of the notification once stamped by a DoL Official must be submitted to the client prior to commencing with construction work.

6. Appointment of a Fulltime/ Part time Safety Officer

The Principal Contractors will have to appoint a competent Construction H&S Officer as per the following criteria;

- (i) Number of employees onsite between 30 but below 50 Part Time Safety Officer shall be appointed and will be onsite at least 2 days a week
- (ii) Number of employees above 50 Fulltime Safety Officer should be appointed.
- (iii) Should the project require a Construction Work Permit a Fulltime Safety Officer should be appointed.

Further to the above criteria, should the Client or its Representative having considered the risks present and lack of compliance to the Occupational Health and Safety Act, Act 85 of 1993 and its applicable Regulations the Client or its Representative may issue an instruction that a Part/ Full Time Construction Health and Safety Officer must be appointed, such a requirement will have to be met. Taking the Risk associated with this project into consideration it is deemed that a full time Safety Officer needs to be appointed and be present on site at all ...

	WAIVER	R OF CONTRA	CTOR'S LIEN	
DEFINITIONS				
Contractor:				
Employer:	Zululand Sub-Dis KwaZulu-Natal)	strict: Vryheid : Public	Works (Department of	Public Works: Province of
Agreement:	JBCC Minor Wor	rks Edition 5.1 - March	າ 2014	
Works (description):		OF HEALTH : LUNEI TE STORAGE AREA	BURG CLINIC : CONS	TRUCTION OF NEW
Site:				
AGREEMENT				
The Contractor waives, in the Works to be executed		nployer, any lien or rig	ht of retention that is o	r may be held in respect of
Thus done and signed at			on	[Date]
Name of signatory			Capacity of signa	itory
As witness				f of the contractor who by warrants authorisation

#RFF!

ADDITIONAL SPECIFICATION - EPWP

<u>SL</u> EMPLOYMENT AND TRAINING OF EPWP BENEFICIARY ON THE EXPANDED PUBLIC WORKS PROGRAMME (EPWP) Infrastructure Projects:

CONTENTS

SL 01	SCOPE
SL 02	TERMINOLOGY AND DEFINITIONS
SL 03	APPLICABLE LABOUR LAWS
SL 04	EXTRACTS FROM MINISTERIAL DETERMINATION REGARDING EPWP
SL 05	EMPLOYER'S RESPONSIBILITIES
SL 06	PLACEMENT OF RECRUITED EPWP BENEFICIARY
SL 07	TRAINING OF EPWP BENEFICIARY
SL 08	EPWP BENEFICIARY SELECTION CRITERIA
SL 09	CONTRACTUAL OBLIGATIONS IN RELATION TO EPWP BENEFICIARY LABOUR
SL 10	PROVINCIAL RATES OF PAY
SL 11	MEASUREMENTS AND PAYMENT
EXAMPLE	EPWP EMPLOYMENT AGREEMENT

SL 01 SCOPE

This project is part of the Expanded Public Works Programme and aims to train young people and provide them with practical work experience as part of this programme. Youth aged between 18 and 35 will be recruited and trained in skills relevant to the work to be done on this project. These youth will have to be employed by the contractor as part of this project so that they can gain their work experience on these projects. The training of the youth will be coordinated and implemented by a separate service provider. This service provider will provide the contractor with a list of all the youth and the training each of these youth have received. The Contractor will be required to employ all of these youth for a minimum period of 6 months. Furthermore the Contractor will be required to supervise these youth to ensure that the work they perform is of the required standard. If necessary the contractor's staff will be required to assist and mentor the youth to ensure that they are able to perform the type of work they need to do to the satisfactory standards required. The contractor will not be required to employ all youth in the programme at the same time, but may rotate the youth on the project, as long as all youth are employed for the minimum duration stated earlier.

This specification contains the standard terms and conditions for workers employed in elementary occupations and trained on a Expanded Public Works Programme (EPWP) for Infrastructure.

SL 02 TERMINOLOGY AND DEFINITIONS

SL 02.01 TERMINOLOGY

(a) EPWP The Code of Good Practice for Expanded Public Works Programmes, which has been gazetted by the Department of Labour, and which provides for special conditions of employment for these EPWP projects. In terms of the Code of Good Practice, the workers on these projects are entitled to formal training, which will be provided by training providers appointed (and funded) by the Department of Labour. For projects of up to six months in duration, this training will cover lifeskills and information about other education, training and employment opportunities.

(b) EPWP Expanded Public Works Programme, a National Programme of the government of South Africa, approved by Cabinet.

(c) UYF Umsobumvu Youth Fund.(d) DOL Department of Labour.

SL 02.02 DEFINITIONS

(a) "employer" means the contractor or any party employing the worker / beneficiary

under the EPWP Programme.

(b) "client" means the Department of Public Works.

(c) "worker / trainee" means any person working or training in an elementary occupation on

a EPWP.

SL 03 APPLICABLE LABOUR LAWS

In line with the Expanded Public Works Programme (EPWP) policies, the Ministerial Determination, Special Public Works Programmes, issued in terms of the Basic Conditions of Employment Act of 1997 by the Minister of labour in government Notice No. R63 of 25 January 2002, of which extracts have been reproduced below in clauses SL 04 shall apply to works described in the scope of work and which are undertaken by unskilled or semi-skilled workers. The Code of Good Practise for Employment and Conditions of Work for Expanded Public Works Programmes, issued in terms of the Basic Conditions of Employment Act of 1997 by the Minister of Labour in Government Notice No. R64 of 25 January 2002 shall apply to works described in the scope of work and which unskilled or semi-skilled workers undertake.

SI 04 EXTRACTS FROM MINISTERIAL DETERMINATION REGARDING EPWP

SL 04.01 <u>DEFINITIONS</u>

- (a) "department" means any department of the State, implementing agent or contractor;
- (b) "employer" means any department that hires workers to work in elementary occupations on a FPWP.
- (c) "worker" means any person working in an elementary occupation on a EPWP;
- (d) "elementary occupation" means any occupation involving unskilled or semi-skilled work;
- (e) "management" means any person employed by a department or implementing agency to administer or execute a EPWP;
- (f) "task" means a fixed quantity of work;
- (g) "task-based work" means work in which a worker is paid a fixed rate for performing a task;
- (h) "task-rated worker" means a worker paid on the basis of the number of tasks completed;
- (i) "time-rated worker" means a worker paid on the basis of the length of time worked;
- "Service Provider" means the consultant appointed by Department to coordinate and arrange the employment and training of labour on EPWP infrastructure projects.

SL 04.02 TERMS OF WORK

- (a) Workers on a EPWP are employed on a temporary basis.
- (b) A worker may NOT be employed for longer than 24 months in any five-year cycle on a EPWP.
- (c) Employment on a EPWP qualify to contribute 1% as employment and a worker so employed should have to register as a contributor for the purposes of the Unemployment Insurance Fund (UIF)

SL 04.03 NORMAL HOURS OF WORK

- (a) An employer may not set tasks or hours of work that require a worker to work-
 - (i) more than forty hours in any week
 - (ii) on more than five days in any week; and
 - (iii) for more than eight hours on any day.
- (b) An employer and a worker may agree that the worker will work four days per week. The worker may then work up to ten hours per day.
- (c) A task-rated worker may not work more than a total of 55 hours in any week to complete the tasks (based on a 40-hour week) allocated to him.

Every work is entitled to a daily rest period of at least eight consecutive hours. The daily rest period is measured from the time the worker ends work on one day until the time the worker starts work on the next day.

SL 04.04 MEAL BREAKS

- (a) A worker may not work for more than five hours without taking a meal break of at least thirty minutes duration.
- (b) An employer and worker may agree on longer meal breaks.
- (c) A worker may not work during a meal break. However, an employer may require a worker to perform duties during a meal break if those duties cannot be left unattended and cannot be performed by another worker. An employer must take reasonable steps to ensure that a worker is relieved of his or her duties during the meal break.

SL 04.05 SPECIAL CONDITIONS FOR SECURITY GUARDS

- (a) A security guard may work up to 55 hours per week and up to eleven hours per day.
- (b) A security guard who works more than ten hours per day must have a meal break of at least one hour duration or two breaks of at least 30 minutes duration each.

SL 04.06 DAILY REST PERIOD

Every worker is entitled to a daily rest period of at least eight consecutive hours. The daily rest period is measured from the time the worker ends work on one day until the time the worker starts work on the next day.

SL 04.07 WEEKLY REST PERIOD

Every worker must have two days off every week. A worker may only work on their day off to perform work which must be done without delay and cannot be performed by workers during their ordinary hours of work ("emergency work").

SL 04.08 WORK ON SUNDAYS AND PUBLIC HOLIDAYS

- (a) A worker may only work on a Sunday or public holiday to perform emergency or security work
- (b) Work on Sundays is paid at the ordinary rate of pay.

- (c) A task-rated worker who works on a public holiday must be paid -
 - (i) the worker's daily task rate, if the worker works for less than four hours;
 - (ii) double the worker's daily task rate, if the worker works for more than four hours.
- (d) A time-rated worker who works on a public holiday must be paid -
 - the worker's daily rate of pay, if the worker works for less than four hours on the public holiday:
 - double the worker's daily rate of pay, if the worker works for more than four hours on the public holiday.

SL 04.09 SICK LEAVE

- (a) Only workers who work four or more days per week have the right to claim sick-pay in terms of this clause.
- (b) A worker who is unable to work on account of illness or injury is entitled to claim one day's paid sick leave for every full month that the worker has worked in terms of a contract.
- (c) A worker may accumulate a maximum of twelve days' sick leave in a year.
- (d) Accumulated sick-leave may not be transferred from one contract to another contract.
- (e) An employer must pay a task-rated worker the worker's daily task rate for a day's sick leave.
- (f) An employer must pay a time-rated worker the worker's daily rate of pay for a day's sick
- (g) An employer must pay a worker sick pay on the worker's usual payday.
- (h) Before paying sick-pay, an employer may require a worker to produce a certificate stating that the worker was unable to work on account of sickness or injury if the worker is
 - (i) absent from work for more than two consecutive days; or
 - ii) absent from work on more than two occasions in any eight-week period.
- A medical certificate must be issued and signed by a medical practitioner, a qualified nurse
 or a clinic staff member authorised to issue medical certificates indicating the duration and
 reason for incapacity.
- (j) A worker is not entitled to paid sick-leave for a work-related injury or occupational disease for which the worker can claim compensation under the Compensation for Occupational Injuries and Diseases Act.

SL 04.10 MATERNITY LEAVE

- (a) A worker may take up to four consecutive months' unpaid maternity leave.
- (b) A worker is not entitled to any payment or employment-related benefits during maternity leave
- (c) A worker must give her employer reasonable notice of when she will start maternity leave and when she will return to work.
- (d) A worker is not required to take the full period of maternity leave. However, a worker may not work for four weeks before the expected date of birth of her child or for six weeks after the birth of her child, unless a medical practitioner, midwife or qualified nurse certifies that she is fit to do so.

- (e) A worker may begin maternity leave -
 - (i) four weeks before the expected date of birth; or
 - (ii) on an earlier date -
 - if a medical practitioner, midwife or certified nurse certifies that it is necessary for the health of the worker or that of her unborn child; or
 - (2) if agreed to between employer and worker; or
 - (iii) on a later date, if a medical practitioner, midwife or certified nurse has certified that the worker is able to continue to work without endangering her health.
- (f) A worker who has a miscarriage during the third trimester of pregnancy or bears a stillborn child may take maternity leave for up to six weeks after the miscarriage or stillbirth.
- (g) A worker who returns to work after maternity leave, has the right to start a new cycle of twenty-four months employment, unless the EPWP on which she was employed has ended.

SL 04.11 FAMILY RESPONSIBILITY LEAVE

- (a) Workers, who work for at least four days per week, are entitled to three days paid family responsibility leave each year in the following circumstances -
 - (i) when the employee's child is born;
 - (ii) when the employee's child is sick;
 - (iii) in the event of the death of -
 - (1) the employee's spouse or life partner
 - (2) the employee's parent, adoptive parent, grandparent, child, adopted child, grandchild or sibling

SL 04.12 STATEMENT OF CONDITIONS

- (a) An employer must give a worker a statement containing the following details at the start of employment –
 - the employer's name and address and the name of the EPWP;
 - (ii) the tasks or job that the worker is to perform;
 - (iii) the period for which the worker is hired or, if this is not certain, the expected duration of the contract;
 - (iv) the worker's rate of pay and how this is to be calculated;
 - (v) the training that the worker may be entitled to receive during the EPWP.
- (b) An employer must ensure that these terms are explained in a suitable language to any employee who is unable to read the statement.
- (c) An employer must supply each worker with a copy of the relevant conditions of employment contained in this specification.
- (d) An employer must enter into a formal contract of employment with each employee. A copy of a pro-forma is attached at the end of this specification.

SL 04.13 KEEPING RECORDS

- (a) Every employer must keep a written record of at least the following -
 - (i) the worker's name and position;
 - (ii) in the case of a task-rated worker, the number of tasks completed by the worker;

- (iii) in the case of a time-rated worker, the time worked by the worker;
- (iv) payments made to each worker.
- (b) The employer must keep this record for a period of at least three years after the completion of the projectin his/her office as the project site office would have been relocated.

SL 04.14 PAYMENT

- (a) A task-rated worker will only be paid for tasks that have been completed.
- (b) An employer must pay a task-rated worker within five weeks of the work being completed and the work having been approved by the manager or the contractor having submitted an invoice to the employer. Payment must be made in cash, by cheque or by direct deposit into a bank account designated by the worker.
- (c) A time-rated worker will be paid at the end of each month and payment must be made in cash, by cheque or by direct deposit into a bank account designated by the worker.
- (d) Payment in cash or by cheque must take place -
 - (i) at the workplace or at a place agreed to by at least 75% of the workers; and
 - during the worker's working hours or within fifteen minutes of the start or finish of work:
- (e) All payments must be enclosed in a sealed envelope which becomes the property of the worker.
- (f) An employer must give a worker the following information in writing
 - (i) the period for which payment is made;
 - (ii) the number of tasks completed or hours worked;
 - (iii) the worker's earnings;
 - (iv) any money deducted from the payment;
 - (v) the actual amount paid to the worker.
- (g) If the worker is paid in cash or by cheque, this information must be recorded on the envelope and the worker must acknowledge receipt of payment by signing for it.
- (h) If a worker's employment is terminated, the employer must pay all monies owing to that worker within one month of the termination of employment.

SL 04.15 <u>DEDUCTIONS</u>

- (a) An employer may not deduct money from a worker's payment unless the deduction is required in terms of a law.
- (b) An employer must deduct and pay to the SA Revenue Services any income tax that the worker is required to pay.
- (c) An employer who deducts money from a worker's pay for payment to another person must pay the money to that person within the time period and other requirements specified in the agreement law, court order or arbitration award concerned.
- (d) An employer may not require or allow a worker to -
 - repay any payment except an overpayment previously made by the employer by mistake;
 - state that the worker received a greater amount of money than the employer actually paid to the worker; or
 - (iii) pay the employer or any other person for having been employed.

SL 04.16 HEALTH AND SAFETY

- (a) Employers must take all reasonable steps to ensure that the working environment is healthy and safe and that all legal requirements regarding health and safety are strictly adhered to.
- (b) A worker must:
 - work in a way that does not endanger his/her health and safety or that of any other person;
 - (ii) obey any health and safety instruction;
 - (iii) obey all health and safety rules;
 - (iv) use any personal protective equipment or clothing issued by the employer;
 - report any accident, near-miss incident or dangerous behaviour by another person to their employer or manager.

SL 04.17 COMPENSATION FOR INJURIES AND DISEASES

- (a) It is the responsibility of employers to arrange for all persons employed on a EPWP to be covered in terms of the Compensation for Occupational Injuries and Diseases Act, 130 of 1993
- (b) A worker must report any work-related injury or occupational disease to their employer or manager.
- (c) The employer must report the accident or disease to the Compensation Commissioner.
- (d) An employer must pay a worker who is unable to work because of an injury caused by an accident at work 75% of their earnings for up to three months. The employer will be refunded this amount by the Compensation Commissioner. This does NOT apply to injuries caused by accidents outside the workplace such as road accidents or accidents at home.

SL 04.18 TERMINATION

- (a) The employer may terminate the employment of a worker provided he has a valid reason and after following existing termination procedures.
- (b) A worker will not receive severance pay on termination.
- (c) A worker is not required to give notice to terminate employment. However, a worker who wishes to resign should advise the employer in advance to allow the employer to find a replacement.
- (d) A worker who is absent for more than three consecutive days without informing the employer of an intention to return to work will have terminated the contract. However, the worker may be re-engaged if a position becomes available for the balance of the 24-month period.
- (e) A worker who does not attend required training events, without good reason, will have terminated the contract. However, the worker may be re-engaged if a position becomes available for the balance of the 24-month period.

SL 04.19 CERTIFICATE OF SERVICE

- (a) On termination of employment, a worker is entitled to a certificate stating -
 - (i) the worker's full name;
 - (ii) the name and address of the employer;
 - (iii) the EPWP on which the worker worked;
 - (iv) the work performed by the worker;
 - (v) any training received by the worker as part of the EPWP;
 - (vi) the period for which the worker worked on the EPWP;
 - (vii) any other information agreed on by the employer and worker.

SL 05 EMPLOYER'S RESPONSIBILITIES

The employer shall adhere to the conditions of employment as stipulated in the *Code of Good Practice for Employment and Conditions of Work for Expanded Public Works Programmes*. Over and above the conditions stipulated above, he shall be responsible to:

- (a) formulate and design a contract between himself/ herself and each of the recruited EPWP beneficiary, ensuring that the contract does not contravene any of the Acts stipulated in South African Law, e.g. Basic Conditions of Employment Act, etc. (A copy of a pro-forma contract is attached at the end of this specification);
- (b) screen and select suitable candidates for employment from the priority list of EPWP beneficiary provided by the Umsobumvu Youth Fund (UYF);
- ensure that the recruited EPWP beneficiary are made available to receive basic life skills training which will be conducted and paid for by the Umsobumvu Youth Fund;
- ensure that all EPWP beneficiary receive instruction on safety on site prior to them commencing with work on site;
- (e) ensure that all EPWP beneficiary are covered under workmen's compensation for as long as they are contracted to the contractor. Payment to the Compensation Commissioner shall be the responsibility of the contractor;
- assist in the identification and assessment of potential EPWP beneficiary to undergo advanced technical training in respective trades;
- (g) test and implement strict quality control and to ensure that the health and safety regulations are adhered to;

- (h) provide all EPWP beneficiary with the necessary protective clothing as required by law for the specific trades that they are involved in.
- provide overall supervision and day-to-day management of EPWP beneficiary and/or subcontractors; and
- ensure that all EPWP beneficiary are paid their wages on time through a pre-agreed payment method as stipulated in the contract with the EPWP beneficiary.

SL 06 PLACEMENT OF RECRUITED EPWP BENEFICIARY

Employers will be contractually obliged to:

- (a) EPWP beneficiary workers from targeted social groups from the priority list provided by the Service Provider/ Umsobumvu Youth Fund.
- (b) facilitate on-the-job training and skills development programmes for the EPWP beneficiary;
- (c) achieve the following minimum employment targets:
 - (i) 55% people between the ages of 18 and 35
 - (ii) 55% women;
 - (iii) 2% people with disabilities.
- (d) brief EPWP beneficiary on the conditions of employment as specified in subclause SL 04.09 above:
- (e) enter into a contract with each EPWP beneficiaryr, which contract will form part of the Employment Agreement;
- (f) allow EPWP beneficiary the opportunity to attend life skills training through DOL. This shall be arranged at the beginning of the contract;
- (g) ensure that payments to EPWP beneficiary are made as set out in subclauses SL 04.14 and SL 04.15 above.
- (h) set up of personal profile files as prescribed by Service Provider and as set out in subclause SL 04.13 above.

(i) in addition to (h)

- a copy of the I.D;
- qualifications:
- career progress;
- EPWP Employment Agreement, and
- list of small trade tools;

must be included in the EPWP beneficiary's personal profile file.

SL 07 TRAINING OF EPWP BENEFICIARY

Three types of training are applicable, namely

- Life skills:
- On the job training and
- Technical Skills training.

Training will be implemented by training instructors accredited by DOL and/or CETA:

- EPWP beneficiary shall be employed on the projects for an average of 6 months.
- EPWP beneficiary shall be deployed on projects in the vicinity of their homes. The same arrangements as for other workers regarding accommodation, subsistence and travel shall be applicable to EPWP beneficiary.

(a) Life skills training

All EPWP beneficiary are entitled to undergo life skills training. Training of this module will be flexible enough to meet the needs of the employer. Training should take place immediately after site hand-over and during the period of site establishment and preplanning before actual construction starts, alternatively this will be spread over the duration of the contract period. The contractor will be required to work closely with the person to schedule the training sessions so that the timing of the training is aligned with the contractors work schedule and his demand for workers.

(b) On-the job training

The Employer shall provide EPWP beneficiary with on-the-job training to enable them to fulfil their employment requirements. The employer shall also be expected to closely monitor the job performance of youth workers and shall identify potential EPWP beneficiary for skills development programmes.

(c) Technical skills training

The Employer shall assist in identifying EPWP beneficiary for further training. These EPWP beneficiary will undergo further technical training to prepare them for opportunities as semi-skilled labourers.

Such training will comprise of an off-site theoretical component and practical training onsite. The contractor will be responsible for on-site practical work under his supervision. EPWP beneficiary who graduate from the first phase of the training programme will be identified and given opportunities to register for skills development programmes. These can ultimately result in a accredited qualification. The programme will consist of theoretical instruction away from the construction site as well as on-site practical work under the supervision of the employer. Candidates will be entitled to employment to complete all training modules.

SL 08 BENEFICIARY (EPWP BENEFICIARY) SELECTION CRITERIA

SL 08.01 PREAMBLE

The Code of Good Practise for Employment and Conditions of Work for ExpandedPublic Works Programmes encourages:

- optimal use of locally-based labour in a Expanded Public Works Programme (EPWP);
- a focus on targeted groups which consist of namely youth, consisting of women, femaleheaded households, disabled and households coping with HIV/AIDS; and
- the empowerment of individuals and communities engaged in a EPWP through the provision of training.

SL 08.02 BENEFICIARY (EPWP BENEFICIARY) SELECTION CRITERIA

- (a) The EPWP beneficiary of the programmes should preferably be non-working individuals from the most vulnerable sections of disadvantaged communities who do not receive any social security pension income. The local community must, through all structures available, be informed of and consulted about the establishment of any EPWP.
- (b) In order to spread the benefit as broadly as possible in the community, a maximum of one person per household should be employed, taking local circumstances into account.
- (c) Skilled artisans from other areas may be employed if they have skills that are required for a project and there are not enough persons in the local communities who have those skills or who could undergo appropriate skills training. However, this should not result in more than 20% of persons working on a programme not being from local communities.
- (d) Programmes should set participation targets for employment with respect to youth, single male- and female-headed households, women, people with disabilities, households coping with HIV/AIDS, people who have never worked, and those in long-term unemployment.
- (e) The proposed targets as set out in sub clause SL 06 (c)

- 55% youth from 18 to 35 years of age;
- 55% women;
- 2% disabled.

SL 09 CONTRACTUAL OBLIGATIONS IN RELATION TO EPWP BENIFICIARY LABOUR

The EPWP beneficiary to be employed in the programme (EPWP) shall be directly contracted to the employer. Over and above the construction and project management responsibilities, the employer will be expected to perform the tasks and responsibilities as set out in clause SL 05 above.

SL 10 PROVINCIAL RATES OF PAY

It is stipulated that youth workers on the EPWP beneficary receive a minimum of R 1 000 per month whilst working and R 600 per month whilst on training in ALL provinces. Should EPWP beneficiary be attending training whilst employed by the contractor, the contractor will still be responsible for payment to the EPWP beneficiary whilst at training.

SL 11 MEASUREMENTS AND PAYMENT

The number of EPWP beneficiary specified for this contract that will receive life skills training is 50 and technical training is 50

SL 11.01	PAYMENT FOR TRAINING OF EPWP BENEFICIARY (TARGET:- 50 EPWP BENEFICIARY)
SL 11.01.01	Skills development and Technical training for EPWP beneficiary for an average of 10 days(Prov.Sum)Unit: R/EPWP beneficiary The above item is only applicable if DoL does not fund the Technical Training PRIOR to site handover.
SL 11.01.02	Penalty due to not meeting the target as in SL 11.01.01
SL 11.02	PAYMENT FOR TRAVELLING AND ACCOMMODATION DURING OFF-SITE TRAINING
SL 11.02.01	Life skills training for 26 days: 01 Travelling (based on 50 km/youth worker)
SL 11.02.02	Skilled development and Technical training: 1 Travelling (based on 50 km/youth worker)
SL 11.03	ALTERNATIVE WORKERS FOR THE PERIOD OF OFF-SITE TRAINING
SL 11.03.01	Life skills training for 26 days
SL 11.03.02	Skilled development and Technical training for EPWP beneficiary for () days
	The unit of measurement shall be the number of EPWP beneficiary replaced while in training

The unit of measurement shall be the number of EPWP beneficiary replaced while in training multiplied by the number of days absent from the site.

The rates tendered shall include full compensation for additional replacement labour during periods of off-site training.

EMPLOYMENT OF EPWP BENEFICIARY SL 11.04 SL 11.04.01 Employment of EPWP beneficiary......(Prov.Sum)½.Unit: R/ worker-month The unit of measurement shall be the number of EPWP beneficiary at the statutory labour rates of R multiplied by the period employed in months and the rate tendered shall include full compensation for all costs associated with the employment of EPWP beneficiary and for complying with the conditions of contract. The cost for the training shall be excluded from this item. This item is based on 6 months appointment for EPWP beneficiary. SL 11.05 PROVISION OF EPWP DESIGNED OVERALLS TO EPWP BENEFICIARY SL 11.05.01 Supply EPWP designed overalls to EPWP beneficiary (Prov.Sum).....Unit: R EPWP beneficiary overalls should be orange (top and bottom) as per EPWP specification with the exception of Correctional Services contracts where the EPWP beneficiary top would be blue and the bottom orange. An amount has been provided in the Schedule of Quantities under sub item SL 10.05.01 for the supply of EPWP designed overalls, as per the specification provided by the EPWP unit, arranged by the Service Provider. The Engineer will have sole authority to spend the amounts or part thereof. The tendered percentage under sub items SL 10.05.02 will be paid to the contractor on the value of each payment pertaining to the supply of overalls to cover his expenses in this regard. PROVISION OF SMALL TOOLS FOR EPWP BENEFICIARY SL 11.06 SL 11.06.01 Provide all EPWP beneficiary with prescribed tools for their respective trades. Specification for the mentioned tools to be provided by the EPWP Service Provider. These tools will become the property of the EPWP beneficiary after the completion of the programme.....(Prov.Sum)....Unit: R 500-00 /youth worker SL 11.07 APPOINTMENT OF EPWP BENEFICIARY TEAM LEADER/S SL 11.07.01 Appointment of (_____) EPWP beneficiary team leader/s for the duration of the The EPWP beneficiary Team Leader will act as CLO/PLO to facilitate the project work between the EPWP beneficiary and the contractor. Umsobumvu Youth Fund can assist with the sourcing of EPWP beneficiary Team Leader for employment by the contractor. SL 11.08 The tendered rate shall include full compensation for the cost of liaising with the Service Provider

and Social Facilitators on all issues regarding the works.

Page 138 of 156

Quotations:
R 1 - R1 000 000
Effective Date: 16 JANUARY 2023
Version:8

(Insert Your Company Logo)
(This shall serve as the cover page on employment contracts for local labour)
EMPLOYMENT AGREEMENT
BETWEEN
[CONTRACTOR NAME]
AND
[WORKER NAME]

1. PARTIES

The Parties to this Agreement are -				
1.1.	Contractor:			
	herein represented by:			
	duly authorised thereto			
		And		
1.2.	Mr / Ms:			
				[worker's name]

2. DEFINITIONS AND INTERPRETATION

In this Agreement and any Annexure thereto, unless inconsistent with or otherwise indicated by the context-

"Agreement" means the contents of this Agreement. "Company" means the company that employs the worker "Department" means the Department of Public Works

is a person that performs a specific or necessary task or who completes tasks "Worker"

in a certain way

"EPWP"

The Expanded Public Works Programme is a government programme aimed at the alleviation of poverty and unemployment. The programme ensures the full engagement on Labour Intensive Methods of Construction (LIC) to contractors for skills development. The EPWP focuses at reducing unemployment by increasing economic growth by means of improving skills levels through education and training and improving the enabling environment

for the industry to flourish.

3. PURPOSE

The purpose of this agreement is to:-

Ensure that the agreement is binding to both the Worker and the Employer.	

4. TERMS AND CONDITIONS

The work	er should not have the expectation that this contract will be renewed or extended
The work	er will be subject to all laws, rules, policies, codes and procedures applicable to the

- The worker must meet the standards and requirements of the contractor
- The worker must render his/her services during normal working hours of minimum of forty to fifty five hours in any week; which comprise of an eight-hour working day in a five-day week.

5. REMUNERATION

The worker will receive compensation to the amount of R_____00 which must be paid by the 25th or on the <u>last day</u> of each month.

6. ROLES AND RESPONSIBILITIES

6.1 Employer / Worker

- Work for ______ in terms of the period as specified in the employment agreement contract.
- Be available for and participate in all learning and work experience required by the company.
- Comply with workplace policies and procedures.
- Complete any attendance or any written assessment tools supplied by the contractor to record relevant workplace experience.
- Demonstrate willingness to grow and learn through work experience.

Provide the following documentation to the employer,

- Certified identity document not longer than 3 months
- ID size photos
- Sign employment contract

- 6.2 Employer
 - Employ the worker for a period specified in the agreement.
 - Provide the worker with appropriate work based experience in the work environment.
 - Facilitate payments of wages / stipends.
 - Keep accurate records of workers.
 - Where a worker/ learner is disabled, the employer will have to provide in the additional needs e.g. special materials, learning aids and in some cases physical or professional support (such aids remain the property of the employer).
 - Keep up to date records of learning and discuss progress with the intern on a regular basis.
 - · Apply fair disciplinary, grievance and dispute resolution procedures to the worker.
 - Prepare an orientation/ induction course to introduce worker/ learner to the workplace and specific workplace requirements.
 - Ensure the daily attendance register is signed by the worker.

7. DURATION.

This agreement commences on:	
and	
expires on:	

8. BREACH.

If either party commits any breach of the terms of this contract (and fails to rectify it within 30 days of receipt of a written notice calling it to do so, then) the other party shall be entitled to terminate the contract or to claim specific performance without prejudice to any of its other legal rights, including its rights to claim damages.

9. CONDITIONS OF EMPLOYMENT

9.1. Meal Breaks

- 9.1.1 A worker may not work for more than five hours without taking a meal break of at least thirty minutes duration
- 9.1.2 An employer and worker may agree on longer meal breaks.
- 9.1.3 A worker may not work during a meal break. However, an employer may require a worker to perform duties during a meal break if those duties cannot be left unattended and cannot be performed by another worker. An employer must take reasonable steps to ensure that a worker is relieved of his or her duties during the meal break.
- 9.1.4 A worker is not entitled to payment for the period of a meal break. However, a worker who is paid on the basis of time worked must be paid if the worker is required to work or to be available for work during the meal break.

9.2. Special Conditions for Security Guards (Only applicable to security Guards)

- 9.2.1 A security guard may work up to 55 hours per week and up to eleven hours per day.
- 9.2.2 A security guard who works more than ten hours per day must have a meal break of at least one hour or two breaks of at least 30 minutes each.

9.3. Weekly Rest Period

Every worker must have two days off every week. A worker may only work on their day off to perform work which must be done without delay and cannot be performed by workers during their ordinary hours of work ("emergency work").

9.4. Work on Sundays and Public Holidays

- 9.4.1 A worker may only work on a Sunday or public holiday to perform emergency or security work.
- 9.4.2 Work on Sundays is paid at the ordinary rate of pay.
- 9.4.3 A task-rated worker who works on a public holiday must be paid;
 - (a) the worker's daily task rate, if the worker works for less than four hours;
 - (b) double the worker's daily task rate, if the worker works for more than four hours.
- 9.4.4 A time-rated worker who works on a public holiday must be paid
 - (a) the worker's daily rate of pay, if the worker works for less than four hours on the public holiday;
 - (b) double the worker's daily rate of pay, if the worker works for more than four hours on the public holiday.

9.5. Sick leave

- 9.5.1 Only workers who work more than 24 hours per month have the right to claim sick-pay in terms of this clause
- 9.5.2 A worker who is unable to work on account of illness or injury is entitled to claim one day's paid sick leave for every full month that the worker has worked in terms of a contract.
- 9.5.3 A worker may accumulate a maximum of twelve days' sick leave in a year.
- 9.5.4 Accumulated sick-leave may not be transferred from one contract to another contract.
- 9.5.5 An employer must pay a task-rated worker the worker's daily task rate for a day's sick leave.
- 9.5.6 An employer must pay a time-rated worker the worker's daily rate of pay for a day's sick leave.
- 9.5.7 An employer must pay a worker sick pay on the worker's usual payday.
- 9.5.8 Before paying sick-pay, an employer may require a worker to produce a certificate stating that the worker was unable to work on account of sickness or injury if the worker is
 - absent from work for more than two consecutive days; or
 - (b) absent from work on more than two occasions in any eight-week period.
- 9.5.9 A medical certificate must be issued and signed by a medical practitioner, a qualified nurse or a clinic staff member authorised to issue medical certificates indicating the duration and reason for incapacity.
- 9.5.10 A worker is not entitled to paid sick-leave for a work-related injury or occupational disease for which the worker can claim compensation under the Compensation for Occupational Injuries and Diseases Act.

9.6. Maternity Leave

- 9.6.1 A worker may take up to four consecutive months' unpaid maternity leave.
- 9.6.2 A worker is not entitled to any payment or employment-related benefits during maternity leave.
- 9.6.3 A worker must give her employer reasonable notice of when she will start maternity leave and when she will return to work.
- 9.6.4 A worker is not required to take the full period of maternity leave. However, a worker may not work for four weeks before the expected date of birth of her child or for six weeks after the birth of her child, unless a medical practitioner, midwife or qualified nurse certifies that she is fit to do so.
- 9.6.5 A worker may begin maternity leave as follows;
 - (a) four weeks before the expected date of birth: or
 - (b) on an earlier date
 - (i) if a medical practitioner, midwife or certified nurse certifies that it is necessary for the health of the worker or that of her unborn child; or
 - (ii) if agreed to between employer and worker; or
 - (c) on a later date, if a medical practitioner, midwife or certified nurse has certified that the worker is able to continue to work without endangering her health.
- 10,6 A worker who has a miscarriage during the third trimester of pregnancy or bears a stillborn child may take maternity leave for up to six weeks after the miscarriage or stillbirth.

9.7. Family responsibility leave

- 9.7.1 Workers, who work for at least four days per week, are entitled to three days paid family responsibility leave each year in the following circumstances;
 - (a) when the employee's child is born;
 - (b) when the employee's child is sick;
 - (c) in the event of a death of
 - (i) the employee's spouse or life partner;
 - (ii) the employee's parent, adoptive parent, grandparent, child, adopted child, grandchild or sibling

9.8. Keeping Records

- 9.8.1 Every employer must keep a written record on site for the duration of the project and three (3) year after completion records should consists of at least the following;
 - (a) the worker's name and position;
 - (b) copy of an acceptable worker identification
 - (c) in the case of a task-rated worker the number of tasks completed by the worker;
 - (d) in the case of a time-rated worker, the time worked by the worker;
 - (e) payments made to each worker in a form of Proof of Payment, Payroll registers and the acknowledgement of payment receipt signed by the worker.
- 9.8.2 The employer must keep this record for a period of at least three years after the completion of the EPWP.

9.9. Payment

- 9.9.1 An employer must pay all wages at least monthly in cash or by cheque or into a bank account.
- 9.9.2 A worker may not be paid less than the Ministerial Determination wage rate.
- 9.9.3 A task-rated worker will only be paid for tasks that have been completed.
- 9.9.4 An employer must pay a task-rated worker within five weeks of the work being completed and the work having been approved by the manager or the contractor having submitted an invoice to the employer.
- 9.9.5 A time-rated worker will be paid at the end of each month.
- 9.9.6 Payment must be made in cash, by cheque or by direct deposit into a bank account designated by the worker.

- 9.9.7 Payment in cash or by cheque must take place
 - (a) at the workplace or at a place agreed to by the worker;
 - (b) during the worker's working hours or within fifteen minutes of the start or finish of work;
 - (c) in a sealed envelope which becomes the property of the worker.
- 9.9.8 An employer must give a worker the following information in writing
 - (a) the period for which payment is made;
 - (b) the numbers of tasks completed or hours worked;
 - (c) the worker's earnings;
 - (d) any money deducted from the payment;
 - (e) the actual amount paid to the worker.
- 9.9.9 If the worker is paid in cash or by cheque, this information must be recorded on the envelope and the worker must acknowledge receipt of payment by signing for it.
- 9.9.10 If a worker's employment is terminated, the employer must pay all monies owing to that worker within one month of the termination of employment.

9.10. Inclement weather

If no work has begun on site, and if an employee has reported for work, the employee will be paid for four hours. Should work be stopped after the first four hours, the employee will be paid for the hours worked. Where the employer has given employees notice on the previous working day that no work will be available due to inclement weather, then no payment will be made.

9.11. Deductions

- 9.11.1 An employer may not deduct money from a worker's payment unless the deduction is required in terms
- 9.11.2 An employer must deduct and pay to the SA Revenue Services any income tax that the worker is required to pay.
- 9.11.3 An employer who deducts money from a worker's pay for payment to another person must pay the money to that person within the time period and other requirements specified in the agreement of Law; court order or arbitration
- 9.11.4 It is the responsibility of the employers to arrange for all persons employed on a Project to be covered in terms of the Unemployment Insurance Fund Contributions Act, 2002 (Act No. 4 of 2002)
- 9.11.5 An employer may not require or allow a worker to
 - (a) repay any payment except an overpayment previously made by the employer by mistake;

- (b) state that the worker received a greater amount of money than the employer actually paid to the worker; or
- (c) pay the employer or any other person for having been employed.

9.12. Health and Safety

- 9.12.1 Employers must take all reasonable steps to ensure that the working environment is healthy and safe.
- 9.12.2 A worker must:
 - (a) work in a way that does not endanger his/her health and safety or that of any other person;
 - (b) obey any health and safety instruction;
 - (c) use any personal protective equipment or clothing issued by the employer;
 - report any accident, near-miss incident or dangerous behaviour by another person to their employer or manager.

9.13. Compensation for Injuries and Diseases

- 9.13.1 It is the responsibility of the employers to arrange for all persons employed on a Project to be covered in terms of the Compensation for Occupational Injuries and Diseases Act, 130 of 1993 as amended by COIDA Act 61, 1997.
- 9.13.2 A worker must report any work-related injury or occupational disease to their employer or manager.
- 9.13.3 The employer must report the accident or disease to the Compensation Commissioner.
- 9.13.4 An employer must pay a worker who is unable to work because of an injury caused by an accident at work 75% of their earnings for up to three months. The employer will be refunded this amount by the Compensation Commissioner. This does NOT apply to injuries caused by accidents outside the workplace such as road accidents or accidents at home.

9.14. Termination

- 9.14.1 The employer may terminate the employment of a worker for good cause after following a fair procedure.
- 9.14.2 A worker will not receive severance pay on termination.
- 9.14.3 A worker is not required to give notice to terminate employment. However, a worker who wishes to resign should advise the employer in advance to allow the employer to find a replacement.
- 9.14.4 A worker who is absent for more than three consecutive days without informing the employer of an intention to return to work will have terminated the contract. However, the worker may be re-engaged if a position becomes available.

9.14.5 A worker who does not attend required training events, without good reason, will have terminated the contract. However, the worker may be re-engaged if a position becomes available.

Notice procedure is as follows;

- One week if employed for four weeks or less
- Two weeks if employed for more than four weeks but not more than a year
- Four weeks of employed for one (1) year or more

9.15. Certificate of Service

- 9.15.1 On termination of employment, a worker is entitled to a certificate stating;
 - the worker's full name;
 - (b) the name and address of the employer;
 - (c) the Project on which the worker worked; the work performed by the worker;
 - any training received by the worker;
 - (e)
 - the period for which the worker worked on the Project; and any other information agreed on by the employer and worker. (f)

9.16. DOMICI	

The address to which notices and all legal documents may be delivered or served are as follows:

Employee Details		
Name & Surname:		
ID No:		
Residential Address:		
Contact No:		
Date of Employment:		
To be supervised by:	Main Contractor: Sub Contractor:	
Category of employment:	Skilled: Semi-Skilled: Unskilled:	
For Skilled & Semi-skilled state the trade): 	
Period of employment: Fixed for until wh	nen your services are	still required on site
I confirm that I have been inducted and f	ully understand the co	ondition of my appointment.
Employee Signature:	_ Witness t	by SGB/CLO:
Employer Details	Signature	by Witness:
Docianation:		Signatura

Reporting month:

Department of Public Works: KZN Effective Date: 16 JANUARY 2023

Version:8





Cell No:

The Attendance Register for on-site Workers

Surname:				_	First Name:				
Project Name:	DEPARTM	MENT OF HEA	ALTH : LUNE		IIC : CONST AGE AREA	RUCTION OF NEW MEDICAL WASTE			
Project Code:	06856	5			Bid No	ZNQ 014/25V			
DENTITY NUM	BER:								
Day	Date	Time In	Signature	Time Out	Signature	Report On Any Formal Training Provided In The Reporting Month			
WEEK 1									
MONDAY									
TUESDAY									
WEDNESDAY									
THURSDAY									
FRIDAY									
WEEK 2	 	+							
MONDAY									
TUESDAY									
WEDNESDAY									
THURSDAY									
FRIDAY									
WEEK 3									
MONDAY									
TUESDAY									
WEDNESDAY									
THURSDAY									
FRIDAY									
AVEEN A			<u> </u>						
MEEK 4 MONDAY			 	 	<u> </u>				
TUESDAY									
WEDNESDAY									
THURSDAY									
FRIDAY									
INDAT			<u> </u>						
WEEK 5									
MONDAY									
TUESDAY									
WEDNESDAY									
THURSDAY									
FRIDAY			1						
Total Days wor	ked		-	-					
					-				

KZN PUBLIC WORKS Annexure 12

Monthly Data collection for LOCAL Labour



Name of Contractor: Proje

Name of Project: LUNEBURG CLINIC - EMONDLO: DEPARTMENT OF HEALTH: CONSTRUCTION OF NEW MEDICAL WASTE STORAGE AREA

						Beneficiary Details												1						
No	First Name	Initial	Surname	ID number						D.O.B	Gender F/M	Disability Y/N	Start Date on the current month	end Date on the current month	Total days worked	Job description	Registered on UIF							
'																								
.0																								
				•						0	(1) Un	kno	wn		(3)	els – use the co Grade 1-3 (S Grade 4 (Sto	Sub A -	- Std 1			(5) Grade (6) Grade	5-6 (Std 3-4) A 7-8 (Std 5-6) A	BET 2 BET 3

Contractor sign:	DPW Official/Consultant sign:	_ EPWP Official sign:
Designation:	Designation:	Designation:
Date:	Date:	Date:
Contact no:	Contact no:	Contact no:

public works	
Department:	
Public Works	
PROVINCE OF KWAZULU-NA	ТΔ



PROVINCE OF KWAZULU-NA	ATAL	EXPANDED PUBLIC WORKS PROGRAMME
ct Code:	068565	Project location name (area):
Reporting mor	nth:	Project location (Ward No.):

				Experience					ion Details		Household Details		
Registered with COIDA (Y/N)	Are you receiving any Gov grant?	1st Language	Other Language 1	Other Language 2	Education Level (See Codes below)	Highest Level of Education	Address	Ward No.	Cell No.	Nationality	No. of people in Household	No. of Dependants in Household	No. of Children attending school

(7) Grade 9 (Std 7) AE (8) Grade 10-11 (Std 8) Grade 12 (0) Post Mat	
	-	
		

Reference No Project Name Project Name Project Name Project Details Project Asker Date Project Skrt Date Project Coation Project Coation Project Coation Project Coation Project General formaty District Marco Municipality Lead for decimal formaty Leading of decimal form	BUSINESS PLAN	
Project Data Project Data Project Data Project Data Project Data Project Rolamo Project Sociation Project Location Project Location Project Location Project Location Project Location Project Sociation Project Sociation Project Location Project Locat		
Project Name Project Details Project Getails Project Getains Project Getains Number Project Getains Number Project Getains Number Project Getains Number Project Getain Date Project Getain Date Project Getain Date Settimated Budget Project Location Settimated Inserting Settimated Settim	Profile ID	
Project Datails Project Name Project Reference Number Project Georgicion Project Ede Sociption Project Ede Date Estemand Budget Project Ede Date Estemand Budget Project Ede Date Estemand Budget Project Clastion Project Ede Date Estemand Budget Project Location Province Estemand Formatic Estemand Sudget Project Location Province Estemand Sudget Project Location Province Estemand Sudget Project Location Estemand Sudget Project Location Estemand Sudget Project Location Estemand Sudget Esteman		
Project Name Project Risme Project Rismerence Number Project description Project description Project description Project description Project End Date Estendated Budget Project Location Project End Date Estendated Budget Project Location Project General Project Description District Micro Municipality District Micro Micro Municipality District Micro Municipality Dis		
Project federacing humber Project description Project description Project Start Date Project Location Project Location Project Start Date Startmard Budget Project Location Project Commission Project Comm	-	
Project description Project star Date Project Each Table Project Each Table Project Each Table Estimated Budget Project Location Project Each Each Sudget Project Location Project Each Each Sudget Project Location Latitude (in decimal format) Latitude (in decimal format) Latitude (in decimal format) Latitude (in decimal format) Public Body Details Public Body sphere Reporting public body hat is the project owner (and will report on the project) Implementing public body hat will implement the project Public Body that will implement the project Profession Each Sudget Amount Perwy Brogram Perwy Br		
Project Start Date Project Card Date Startinated Budget Project Location Province DistrictMintor Municipality Local Municipality (Loca		
Project End Date Estimated Budget Project Coatlon Province Coatlon C		
Estimated Budget Project Location District/More Municipality Coal		
Project Location Province Prov		
Province Interest Numicipality Interest Numicipali		
DistrictMere Municipality Local MunicipalityMetro Region Latitute (in decimal format) Public Body Details Public body sphere Reporting public body that is the project owner (and will report on the project) Implementing public body that is the project owner (and will report on the project) Implementing public body type Public Body that will implement the project IDP reference number allocated to the project allocated to the project IDP reference number allocated to the project allocated to th		
Latitude (in decimal format) Longitude (in decimal format) Longitude (in decimal format) Public Body petalis Public body sphere Reporting public body that is the project owner (and will report on the project) Implementing public body that will implement the project Public Body that will implement the project IDP reference number allocated to the project EPWP Detalis EPWP Detalis EPWP Porgram EPWP Program EPWP Program EPWP Sector EPWP Sector EPWP Sector EPWP Sector EPWP Sector EPWP Program EPWP Sector EPWP Sec	District/Metro Municipality	
Longitude (in decimal format) Public Body Datails Reporting public body that is the project owner (and will report on the project) Implementing public body type Public body stull implement the project owner (and will report on the project) Implementing public body type Public body that is the project owner (and will report on the project) IDP reference number allocated to the project EPWP Delic body that is implement the project EPWP Subpic body that is the project EPWP Subpic solution of the project owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project) EPWP Subpic solution owner (and will report on the project (and wi	Local Municipality/Metro Region	
Public Body sphere Public body sphere Reporting public body that is the project owner (and will report on the project) Implementing public body that will implement the project Diversor and the project body that will implement the project EPWP Details EPWP Details EPWP Sector EPWP Porgram EPWP Syrogram EPWP Syr	Latitude (in decimal format)	
Public body sphere Reporting public body that is the project owner (and will report on the project) Implementing public body that will implement the project Public body that will implement the project Public body that will implement the project Pervence number allocated to the project allocated to the pr	Longitude (in decimal format)	
Public body sphere Reporting public body that is the project owner (and will report on the project) Implementing public body that will implement the project Public body that will implement the project Public body that will implement the project Pervence number allocated to the project allocated to the pr	Public Body Details	
Reporting public body that is the project owner (and will report on the project) Implementing public body type Public body that will implement the project EPWP Details EPWP Details EPWP Postor EPWP Program EPWP Sub programme Budget Amount April 2014March 2015 April 2015March 2016 Total Budget Amount Wages UIIF COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Output Despription Target Quantity Number of persons to be trained Contact person Title Initials Erist Name Email Tel (Office) Eras Number Physical Address 1 Physical Address 2 Physical Address 3	Public body sphere	
Implementing public body type Public body that will implement the project IDP reference number allocated to the project IDP reference number allocated to the project IDP Proference number allocated to the project IDP Proference number allocated to the project IDP Proference number allocated to the project IDP IDP reference number allocated to the project IDP IDP Sector IDP	Reporting public body that is the project owner (and will report on the project)	
Public body that will implement the project DP reference number allocated to the project EPWP Details EPWP Sector EPWP Program EPWP Sub programme Budget Amount April 2014March 2015 April 2015March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Output Describe other Cotyputs and Training Training Cotyputs and Training Outputs Begription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Fiel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 2 Physical Address 3		
EPWP Details EPWP Sactor EPWP Program EPWP Sub programme Budget Amount April 2014/March 2015 April 2014/March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Output and Training Output Subject of	Public body that will implement the project	
EPWP Sector EPWP Program EPWP Sub programme Budget Amount April 2014/March 2015 April 2014/March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Outputs and Training Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Teri (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 2 Physical Address 2	IDP reference number allocated to the project	
EPWP Program EPWP Sub programme Budget Amount April 2014/March 2015 April 2014/March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Outputs and Training Outputs and Training Output Uput Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3	EPWP Details	
EPWP Program EPWP Sub programme Budget Amount April 2014/March 2015 April 2014/March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Outputs and Training Outputs and Training Output Uput Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3	EDMD Costor	
Budget Amount April 2014March 2015 April 2014March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Other Doscribe other Outputs and Training Output Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Fhysical Address 1 Physical Address 2 Physical Address 3		
Budget Amount April 2014/March 2015 April 2015/March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Email Email Coffice) Fax Number Cell Number Physical Address 2 Physical Address 2 Physical Address 2 Physical Address 3		
April 2014/March 2015 April 2015/March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Other Doscribe other Outputs and Training Output Describe other Outputs and Training Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 2 Physical Address 2		
April 2015/March 2016 Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Other Outputs and Training Outputs and Training Outputs on the properties of the prope	-	
Total Budget Amount Wages UIF COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Output UEP Despription Target Quantity Number of persons to be trained Contact person Title Initials Frist Name Surname Email Tet (Office) Fax Number Cell Number Physical Address 1 Physical Address 2		
Wages UIF COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Output and Training Output Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
UIF COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Fer (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
COIDA Training Administration Equipment and materials Other Describe other Outputs and Training Output Ouspription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Feax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 2 Physical Address 3		
Training Administration Equipment and materials Other Describe other Outputs and Training Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Feax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Administration Equipment and materials Other Describe other Outputs and Training Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Equipment and materials Other Describe other Outputs and Training Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Other Describe other Outputs and Training Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Describe other Output and Training Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 3		
Output Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Output Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Despription Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 3		
Target Quantity Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3	Output	
Number of persons to be trained Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 3 Physical Address 3	Despription	
Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 3	Target Quantity	
Contact person Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 3	Number of persons to be trained	
Title Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Initials First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
First Name Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Surname Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Email Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Tel (Office) Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3	Email	
Fax Number Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Cell Number Physical Address 1 Physical Address 2 Physical Address 3		
Physical Address 1 Physical Address 2 Physical Address 3	Cell Number	
Physical Address 2 Physical Address 3		
Physical Address 3		
	Physical Address 3	
	Physical Address 4	

KZN PUBLIC WORKS

N PUBLIC WORKS		KWAZULU-NATAL PROVINC
		KWAZULU-NATAL PROVINC
rker payment capture form for LOCAL Labour	The state of the s	PUBLIC WORKS REPUBLIC OF SOUTH AFRICA



1	Worker payme	ent cap	ture form for L	OCAL Labour		PUBLIC WORKS REPUBLIC OF SOUTH AFRICA EXPANDED PUBLIC WORKS PROGRAMME								
ı	Name of Contr	actor:				_	Project Co	de:	0	68565				
ı	Name of Projec	ot:	DEPARTMEN	NT OF HEALTH : LUNE ISTRUCTION OF NEW	BURG									
						Reporting month:								
					ayment Uplo	oad								
N	o. First Name	Initials	Surname	Identity No.	D.O.B	Job Description	Daily Wage Rate	Total Paid Days	Total Amount Paid	Total days Worked Days				
1														
2														
3														
4														
5														
6														
7														
8														
9														
10	0													
	ontractor sign:						al sign:							
D	ate:			Date:				Date:						
С	ontact no:			Contact no:				Contact no:						

KZN PUBLIC WORKS

Worker Training capture form for LOCAL Labour



		林林
EXPANDED PUBL	IC WORKS I	PROGRAMME

Name of Contractor:					_ Project Code:		068565							
Na	me of Project:	:	DEPARTMENT (CONSTRUCTIONAREA											
								Reporting m	onth:					
						Train	ing							
No	Name	Surname	ID No.	Job description	Course Name	Was training Accredited or Non - accredited by a relevant SETA	Start date on current month	End date on current month	Training Days Paid	Training Days Not Paid	Total Number of Training Days	Cost per trainee	Is training complete or on - going	Name o Training Provide
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														
11														•
12														
13														
												1		

Contractor sign: ______ EPWP Official sign: _____ EPWP Official sign: _____

Quotations: R 1 - R1 000 000 Department of Public Works: KZN Effective Date: 16 JANUARY 2023 Version:8

Designation:	Designation:	Designation:
Date:	Date:	Date:
Contact no:	Contact no:	Contact no:

Location			
Locality Name			
Municipality			
Subplace			
Ward			
Government Facility			
Latitude			
Longitude			
Physical Address/Location			

Please do a print preview before printing.